

## New county records of British spiders

P. Merrett

Institute of Terrestrial Ecology,  
Furzebrook Research Station,  
Wareham, Dorset BH20 5AS

### Introduction

The county records which follow are additions to those shown on the distribution maps in Locket, Millidge & Merrett, *British Spiders*, Vol. III (1974) and those listed in my paper in *Bull.Br.arachnol.Soc.* 3(5): 140-141 (1975). The counties listed are those which existed before the boundary revisions of April 1974. Records for Scottish islands are listed

according to the grouping described in *British Spiders*, Vol. III, p. 132. (N.B. The island listed here is the one listed first in each group of islands in Vol. III, and is not necessarily the island where the spider was recorded). This list includes both published and unpublished records, the principal contributors of the latter being Mr P. Alderman, Dr N. P. Ashmole, Miss S. I. Baldwin, Mr R. B. Coleman, Mr J. Crocker, Dr D. J. Curtis, Dr J. Dalingwater, Mr S. Dobson, Mr D. Doogue, Mr J. B. Gray, Mr P. D. Hillyard, Mr D. Horsfield, Mr R. Jones, Mr A. Lavery, Miss C. M. Merrett, Mr D. R. Nellist, Mr J. R. Parker, Dr R. A. Preston-Mafham, Mr A. Russell-Smith, Mr C. J. Smith, Mr R. Snazell, Mr J. A. Stewart, Mr M. J. Surtees, Mr T. J. Thomas, Mr M. Towns and Dr M. B. Usher (with apologies to anyone whom I have inadvertently omitted).

#### Family Atypidae

*A. affinis* Glos.

#### Family Amaurobiidae

*A. fenestralis* Coll

*A. similis* Kirkcud., Ayr, Stirl., Islay, Coll, Orkn.

#### Family Dictynidae

*D. arundinacea* Roxb., Peebles, Angus, Wicklow

*D. latens* I. o. Man

*L. humilis* Beds., Northants, N. & E. Yorks.

*A. subnigra* Northants

*A. patula* E. Yorks.

#### Family Uloboridae

*U. walckenaerius* Sussex

*H. paradoxus* Bucks., Westmld.

#### Family Oonopidae

*Oonops pulcher* Warw., Beds.

*O. domesticus* Derby, Hunts., N. & E. Yorks., Durh.

#### Family Dysderidae

*D. erythrina* Beds.

*D. crocata* Beds., Glam., Moray

*H. hombergi* Beds.

*S. senoculata* Orkney

*S. florentina* Monmouth

#### Family Scytodidae

*S. thoracica* Middx., Essex, Beds.

#### Family Pholcidae

*P. phalangioides* Heref., Derby, Flint, Lancs., Glam., I. o. Man, Dublin

#### Family Gnaphosidae

*D. lapidosus* Wilts., Berks., Bucks., Beds., Warw., Norths., Flint, Ayr, Lanark, Dunbar, Argyll, Banff, Islay

*D. cupreus* Bucks., Beds., Monm., Peebles, E. Loth., Argyll, Perth, Aberd., Banff, Moray, Nairn, Ross, Sutherl., Caithn.

*D. pubescens* Lanark, Stirl.

*H. signifer* Warw., Peebles, Lanark, Kincard., Ross, Sutherl., Caithn., Out. Hebr.

*H. silvestris* Wilts., Leics.

*H. blackwalli* Derby, Glam., Moray

*P. braccatus* Wilts.

*Z. pedestris* Wilts., Glos.

*Z. lutetianus* Dorset

*Z. pusillus* Bucks., N. Yorks., Aberd., Invern., Ross, Sutherl.

*Z. praeficus* Wilts.

*Z. electus* Beds., Lincs.

*Z. latreillei* Bucks., Beds., Leics., Monm., Carmar., Moray, Nairn

*Z. apricorum* Hants., Glos., Monm., Notts., Banff

*Z. serotinus* Devon

*Z. petrensis* Bucks.

*G. leporina* Nairn, Ross, Sutherl.

*M. pulicaria* Beds., Norths., Monm., Peebles, Ross, Sutherl., Orkn.

*M. subopaca* Hants., Stirling

#### Family Clubionidae

*C. corticalis* Beds.

*C. reclusa* Selkirk, Peebles, Ayr, Kincard.

*C. stagnatilis* Glos., Beds., Leics., Carmar., Radnor, Montgom., Selkirk, Dunbar, Invern., Caithn.

*C. norvegica* Montgom., Cumb., Midloth., Argyll

*C. phragmitis* Bucks., Carmar., Ross, Orkn.

*C. terrestris* Beds., Norths., Monm., Carmar., Flint, Argyll

*C. neglecta* Notts., Radnor, Wigtown, Angus, Ross, Sutherl., Caithn., Islay, O. Hebr.

*C. lutescens* London, Notts., Monm., Cards., Berw., E. Loth., Midloth., W. Loth., Peebles, Argyll

*C. compta* Argyll

*C. brevipes* Beds.

*C. trivialis* Beds., Durh., Berw., Peebles, Ayr, Banff

*C. diversa* Norths., Roxb., Selkirk, Kirkcud., Argyll, Aberd., Nairn, Ross, Sutherl., Skomer, O. Hebr., Orkn.

*C. subtilis* Berks., Lincs., Merion.

*C. erraticum* Westmld., Fife

*C. pennyi* Dorset

*A. brunnea* Glam.

*A. proxima* Bucks., Notts., Lanark, Stirl., Ross, Caithn., O. Hebr., Orkn., Shetl.

*A. inopina* Middx., Beds.

*A. striata* Bucks.

*S. celans* Beds., Argyll*S. gracilipes* Aberd.*P. festivus* Beds., Northts., Ayr, Islay*P. minimus* Bucks.

## Family Zoridae

*Zora spinimana* Carmar., Cards., Dunbar., Kildare

## Family Anyphaenidae

*A. accentuata* Beds., Argyll

## Family Thomisidae

*T. onustus* Sussex*D. dorsata* Beds.*M. vicia* Warw., Glam.*X. cristatus* Roxb., Peebles, Angus*X. audax* Beds., Midloth., Anglesey*X. kochi* Caerns.*X. erraticus* Wigtown, Fife, Ross*X. lanio* Beds., Leics.*X. ulmi* Beds., Argyll*X. bifasciatus* Bucks., N. Yorks., Glam.*X. luctator* Berks.*X. luctuosus* Argyll, Clare*O. nigrita* Wilts., Bucks.*O. sanctuaria* Wilts., Bucks., Northts., Leics., Glam.*O. praticola* Beds.*O. trux* Bucks., Carmar., Roxb., Argyll, Angus, Ross, Orkn.*O. simplex* Bucks.*O. atomaria* Bucks.*O. brevipes* Beds., Notts.*P. dispar* Flint*P. aureolus* Roxb., Berw., Peebles, Dunbar.*P. cespitum* Monm., Brecon, Carmar., Westmld., Midloth.*P. collinus* Hants., Kent, Northants.*P. histrio* N. & E. Yorks.*P. emarginatus* Lancs.*P. rufus* Beds., Essex*T. striatus* Berks., Notts.*T. maritimus* Ayr, Lanark, Peebles, Midloth., Argyll, Angus*T. oblongus* Glos., Warw., Notts., Argyll, Islay, Kildare

## Family Salticidae

*S. cingulatus* Beds., Midloth.*H. cupreus* Essex, Wigtown, Argyll*H. flavipes* Argyll, Aberd., Ross, Sutherl.*M. muscosa* Beds.*N. reticulatus* Beds., Islay, Orkney*E. frontalis* Monm., Banff*E. herbigrada* Dorset*E. erratica* Argyll*E. aequipes* Bucks., E. Loth., Invern.*E. lanigera* Glos., Somer., Chesh., Lancs., W. Yorks., Glam.*S. pubescens* Beds., Notts.*S. caricis* Durham*S. floricola* Kirkcud.*E. falcatata* Leics., Midloth.*A. v-insignitus* Suffolk*T. denticulata* Beds., Roxb., Selkirk, Wigtown, Banff, Coll*T. saeva* Devon, Somer., Middx., Shrops., Chesh., Lancs., Derby, Cumb., Peebles, Midloth., Argyll*T. gigantea* Wilts., Kent, Glos., Beds., Northts., Norf., Heref., Worcs., Leics., Staffs., Lincs., Chesh., Lancs., Cumb., Westmld., Durh., W. & E. Yorks., I. o. Man, Roxb., Midloth., Argyll*T. atrica* Herts., Clackman., Angus*T. parietina* Lancs.*T. agrestis* Bucks., Northts., N. Yorks.*T. domestica* Coll*T. silvestris* Beds.*C. atropos* Aberd.*C. terrestris* Warw.*C. cicur* Beds.*C. silvicola* Roxb., Argyll, Orkney*T. maerens* Oxford*A. elegans* Radnor, Montgom., Roxb., Ayr*H. montana* Glos., Stirl., Dunbar., Orkney*H. nava* Bucks., Northts., Roxb., Angus Ross, Sutherl.*H. helveola* Northts., Argyll*H. pusilla* Herts., Beds., Westmld., Merion., Ayr*H. microphthalmia* Dorset, Herts.

## Family Mimetidae

*E. cambridgei* Leics., Notts., Lancs., Westmld., Monm., Berw., Selkirk, Midloth., Orkn.*E. furcata* Ross*E. tuberculata* N.B. NOT Oxford

## Family Theridiidae

*E. angulatus* Herts., Beds., Bucks., Essex, Leics.*E. maculipes* I. o. Wight*E. flavomaculata* Derby, W., E. & N. Yorks., Ayr, Lanark*C. guttata* Beds.*C. sticta* Lincs.*S. phalerata* N. Yorks., Argyll, Nairn, Ross, Sutherl.*S. albomaculata* Sussex*S. bipunctata* Midloth., Invern.*S. grossa* I. o. Wight, Carmar.*A. vittatus* Beds., Stirl.*A. lunata* Beds., Leics., Monm.*A. riparia* Wilts.*T. sisyphium* Monm., Roxb., Coll*T. impressum* Beds., Suffolk, Aberd., Sutherl.

## Family Pisauridae

*P. mirabilis* Argyll*D. fimbriatus* Devon, Glam.

## Family Agelenidae

*A. labyrinthica* W. Yorks., I. o. Man

*T. pictum* Glos., Beds., Leics., Monm.  
*T. simile* Beds., Leics.  
*T. varians* Carmar., Moray  
*T. melanurum* Beds.  
*T. mystaceum* Wilts., Beds., W. & E. Yorks., I. o. Man, Roxb., Midloth., Argyll  
*T. pinastri* Surrey  
*T. familiare* Notts.  
*T. blackwalli* Herts., Beds., Warw.  
*T. tinctum* Beds., W. & N. Yorks.  
*T. instabile* Berks.  
*T. bellicosum* W. Yorks.  
*T. bimaculatum* Monm., Westmld., Roxb., Fife  
*T. pallens* Glos., Argyll, Sutherl., Anglesey  
*E. ovata* Peebles, Angus, Banff, Orkn., Kildare  
*E. thoracica* Lond., Beds., Leics., Monm., Invern.  
*E. schaufussi* Carmar.  
*R. lividus* Roxb., Bute  
*R. arundineti* Hants., Beds., Carmar., Lanark, Coll, Orkn.  
*R. neglectus* Bucks., Northts., Leics., Argyll  
*P. gibbum* Northts., Notts., Montgom., Roxb., Peebles, Orkn.  
*T. minutissima* Suff., Notts., Carmar., Montgom., Roxb.

## Family Tetragnathidae

*T. extensa* Peebles, W. Loth., Stirl.  
*T. pinicola* Berks., Beds., Warw., Dunbar., Clare  
*T. montana* Monm., Brecon, Argyll  
*T. obtusa* Herts., Brecon, Stirl.  
*T. nigrita* Dorset  
*T. striata* Scilly, E. Yorks., Glam.  
*P. clercki* Carmar., Radnor, Montgom., Selkirk, Peebles, Ayr, Islay  
*P. listeri* Herts., Bucks., Beds., Northts., Leics., Glam., Berw., Kirkcud., Stirl.  
*M. segmentata* Glos., Herts., Beds., Derby, Merion., Berw., Selkirk, Stirl., Banff, Nairn, Coll, Galway  
*M. mengei* Beds., Essex, Notts., Glam., Carmar., Brecon, Dumfr., Selkirk, Peebles, Berw., Stirl., Argyll, Ross, Islay, Orkney  
*M. merianae* Roxb., Dumfr., Coll  
*M. menardi* Monm.  
*M. bourneti* Essex

## Family Araneidae

*A. gibbosus* Beds.  
*A. diadematus* Selkirk, Orkney

*A. quadratus* Flint, Lanark, Coll  
*A. marmoratus pyramidatus* Beds.  
*A. alsine* Northts.  
*A. cornutus* Flint, Caithn.  
*A. sclopetaeus* Sussex, Lancs., E. Yorks.  
*A. patagiatus* Beds., Leics.  
*A. umbraticus* Carmar.  
*A. redii* Beds., Warw., E. Yorks.  
*A. sturmii* Beds.  
*A. cucurbitinus* Brecon, Peebles  
*A. opistographus* Dorset, Glos., Beds., W. Loth., Kildare  
*A. inconspicuus* Wilts.  
*A. alpicus* Wilts., Sussex  
*Z. diodia* Herts., Beds.  
*H. albovittata* Berks., Bucks., Notts., E. & N. Yorks.  
*H. pygmaea* Carmar., Coll, Orkney  
*S. hamata* Suffolk  
*C. prominens* Glos., Leics., Notts.  
*Z. x-notata* Wigtown, W. Loth.  
*Z. atrica* Beds., Durh.  
*Z. stroemi* Sussex, Surrey, Aberd.  
*M. acalypha* Glos., Essex  
*C. conica* Berwick, Argyll  
*A. bruennichi* I. o. Wight  
*T. gemmosum* Devon, Carmar.

Family Linyphiidae

*C. brevipes* London, Leics., Derby, Selkirk, Peebles, Angus, Banff, O. Hebr., Orkn.  
*C. brevis* Radnor  
*C. scabrosa* Northts.  
*W. acuminata* Notts., Carmar., Roxb., W. Loth., Angus, Orkn., Meath  
*W. antica* (s.l.) Northts., Lanark, Argyll, Angus, Nairn, Ross, Sutherl., Islay, O. Hebr., Orkn.  
*W. cucullata* Stirl., Dunbar.  
*W. nodosa* Derby, Durh., Radnor  
*W. melanocephala* London, Bucks., E. & N. Yorks., Lanark, Dunbar., Ross, Sutherl., Islay, Anglesey  
*W. capito* Bucks., O. Hebr., Shetl.  
*W. incisa* W. & N. Yorks., Stirl. Argyll  
*W. dysderoides* Beds., Suff., Notts., Stirl.  
*W. nudipalpis* Glos., Berks., London, Essex, Beds., Notts., Radnor, Dumfr., Kirkcud., Ayr, Lanark, Peebles, Aberd., Banff  
*W. monoceros* Aberd.  
*W. unicornis* Glos., Essex, Notts., Montgom., Caerns., Berw., Argyll  
*W. kochi* Radnor, Roxb., Midloth.  
*W. clavicornis* Durh., Dumfr., Perth, Ross, Orkn.

*W. cuspidata* Glos., Beds., Northts., E. Loth.  
*W. vigilax* Bucks., Leics., Midloth., Dunbar., Argyll, Aberd., Ross, Sutherl., Caithn., Islay, O. Hebr.  
*D. nigrum* Hants., Berks., Beds., Northts., Leics., Stirl., Dunbar., Argyll  
*D. brevisetosum* Montgom., Lanark, Argyll, O. Hebr., Down  
*D. tibiale* Bucks., Beds., Northts., Stirl., Dunbar., Invern., Orkn.  
*E. acuminata* Devon, Beds., Leics.  
*E. congenera* Berks., Essex  
*E. erythropus* Wilts., Beds., Suff., Berw.  
*E. flavipes* Berks., Dunbar.  
*E. omissa* E. Yorks.  
*E. errata* Glam.  
*M. penicillata* Wilts., Dunbar.  
*E. graminicola* Beds., Leics., Brecon  
*G. dentatum* Northts., Radnor, Selkirk, Stirl., Dublin  
*T. affinis* Beds.  
*G. rufipes* Midloth., Fife, Sutherl.  
*D. bifrons* London, Carmar., Peebles, Midloth., W. Loth., Invern., Ross, Moray, Islay  
*D. elevatus* Stirl., Ross  
*H. bituberculatum* Carmar., Selkirk, Peebles, W. Loth., Angus, Ross, Coll  
*H. cornutum* Argyll  
*M. prominulus* Berw., Midloth., Lanark, Dunbar., Argyll  
*H. decollatus* Devon, Hants., Somer.  
*B. pratensis* Beds., Northts., W., E. & N. Yorks., Selkirk, Stirl.  
*G. rubens* Notts., Montgom., Roxb., Selkirk, Banff, Bute  
*G. rubellum* Beds., Glam., Argyll  
*M. trifrons* Northts., Lancs., Peebles, W. Loth., Sutherl.  
*M. sundevalli* Carmar., Radnor, Roxb., Peebles, Argyll, Orkn.  
*P. ludicum* Notts., Peebles, Aberd., Islay, Orkn.  
*P. pumila* (s.s.) Cornw., Dorset, E. Yorks., Carmar., E. Loth., Fife, Argyll, Angus, Kincard., Aberd., Nairn, Sutherl., Caithn., Skye  
*P. juncea* Cornw., Dorset, Hants., I. o. Wight, Sussex, Essex, Beds., Norths., Carmar., E. Loth., Sutherl.  
*H. jacksoni* Cornw., Radnor, Ayr, Lanark  
*O. gibbosus* Beds., Durh., Midloth., W. Loth., Dunbar., Invern., Orkn.

- O. tuberosus* Glos., Bucks., Beds., Kent, Lanark., Midloth., W. Loth., Dunbar., Aberd., Orkn.
- O. fuscus* Stirl., Ross, Islay, O. Hebr., Orkn., Donegal
- O. agrestis* Somer., Bucks., Beds., Caithn., Coll
- O. retusus* Glos., Bucks., Dumfr., Wigtown, Angus, Kincard., Aberd., Ross, Islay, O. Hebr.
- O. apicatus* Bucks., Beds., Northths., Warw., Leics., Roxb., Argyll
- T. thorelli* Ayr, Argyll, Angus, Aberd., Invern., Ross, Sutherl., Caithn., Orkn.
- T. mengei* Warw., Ayr, Lanark, Peebles, Midloth., Argyll
- P. parallela* London, Bucks., Monm., Montgom., Invern., Ross, Sutherl.
- P. nemoralis* Hants., Argyll, Fife, Angus, Orkney
- P. mediocris* E. Yorks., Argyll, Ross, Sutherl.
- P. radicicola* Dorset
- S. elegans* Essex, Lanark., Midloth., Dunbar., Perth, Caithn.
- S. ambiguus* Carmar., Coll. Orkn., Shetl., Meath
- S. reussi* Beds.
- M. peusi* Meath, Down
- C. obscurus* London, Beds., Northths., Notts., Radnor, Roxb., Ayr, Stirl., Argyll, Aberd.
- C. stativa* Wilts., Glos., Bucks., Warw., E. Yorks.
- E. merens* Caerns., Selkirk, Ross, Sutherl.
- T. vagans* London, Beds., Northths., Roxb., Argyll, Angus, Nairn, Ross, Sutherl., Islay
- T. scabriculus* Beds., Camb., Aberd., Sutherl.
- T. cirrifrons* Beds., Aberd., Moray, Sutherl.
- M. pusillus* Sussex, Northths., Durh., Roxb., Lanark, Nairn, Ross, Sutherl., Islay, Orkn.
- T. praecox* Bucks., Essex, Northths., Notts., W. Loth., Aberd., Moray, Nairn
- T. pallens* Leics., Notts., Durh., Camb., Merion., Berw., E. Loth., Islay
- T. insecta* Suff., Northths.
- T. pygmaea* Bucks.
- P. britteni* Sutherl.
- T. parasiticus* Glos., Beds., W. Loth., Argyll
- T. biovatus* Argyll
- M. fuscipes* London, Beds., Dumfr., Angus, Orkn.
- M. castaneipes* Lancs., Carmar., Peebles, Midloth., Argyll, Bute
- L. punctatum* London, Bucks., Beds., Glos., Selkirk, Ayr, Invern., Orkn.
- M. blanda* Bucks., Wilts., Suff., E. Loth.
- J. falconeri* Stirl., Argyll
- G. vivum* London, Northths., Notts., E. Loth., Midloth., Angus, Aberd., Ross, O. Hebr.
- G. latebricola* Lancs., Ayr, Lanark, Ross
- G. murcidum* Argyll
- M. herbigradus* (s.s.) Beds., W. & E. Yorks., Durh., Caerns., Roxb., Argyll, Angus, Caithn., Skye
- M. apertus* Dorset, I. o. Wight, Surrey, Argyll, Caithn.
- M. subaequalis* Wilts., Suff., Glam., Dunbar., Skye
- N. sarcinatus* Roxb.
- G. cottoneae* Chesh.
- E. hiemalis* Bucks., Warw., Beds., Suff., Durh., Radnor, Roxb., Lanark, Stirl., Dunbar., Argyll, Orkn.
- E. ignobilis* Chesh., Westmld., Dunbar.
- S. frontata* Beds., Northths., Notts., Dumfr., Roxb., Selkirk
- D. cristatus* Glos., Beds., Northths., Durh., Roxb., Fife
- D. permixtus* London, Bucks., Glos., Northths., Camb., Durh., Carmar., Peebles, Argyll, Islay, Skye
- D. latifrons* Beds., Camb., Cards., Argyll, Invern.
- D. picinus* London, Beds., Derby, Monm., Brecon, W. Loth., Argyll
- A. humilis* Monm., Stirl., Dunbar., Donegal
- A. crassiceps* Derby, Ayr, Lanark, Stirl., Coll., Orkn.
- P. sulcifrons* Bucks.
- L. dentichelis* Beds.
- A. paganus* Suff., Argyll
- P. aenigmaticus* Dorset
- C. evansi* Selkirk, Orkney
- T. digitatus* Warw., Suff., Invern., Ross, Sutherl., Down
- T. simoni* Dorset
- C. distincta* Beds., Leics.
- C. holmgreni* Ross
- M. inerrans* Glos., Bucks., Beds., Leics.
- D. bidentata* Roxb., Lanark, Argyll
- E. dentipalpis* Northths., Monm., Stirl., Coll., Orkn.
- E. atra* Carmar., Dumfr., Selkirk, Peebles, Kincard., Ross, Islay, O. Hebr.
- E. promiscua* Devon, Warw., Monm., Argyll, Ross, Orkn.
- E. arctica* Warw., Caerns., Midloth., W. Loth., Perth, Islay, Coll., Orkn.
- E. longipalpis* Glos., Beds., Carmar., Merion., Argyll
- E. tirolensis* Ross
- E. capra* Argyll, O. Hebr., Orkn.
- E. welchi* Montgom.
- E. vagans* Dorset, Hants., Wilts., Bucks., Beds., Northths., W. Yorks.
- E. psychrophila* Perth, Coll
- E. aletris* E. Lothian
- R. morulus* Dumfr., St. Kilda
- E. fausta* Midloth., Invern.
- E. caliginosa* Northumb., Midloth., Argyll, Invern.
- L. robustum* Berks., London, Beds., Northths., W. Loth., Stirl., Dunbar.
- D. uncatus* Leics., Montgom., Selkirk, Peebles, Ayr, Dunbar., Argyll
- P. hardyi* Staffs., Durh.
- H. excisa* Radnor, Stirl., Dunbar., Aberd., Banff
- H. frigida* Dumfr., Selkirk, O. Hebr., Orkn.
- H. pervicax* Denbigh, Ayr
- O. melanopygius* Devon, Argyll
- A. misera* Camb., Derby, Radnor, Roxb., Ayr, Argyll, Invern.
- P. pygmaeum* Glos., Bucks., Beds., Northths., Radnor
- P. convexum* Dumfr., Peebles, Kirkcud.
- P. pallidum* Dorset, Derby, Notts., Dumfr., Midloth., Stirl., Argyll
- P. campbelli* Caerns., Invern.
- P. microphthalmum* I. o. Wight, Norths.
- P. egeria* Devon, Argyll
- P. oblitum* Herts., Bucks., W. Yorks.
- P. montanum* Durh., Kirkcud., Stirl., Argyll, Shetl.
- S. innotabilis* Devon
- S. gracilis* Warw., Beds.
- A. subtilis* Berks., Middx., Beds., Bucks., Westmld., Midloth., Ayr, Moray, Nairn, Ross
- A. conigera* Lanark, Stirl., Argyll, Ross, Sutherl., Skye, Orkn.
- A. decora* Hants., Berks., Wilts., Bucks., Northths., Lanark, Midloth., E. Loth., Aberd., Moray, Nairn, Ross, Caithn., Orkn.
- A. cauta* Berks., Ayr, Lanark, Midloth., Argyll, Caithn., Orkn.

- A. ramosa* Bucks., Suff., Leics., W. & N. Yorks., Westmld., Stirl., Argyll, Islay  
*M. rurestris* Monm., Dunbar., Angus, Islay
- M. mollis* Suff., W. Yorks.
- M. simplicitarsis* Devon
- M. saxatilis* London, Glos., Essex, Monm., Lanark, Midloth., Argyll, Angus, Invern., Aberd.
- M. beata* Berks., Bucks., Lancs., Caerns., Lanark, E. Loth., Angus, Aberd., Ross, Caithn., Invern., O. Hebr., Orkn.
- M. gulosa* Montgom., Merion., Ross, St. Kilda
- M. nigripes* Perth, Ross, Orkn.
- M. viaria* Northts., Dumfr., Argyll, Islay
- M. minutus* E. Yorks., Ayr, Lanark, Invern., Nairn
- M. sublestus* Dunbar., Invern.
- C. sylvaticus* London, Notts., Roxb., Argyll
- C. expertus* London, Berks., Bucks., Durh., Berw., Midloth., Ayr, Lanark, Dunbar., Argyll, Aberd.
- C. prudens* Herts., Beds., Bucks., Dumfr., Roxb., Selkirk, Stirl., Dunbar., Argyll, Angus, Nairn, Ross, Bute, O. Hebr., Orkn., St. Kilda
- C. arcanus* Lanark, Argyll, Aberd.
- C. dilutus* Beds., Northts., Cards., Roxb., Berw., Aberd., Ross, Sutherl.
- C. capucinus* Suffolk, Beds.
- C. incilium* Wilts.
- C. aequalis* Invern.
- C. bicolor* Northts., Dumfr., Ross
- C. concinna* Bucks., Dumfr., Roxb., Midloth., Argyll, Orkn.
- S. cornigera* Suff., Notts., Monm., Roxb., Stirl.
- O. abnormis* London, Beds., Northts., Roxb., Peebles, Ayr, Orkn.
- O. firmus* Stirl., Argyll
- O. vaginatus* Dumfr., Selkirk
- M. rufus* Durh., Carmar., Argyll, Angus, Aberd.
- B. approximatus* Sussex, Beds., London, Camb., Carmar., Radnor, E. Loth., Argyll, Sutherl., Orkn.
- B. gracilis* Derby, Brecon, Radnor, Cards., Roxb., Selkirk, W. Loth., Argyll, Aberd., Islay, Skye, Orkn., St. Kilda
- B. parvulus* London, Glos., Essex, Notts., Monm., Roxb., Ayr, Lanark, Midloth., E. Loth., Dunbar., Argyll, Angus, Kincard., Aberd., Invern.
- B. nigrinus* Cards., Selkirk, Peebles, E. Loth., Angus, Sutherl.
- B. setiger* Hants., Beds., Lancs., Westmld., Selkirk, Orkn.
- K. dorsalis* Beds., Peebles, Stirl.
- K. pullata* London, Monm., Carmar., Cards., Radnor, Montgom., Berw., Selkirk, Ayr, Stirl., Argyll, Moray, Orkn.
- D. concolor* Stirl., Argyll, Banff, Orkn.
- P. globosa* Glos., Beds., Northts., Radnor, Roxb., Peebles, W. Loth., Islay
- D. socialis* Beds., Glam.
- T. longidens* Beds., Notts., Dumfr., Roxb., Aberd.
- F. bucculenta* Beds.
- T. setosus* W. Yorks., Carmar., Cards., Radnor
- L. thoracica* Warw., Peebles, Dunbar., Coll., Orkn.
- S. lineatus* Meath
- B. luteolus* Warw., Roxb., Kirkcud., Banff, O. Hebr.
- B. alticeps* Durh., Selkirk, Dunbar.
- L. nebulosus* Berks., Beds., Warw., Northts., W. Loth.
- L. leprosus* Monm., Roxb., Orkn.
- L. minutus* I. o. Man., Argyll
- L. alacris* Sussex, Glos., Notts., Radnor, Roxb., Selkirk, Argyll
- L. whymperi* Lanark
- L. obscurus* Wilts., London, Durh., Carmar., Peebles, Lanark, Stirl., E. Loth., Islay, Orkn.
- L. tenuis* Roxb., Selkirk
- L. zimmermanni* Selkirk, Bute
- L. cristatus* London, Bucks., Beds., Roxb., Selkirk, E. Loth., Dunbar., Argyll, Caithn.
- L. mengei* Camb., Warw., Notts., Roxb., Selkirk, Berw., Midloth., Lanark, Stirl., Dunbar., Argyll, Angus, Nairn
- L. flavipes* Herts., Beds., Monm., Midloth., Argyll, Islay
- L. tenebricola* Glos., Herts., Bucks., Northts., Peebles, E. Loth., Banff
- L. antroniensis* Invern.
- L. ericaeus* London, Notts., Cards., Roxb., Ayr, Stirl., Angus
- L. pallidus* Beds., Durh., Midloth., Stirl.
- L. pinicola* W. & N. Yorks., Dunbar.
- L. insignis* Hants., Bucks., Fife
- L. angulatus* Dumfr., Lanark, Stirl., Dunbar.
- L. umbraticola* Ross, Sutherl.
- L. expunctus* N. Yorks., Lancs., Durh., Argyll
- H. insignis* Beds., Northts., Cards., Selkirk, Argyll
- P. phrygianus* W. & N. Yorks., Northumb., Roxb., Peebles
- L. triangularis* Roxb., Selkirk, W. Loth.
- L. hortensis* Dunbar., Argyll
- L. montana* Monm., Peebles, Angus, Ross
- L. clathrata* Carmar., Banff, Donegal
- L. peltata* Monm., Brecon, Dumfr., Peebles, Islay
- L. furtiva* Cornw.
- L. marginata* Ayr
- M. pusilla* Monm., Roxb., Peebles, W. Loth., Islay
- M. impigra* Beds., Northts., Cards., Dunbar.
- A. scopigera* Montgom., Roxb., Stirl., Dunbar., Argyll, Ross, Orkn.
- A. warburtoni* Shrops., Glam., Stirl., Dunbar.