

- TURNBULL, A. L. 1960: The spider population of a stand of oak (*Quercus robur* L.) in Wytham Wood, Berks., England. *Can. Ent.* **92**: 110–124.
- TURNBULL, A. L. 1973: Ecology of the true spiders (Araneomorphae). *A. Rev. Ent.* **18**: 305–348.
- VAN HOOK, R. I. 1971: Energy and nutrient dynamics of spider and orthopteran populations in a grassland ecosystem. *Ecol. Monogr.* **41**: 1–26.
- WHITCOMB, W. H. 1974: Natural populations of entomophagous arthropods and their effect on the agroecosystem. In F. G. Maxwell & F. A. Harris (eds.), *Proc. summer inst. on biol. control of plant insects and diseases*: 150–169. Jackson, University Press of Mississippi.
- WISE, D. H. 1993: *Spiders in ecological webs*. Cambridge, Cambridge University Press.
- WORKMAN, C. 1978: Life cycle and population dynamics of *Trochosa terricola* Thorell (Araneae: Lycosidae) in a Norfolk grass heath. *Ecol. Ent.* **3**: 329–340.
- YOUNG, O. P. & EDWARDS, G. B. 1990: Spiders in United States field crops and their potential effect on crop pests. *J. Arachnol.* **18**: 1–27.

Bull. Br. arachnol. Soc. (2000) **11** (9), 373–376

## Sixteen hundred new county records of British spiders

### Peter Merrett

6 Hillcrest,  
Durlston Road,  
Swanage,  
Dorset,  
BH19 2HS

### Summary

A list of about sixteen hundred new county records of British spiders is presented, recorded during the period between June 1994 and June 2000.

### Introduction

The county records which follow are additions to those shown on the distribution maps in Locket, Millidge & Merrett (1974) and in subsequent published lists (Merrett, 1975, 1982, 1989, 1995), and have been recorded during the period between June 1994 and June 2000. The counties listed are those which existed before the boundary revisions of April 1974. Records for islands are treated as described in Locket *et al.* (1974: 132). The nomenclature and species order is the same as that used in the revised check list by Merrett & Murphy (2000).

The list includes both published and unpublished records, the principal contributors of the latter being Martin Askins, John Crocker, Stan Dobson, Tom Faulds, Adrian Fowles, Peter Harvey, Dick Jones, Michael Kilner, Edward Milner, David Nellist, Jennifer Newton, Wayne Rixom, Craig Slawson, Jim Stewart and Jim Wright. Many valuable records have also been contributed by other collectors who are too numerous to name, but I wish to thank them all.

**Although records are being collected on a 10 km square basis for the spider recording scheme, I think it is still worthwhile to continue keeping the county records up-to-date, and I should therefore be pleased to receive any additional new county records for publication in future lists.**

### References

- LOCKET, G. H., MILLIDGE, A. F. & MERRETT, P. 1974: *British spiders* **3**: 1–314. Ray Society, London.
- MERRETT, P. 1975: New county records of British spiders. *Bull. Br. arachnol. Soc.* **3**(5): 140–141.
- MERRETT, P. 1982: New county records of British spiders. *Bull. Br. arachnol. Soc.* **5**(7): 332–336.
- MERRETT, P. 1989: Twelve hundred new county records of British spiders. *Bull. Br. arachnol. Soc.* **8**(1): 1–4.
- MERRETT, P. 1995: Eighteen hundred new county records of British spiders. *Bull. Br. arachnol. Soc.* **10**(1): 15–18.
- MERRETT, P. & MURPHY, J. A. 2000: A revised check list of British spiders. *Bull. Br. arachnol. Soc.* **11**(9): 345–358.

#### Family Atypidae

*A. affinis* Suff., Chesh., Caern.

#### Family Scytodidae

*S. thoracica* Heref., Worcs., Shrops., Leics.

#### Family Pholcidae

*P. phalangoides* Leics., Notts., Chesh., Montgom.

*P. simoni* Beds., Worcs., Pembs.

#### Family Segestriidae

*S. senoculata* Brecon, Radnor

*S. bavarica* Hants., Anglesey

*S. florentina* Somer., Essex

#### Family Dysderidae

*D. crocata* Heref.

#### Family Oonopidae

*O. pulcher* Wilts., Heref., Islay

*O. domesticus* Wilts., Radnor

*Orchestina* sp.? Essex

#### Family Mimetidae

*E. cambridgei* Heref., Brecon, Radnor, W. Lothian, E. Lothian

*E. furcata* Islay

*E. aphana* Hants., Surrey

*E. tuberculata* Warw.

#### Family Uloboridae

*H. paradoxus* Somer., Dorset, Heref.

#### Family Nesticidae

*N. cellulanus* Suff., Heref., Worcs., Warw., Monm., Brecon

#### Family Theridiidae

*E. angulatus* Heref., Warw., Notts., Pembs., Denbigh

*E. truncatus* Essex, Warw., Glam., Caern.

*E. flavomaculata* Heref., Warw., Monm., Down

*D. inornata* Suff., Cards.

*C. guttata* Heref., Montgom.

*S. phalerata* Heref., Notts., Lancs., Monm., Brecon

- S. bipunctata* W. Lothian  
*S. grossa* Worcs., Leics., Chesh., Heref.  
*S. nobilis* I.o.Wight  
*S. triangulosa* Leics.  
*A. vittatus* E. Lothian  
*A. riparia* Leics.  
*A. tepidarium* Heref.  
*A. simulans* Wilts., Beds., Suff., Heref., Leics., Notts., W. Yorks.  
*T. sisyphium* Radnor  
*T. impressum* Wilts., Leics., Notts., Monm., Angus  
*T. pictum* Hants., Heref., Montgom.  
*T. hemerobium* Middx., Herts., Worcs., Leics.  
*T. varians* Midloth.  
*Theridion* sp. Wilts.  
*T. pinastri* Kent, Herts.  
*T. familiare* Surrey, Wilts.  
*T. melanurum* Wilts., Lancs., Notts.  
*T. mystaceum* Radnor  
*T. blackwalli* Wilts., Heref., Leics., Notts.  
*T. tinctum* Monm.  
*S. simile* Wilts., Heref., Denbigh, Kirkcud.  
*N. bimaculata* E. Lothian  
*P. pallens* Brecon, I.o.Man  
*R. instabilis* Heref., Notts., Monm.  
*R. bellicosus* Staffs., Derby, Brecon  
*E. ovata* Wilts., Suff., Leics., Chesh., Northumb., Dumfr., Roxb., Selk., Peebles, W. Lothian, Midloth., E. Lothian, Argyll, Perth, Aberd., Banff  
*E. latimana* Wilts  
*E. thoracica* Heref., Worcs., Brecon., I.o.Man, Islay  
*R. lividus* Heref., Radnor  
*R. arundineti* Herts., Heref., Warw., Derby, Monm., Brecon, Radnor, Denbigh, Arran, Islay, Fife, Caithn., Ferman.  
*R. neglectus* Heref.  
*P. gibbum* Heref., Angus  
*T. minutissima* Heref., Worcs., Warw., Brecon, Radnor, Bute, Islay, Angus
- Family Theridiosomatidae**
- T. gemmosum* Middx., Wilts., Glam.
- Family Linyphiidae**
- C. brevipes* Essex, Heref., W. Lothian, Islay  
*C. brevis* Heref., Islay, Ross, Ferman.  
*C. scabrosa* Heref., Warw., Leics., Notts., Monm., I.o.Man  
*W. acuminata* Monm., Radnor  
*W. antica* Heref., Oxford, Leics., Notts., Monm., W. Lothian, Midloth., E. Lothian, Fife, Angus, Perth, Caithn., Orkney, Ferman.  
*W. alticeps* Bute, Islay, Caithn.  
*W. cucullata* Heref., Radnor, Cards.  
*W. nodosa* Heref., Warw.  
*W. atrotibialis* Worcs., Staffs., Notts., Bute  
*W. capito* Surrey, Derby, Lancs., Merion., Argyll, Sutherl.  
*W. incisa* Beds., Warw., Leics., Notts., Lancs., Flint, Caern., Anglesey  
*W. dysderoides* Heref., Shrops., Islay  
*W. nudipalpis* Heref., Monm., W. Lothian, Fife, Ferman.  
*W. obtusa* Herts., Notts.  
*W. monoceros* Derby  
*W. corniculans* London  
*W. furcillata* Warw., Staffs., Heref., Denbigh  
*W. unicornis* Monm., Radnor, Denbigh, Ross  
*W. kochi* Dorset, Staffs., Lancs., I.o.Man, Islay  
*W. clavicornis* Staffs.  
*W. cuspidata* Worcs., Shrops., I.o.Man, Bute, Ross, Shetl.  
*W. vigilax* Heref., Warw., Shrops., Radnor, Denbigh, Bute  
*D. nigrum* Wilts., Essex, Suff., Heref., Warw., Shrops., Staffs., Notts., Lancs., Glam., Carmar., Pembs., Cards., Brecon, Radnor, Merion, Caern., Denbigh, Anglesey, I.o.Man, E. Lothian, Bute, Ferman.  
*D. brevisetosum* Heref., Staffs., Notts., I.o.Man, Midloth., E. Lothian, Bute  
*D. tibiale* Heref., Notts., Lancs., I.o.Man, Brecon, Radnor, E. Lothian, Islay  
*E. acuminata* Warw., Shrops., Derby, Radnor  
*E. congenera* Wilts., London, Herts., Leics., Lancs., W. Yorks.  
*E. erythropus* Heref., Worcs., Brecon, I.o.Man, W. Lothian, Fife  
*E. flavipes* Wilts., Heref., Cards.  
*E. omissa* Hants.  
*E. errata* Midloth., Ross  
*M. penicillata* Middx., Worcs.  
*H. graminicola* Heref., Notts., Cards.  
*G. dentatum* Monm., Kinross  
*T. cristatus* Somer., Worcs.  
*T. affinis* Shrops., Staffs.  
*G. rufipes* Brecon, Radnor, Montgom.  
*D. bifrons* Heref., Radnor, Kinross  
*H. bituberculatum* Heref., Monm., Kinross, Islay  
*H. cornutum* E. Lothian, Fife  
*M. prominulus* Heref., Warw., Leics., Monm., E. Lothian, Islay  
*H. decollatus* Worcs.  
*B. pratense* Wilts., Heref.  
*B. trifrons* Essex, Shrops., Durh., Brecon, Radnor, Kinross, Caithn.  
*G. rubellum* Montgom.  
*M. sundevalli* Montgom., E. Lothian, Islay  
*P. ludicrum* Warw., Brecon, W. Lothian  
*P. pumila* Wilts., Sussex, Middx., Bucks., Heref., Leics., Notts., Chesh., Lancs., Monm., Radnor, Bute, Orkney, Shetl.  
*P. juncea* Wilts., Surrey, Suff., Heref., Warw., Shrops., Staffs., Leics., Chesh., Lancs., Monm., Brecon, Radnor, Fife  
*H. jacksoni* Warw., Monm., Montgom., Denbigh, W. Lothian  
*O. gibbosus* Wilts., Heref., Notts., Monm., Radnor, Montgom., Kinross, Bute, Islay, Shetl.  
*O. fuscus* Radnor, Kinross  
*O. agrestis* London, Heref., Warw., Radnor  
*O. retusus* Monm., Radnor, W. Lothian, Kinross, Ferman.  
*O. apicatus* Wilts., Heref., Monm., Montgom., E. Lothian  
*T. thorelli* Warw., Chesh., Notts., Monm., Kinross  
*P. mengei* Heref., Worcs., Staffs., Norf., Lancs., Monm., E. Lothian, W. Lothian, Caithn.  
*P. parallela* Leics., Notts., Angus, Antrim  
*P. nemoralis* Leics., Staffs., Lancs., Brecon, Montgom., W. Lothian  
*P. nemoraloides* Hants., Fife  
*P. radicicola* Heref.  
*S. elegans* Middx., Heref., Warw., Lancs., Monm., Montgom., I.o.Man, Islay  
*S. ambiguus* Pembs., Islay  
*S. reussi* Wilts., Heref., Staffs., Derby, Carmar., Montgom., E. Lothian  
*C. obscurus* Heref., Worcs., E. Lothian, W. Lothian, Islay, Ferman.  
*A. scurrilis* Surrey  
*C. romana* Carmar.  
*C. stativa* Heref., Leics., Derby, Monm.  
*E. merens* Staffs., Islay  
*T. vagans* Heref., Monm., Radnor, W. Lothian, Kinross  
*T. scabriculus* Wilts., Staffs., Midloth., E. Lothian, Angus, Islay  
*M. pusillus* Heref., Leics., Lancs., Brecon, Radnor, E. Lothian, Bute, Caithn.  
*T. praecox* Heref., Warw., Bute  
*T. pallens* Radnor, W. Lothian, Bute, Shetl.  
*T. insecta* Heref.  
*T. pygmaeus* Angus, Shetl.  
*M. subitaneus* Heref., Worcs.  
*S. briteni* Glam., Carmar., Pembs., Radnor, Merion., Montgom., Caern.  
*T. parasiticus* Wilts., Heref., Radnor, Fife  
*T. biovatus* Worcs., Monm., Glam.  
*M. fuscipes* Radnor  
*M. castaneipes* Cornw., Staffs., Chesh., Brecon, I.o.Man, E. Lothian  
*L. punctatum* Wilts., Notts., Monm., Denbigh, Islay  
*S. diceros* Heref., Notts., Derby  
*G. vivum* Heref., Monm., Brecon, Radnor, Montgom., Denbigh, Islay, Orkney, Ferman.  
*G. latebricola* Heref., Leics.  
*G. murcidum* Staffs., Anglesey  
*M. herbigradus* Heref., Leics., Notts., Chesh., Lancs., I.o.Man, Berwick, Midloth., E. Lothian, Fife, Perth, Islay, Ferman.  
*M. apertus* Heref., Leics., Notts., Peebles, Midloth., W. Lothian, Angus, Sutherl., Islay  
*M. subaequalis* I.o.Man, Midloth., E. Lothian, Fife, Ferman.  
*M. laudatus* Staffs., Pembs. (Ramsey)  
*N. sarcinatus* Warw., Montgom., Denbigh  
*G. cottonae* Shrops.  
*G. servulus* Heref., Warw., Monm., Glam., Caern.  
*E. hiemalis* Heref., Cambs., Notts., Lancs., Brecon, Bute, Islay  
*E. ignobilis* Lancs., Radnor  
*S. frontata* Islay  
*D. cristatus* Heref., Radnor, Islay, Ferman.  
*D. permixtus* Notts., Monm.  
*D. latifrons* Heref., Brecon, Kinross  
*D. picinus* Radnor, I.o.Man  
*D. protuberans* Somer., Hants., Sussex, Radnor  
*A. humilis* Heref., Montgom., Fife, Invern., Islay  
*A. crassiceps* Warw., Monm., Radnor, Denbigh  
*P. sulcifrons* London, Heref., Worcs., Leics., Notts., Derby  
*L. dentichelis* Herts., Heref., Warw., Suff., Notts.  
*S. evansi* Argyll, O. Hebr.  
*T. digitatus* Shrops., Notts., Bute, Islay  
*T. simoni* Wilts.  
*M. inerrans* Heref., Lancs., Radnor  
*D. bidentata* Heref., Bute  
*W. quaestio replicatus* Invern.  
*E. dentipalpis* Ross

*E. atra* Monm., Radnor  
*E. promiscua* Herts., Heref., Notts., Chesh.,  
 W. Lothian, Islay  
*E. arctica* Herts, Leics., Notts., Kinross  
*E. longipalpis* Leics.  
*E. aletris* Fife, Stirl.  
*P. vagans* Surrey, Heref., Worcs., Cards.  
*M. morulus* Heref., Caithn.  
*L. faustus* Shrops., E. Lothian  
*D. speciosa* Staffs., Anglesey  
*L. robustum* Monm., Argyll  
*D. uncatus* Heref., Warw., Monm., Radnor,  
 Bute, Caithn.  
*L. hardyi* Angus  
*H. excisa* Heref., Warw., Shrops., Notts.,  
 Fife, Caithn.  
*H. nubigena* Perth, Argyll  
*H. pervicax* Angus, Orkney  
*H. reprobus* Angus  
*H. distinctus* Suff., Norf., Fife  
*C. limnaea* Shrops.  
*W. calcarifera* Wilts.  
*M. blanda* Surrey  
*A. paganus* Heref., Worcs., Fife  
*J. falconeri* Heref., Shrops., Leics., Monm.,  
 Caithn.  
*P. aenigmaticus* Cornw., Hants.  
*O. melanopygius* Heref., Radnor, Denbigh  
*A. misera* Monm.  
*P. pygmaeum* Denbigh  
*P. convexum* Heref., Worcs., Warw., Cambs.,  
 I.o.Man, Midloth., Bute  
*P. pallidum* Radnor, E. Lothian, Caithn.  
*P. campbelli* Surrey, Essex, Cambs., Leics.,  
 Staffs., Radnor, Cards., Perth, Bute  
*P. microphthalmum* Heref., Denbigh, E.  
 Lothian  
*P. errans* London, Heref., Warw., Leics.,  
 Staffs.  
*P. egeria* Surrey, Herts., Warw., Lancs., E.  
 Lothian  
*P. oblitum* Heref., Carmar., Montgom.,  
 Denbigh  
*P. montanum* Heref., Lancs., Brecon, Radnor,  
 Peebles, Sutherl., Caithn.  
*A. subtilis* Heref., Leics., Shetl.  
*A. conigera* London, Wilts., Heref., Warw.,  
 Brecon, Radnor, E. Lothian, W. Lothian,  
 Islay, Caithn., Shetl.  
*A. decora* London, Heref., Warw., Monm.,  
 Montgom.  
*A. cauta* Warw., Leics., Islay, Caithn., Shetl.,  
 Ferman.  
*A. olivacea* Shrops., Cumb., Denbigh,  
 I.o.Man, Selk., Perth, Bute, Sutherl.,  
 Caithn.  
*A. ramosa* Heref., Warw., Notts., Caithn.  
*M. innotabilis* Leics., Warw., Brecon, E.  
 Lothian  
*M. mollis* London, Heref.  
*M. saxatilis* Heref., Brecon, Radnor, Kinross,  
 Islay  
*M. mossica* Devon, W. Yorks., Sutherl.,  
 Caithn., Orkney, Shetl.  
*M. simplicitaris* Suff.  
*M. beata* Leics., Staffs., Denbigh, Islay  
*M. fuscipalpa* Suff.  
*M. gulosa* Lancs., Midloth., Angus  
*M. nigripes* Dunbart., Bute  
*M. viaria* Radnor, Ferman.  
*M. minutus* Heref., Carmar., Fife, Islay,  
 Caithn., Shetl.  
*M. lepidus* Radnor, Caithn.

*S. gracilis* Wilts., Oxon., Leics., Derby  
*C. sylvaticus* Heref., Cards., Montgom.,  
 I.o.Man, Orkney  
*C. prudens* Wilts., Notts.  
*C. arcanus* Heref., Monm., Brecon, Radnor  
*C. levitarsis* Argyll  
*C. dilutus* Radnor, W. Lothian, Islay  
*C. incilium* Surrey, London, Herts.  
*C. cavernarum* Glos., Beds., Leics.  
*T. experta* Monm., Montgom., I.o.Man,  
 Bute, Islay, Orkney  
*C. bicolor* Radnor, Montgom., Islay  
*C. concinna* Heref., Notts., Radnor, W.  
 Lothian, Bute, Islay, Ferman.  
*S. corniger* Heref., Warw., Shrops., Derby  
*O. vaginatus* Pembs., Mull  
*S. firma* Wilts., Heref., Cambs., Pembs.,  
 Radnor, Midloth., E. Lothian, Caithn.  
*M. rufus* Pembs., Brecon, Radnor, Caithn.  
*M. carpenteri* Argyll, Perth, Ross  
*B. approximatus* Monm., Kinross  
*B. parvulus* Wilts., Heref., Radnor, Islay  
*B. setiger* Warw., Radnor  
*K. dorsalis* Radnor  
*K. pullata* Heref., Midloth., Fife, Caithn.  
*D. concolor* Monm.  
*P. variegata* Heref., Angus  
*D. socialis* Montgom., I.o.Man, Bute  
*T. longidens* Herts., Heref., Radnor, I.o.Man  
*F. bucculenta* Derby, Midloth.  
*T. setosus* Warw., Denbigh, I.o.Man  
*L. thoracica* Wilts.  
*S. lineatus* Heref., W. Lothian  
*B. luteolus* Islay, Ferman.  
*B. alticeps* Worcs., Warw.  
*N. horridus* Devon  
*M. nebulosus* Heref.  
*M. collinus occidentalis* (?) Kent  
*L. leprosus* Heref.  
*L. minutus* Monm.  
*L. alacris* Monm., Brecon, Caithn.  
*L. obscurus* Brecon  
*L. cristatus* Notts., Ferman.  
*L. mengei* Heref., Monm., Islay  
*L. flavipes* Brecon, Radnor, Fife  
*L. tenebricola* Warw., Brecon, Radnor,  
 Kinross, Bute  
*L. ericaeus* Monm., Islay  
*L. pallidus* Monm., Antrim  
*L. insignis* Wilts., Leics., Chesh., Lancs.,  
 Midloth.  
*L. angulatus* Staffs., Denbigh, Midloth.,  
 Caithn.  
*L. expunctus* W. Lothian, Fife, Bute  
*H. insignis* Montgom.  
*P. phrygianus* Leics., Lancs., Durh., W.  
 Lothian, Perth  
*L. triangularis* Caithn.  
*L. hortensis* E. Lothian, Fife, Islay, Antrim  
*N. montana* Brecon  
*N. clathrata* Islay  
*M. pusilla* Heref., Brecon, Radnor, E.  
 Lothian, Kinross  
*M. impigra* Wilts., Warw., Leics., Notts.,  
 Radnor  
*A. scopigera* Monm., W. Lothian, Bute, Islay,  
 Ferman.  
*A. vidua* Warw., Monm., Fife, Perth, Ferman.

#### Family Tetragnathidae

*T. extensa* Brecon, Radnor, Fife  
*T. pinicola* Heref., Staffs., Cambs., Leics.,  
 Notts., Glam.  
*T. montana* Radnor  
*T. obtusa* London, Middx., Radnor, Cards.  
*T. nigrita* Wilts., Herts., Warw., Leics.,  
 Notts., Pembs., Carmar., Denbigh  
*T. striata* Middx., Suff., Staffs., Notts., W.  
 Yorks., Perth  
*P. clercki* Brecon, Kinross, Orkney  
*P. listeri* Brecon, E. Lothian  
*P. degeeri* Brecon, Kinross, Islay  
*M. segmentata* Brecon  
*M. mengei* Cambs., Radnor  
*M. merianae* Radnor  
*M. menardi* Heref.  
*M. bournetii* Hants., Surrey, Beds., Worcs.

#### Family Araneidae

*G. gibbosa* Pembs.  
*A. angulatus* Norfolk  
*A. quadratus* Fife  
*A. marmoreus* Notts.  
*A. alsine* Invern.  
*A. sturmi* Heref., Warw., Lancs.  
*A. triguttatus* Leics.  
*L. cornutus* Brecon, Radnor, Fife  
*L. sclopetarius* Hants., Monm., Heref.  
*L. patagiatus* Heref.  
*N. umbratica* Fife, Angus  
*A. redii* Heref., Chesh., Wigtown  
*N. adianta* Wilts.  
*A. cucurbitina* I.o.Man  
*A. opisthographa* Wilts., London, Essex,  
 Heref., Chesh., Brecon, I.o.Man, Midloth.  
*A. inconspicua* Herts., Cambs., Warw.  
*A. alpica* Heref.  
*A. displicata* Hants., Kent, Herts., Beds.  
*Z. diodia* London, Monm., Heref.  
*H. albovittata* Shrops., Denbigh  
*H. pygmaea* London, Worcs., Chesh., Notts.,  
 Brecon, Radnor, Merion., Kirkcud., W.  
 Lothian, Perth, Bute  
*C. prominens* Heref., Perth  
*Z. stroemi* Heref.  
*M. acalypha* Wilts., Heref., Staffs.  
*C. conica* Midloth., Angus  
*A. bruennichi* Cornw., Devon, Wilts., Surrey,  
 Essex

#### Family Lycosidae

*P. agricola* Heref., Derby, Brecon, Radnor,  
 E. Lothian  
*P. agrestis* Surrey  
*P. monticola* Monm., Brecon, Montgom.,  
 Ferman.  
*P. palustris* Heref., Montgom., Kinross  
*P. pullata* Kinross  
*P. prativaga* Heref., Lancs.  
*P. amentata* Kinross, Ross  
*P. nigriceps* Monm., Montgom.  
*P. saltans* Hants., Surrey  
*P. hortensis* Heref., Worcs., Warw., Lancs.,  
 Cards., Montgom., Denbigh  
*P. proxima* Wilts., Staffs., Monm.  
*X. nemoralis* Wilts., Herts.  
*A. pulverulenta* Heref., Selk., Kinross, Shetl.  
*A. cuneata* Warw., Staffs.  
*A. barbipes* Heref., Worcs., Derby  
*T. rucicola* Monm.  
*T. robusta* Warw., Leics.  
*T. terricola* Heref., Kinross

*T. spinipalpis* Sussex, Heref., Worcs., Warw., Lancs., Montgom.  
*A. perita* Heref., Derby, Islay  
*A. leopardus* Wilts., Heref., Staffs., Chesh., Monm.  
*A. cinerea* Lancs., Carmar.  
*P. piraticus* Wilts., Heref., Suff., Leics., Chesh., N. Yorks., Kinross, Caithn., Orkney, Shetl.  
*P. tenuitarsis* Essex, Warw., Shrops., Staffs., Denbigh, Bute  
*P. hygrophilus* London  
*P. uliginosus* Middx., Heref., Derby, Monm., Brecon, Radnor  
*P. latitans* London, Essex, Warw., Monm.  
*P. piscatorius* Heref., Lancs., I.o.Man, Radnor, Perth

#### Family Pisauridae

*P. mirabilis* Islay  
*D. fimbriatus* Wilts., Cumberl.

#### Family Agelenidae

*A. labyrinthica* Leics., Notts.  
*T. denticulata* Heref., Warw., Radnor  
*T. gigantea* Suff., Cambs., Monm., E. Lothian  
*T. saeva* Heref., E. Lothian, Perth  
*T. atrica* Warw.  
*T. parietina* Worcs., Warw.  
*T. ferruginea* E. Yorks.  
*T. agrestis* Wilts., Essex, Chesh., Notts., Carmar., Flint  
*T. silvestris* Leics., Derby, Brecon  
*T. picta* Hants

#### Family Hahniidae

*A. elegans* Notts., Monm., E. Lothian., Bute, Islay  
*H. montana* Heref., Monm., Radnor, Islay  
*H. nava* Herts., Leics., Notts., Brecon  
*H. helveola* Heref., Lancs., Midloth., Bute  
*H. pusilla* Staffs.

#### Family Dictynidae

*D. arundinacea* Brecon, Radnor, Denbigh, W. Lothian, Caithn.  
*D. pusilla* Warw., Staffs.  
*D. uncinata* Midloth.  
*D. latens* Leics., Chesh.  
*N. walckenaeri* Glos., Warw.  
*C. cicur* Suff., Warw., Leics., Notts.  
*C. silvicola* Surrey, Heref., Clackman.  
*T. maerens* Hants.  
*L. humilis* London, Radnor  
*L. nielsenii* Hants.  
*L. stigmatisata* Pembs. (Ramsey)  
*A. patula* Carmar., Kirkcud.

#### Family Amaurobiidae

*A. ferox* Brecon  
*C. atropos* London

#### Family Anyphaenidae

*A. accentuata* Brecon, Midloth.

#### Family Liocranidae

*A. brunnea* Heref.  
*A. proxima* Heref., Warw., Islay, Ferman.  
*A. inopina* Herts.

*A. striata* Warw., Radnor  
*S. celans* Heref., Notts., Derby, Pembs.  
*S. gracilipes* Worcs., Notts., Ferman.  
*S. palliardii* Glos.  
*L. rupicola* Heref., Worcs.  
*P. festivus* Heref.  
*P. minimus* Staffs.

#### Family Clubionidae

*C. corticalis* Monm., Islay  
*C. reclusa* E. Lothian  
*C. stagnatilis* Heref., Notts., Monm., Midloth.  
*C. norvegica* Staffs., Glam., Carmar., Brecon, Radnor, Merion., Denbigh  
*C. caerulescens* Warw., Lancs.  
*C. pallidula* Heref., Islay  
*C. phragmitis* Heref., Monm.  
*C. neglecta* (sensu lato) Warw., Leics., Bute  
*C. neglecta* (sensu stricto) Cornw., Devon, Dorset, Surrey  
*C. pseudoneglecta* Scilly, Kent  
*C. lutescens* Montgom., Fife  
*C. comta* Islay  
*C. trivialis* Monm., W. Lothian, Islay  
*C. diversa* Heref., Monm., W. Lothian  
*C. subtilis* Leics.  
*C. erraticum* Leics., Kirkcud.

#### Family Zodariidae

*Z. italicum* Sussex, London, Herts.  
*Z. vicinum* Kent  
*Z. rubidum* Essex  
*Z. fuscum* Wilts.

#### Family Gnaphosidae

*D. lapidosus* Heref., Staffs., Brecon, E. Lothian, Bute, Ferman., Kerry  
*D. cupreus* Middx., Warw., Radnor, Montgom., Kirkcud., W. Lothian, Islay  
*D. pubescens* Herts., Heref.  
*H. signifer* Heref., Leics., Brecon, Kinross, Islay, Ferman.  
*H. silvestris* Hants., Herts., Heref., Shrops.  
*H. minor* Pembs.  
*S. blackwalli* Fife  
*Z. latreillei* Chesh., Notts., Radnor, Islay  
*Z. apricorum* Wilts., Middx., Herts., Heref., Staffs., Leics., Brecon, Bute  
*Z. petrensis* Sussex, Kent, Worcs.  
*T. pedestris* Heref.  
*U. rusticus* Lancs.  
*D. lutetianus* Wilts., Suff., Pembs.  
*D. pusillus* Middx., Heref., Staffs., Chesh., Leics., Notts., Bute, Islay  
*D. praeficus* Heref.  
*G. nigerrima* Chesh.  
*G. leporina* Shrops., Derby  
*C. nocturna* I.o.Wight  
*M. pulicaria* Heref., W. Lothian  
*M. subopaca* Essex, Cambs.

#### Family Zoridae

*Z. spinimana* Derby, Islay  
*Z. nemoralis* Heref.  
*Z. silvestris* Hants.

#### Family Sparassidae

*M. virescens* Islay

#### Family Philodromidae

*P. praedatus* Worcs., Suff., Leics., Notts., Lancs., Monm., Cards.

*P. cespitem* Radnor, Kirkcud., Angus  
*P. longipalpis* Hants., Hunts.  
*P. collinus* Dorset, Wilts., Heref., Worcs., Leics., Lincs.  
*P. histrio* Heref., Warw.  
*P. albidus* Wilts., Beds., Heref., Warw., Leics., Cambs.  
*P. margaritatus* Essex  
*T. striatus* Derby  
*T. maritimus* Heref., Lancs., Brecon, Kirkcud., W. Lothian  
*T. oblongus* Staffs., Monm., Ferman.

#### Family Thomisidae

*D. dorsata* Shrops., Leics.  
*X. audax* Middx., Leics., Chesh., Monm.  
*X. kochi* Herts., Worcs., Derby  
*X. erraticus* Caithn., Antrim, Ferman.  
*X. ulmi* Lancs., Radnor, Montgom., Denbigh, E. Lothian  
*X. bifasciatus* Warw., Heref., Angus  
*X. sabulosus* Antrim  
*X. acerbus* Wilts., Carmar.  
*O. pullata* Kent  
*O. sanctuaria* Essex, Heref., Pembs.  
*O. praticola* Heref., Derby  
*O. trux* Heref., Monm., Islay  
*O. simplex* Wilts., Warw.  
*O. atomaria* Heref., Worcs., Shrops., Leics., Notts., Islay, Ferman.  
*O. brevipes* Heref., Worcs., Warw., Monm.

#### Family Salticidae

*S. scenicus* Heref., Kirkcud.  
*S. cingulatus* Lancs.  
*S. zebraeus* Herts., Worcs.  
*H. cupreus* Heref., Warw., Cards.  
*H. flavipes* London, Middx., Heref., Leics., Fife  
*H. auratus* Dorset  
*M. muscosa* Notts.  
*M. radiata* Glam.  
*M. nivoyi* Cumberl.  
*B. aurocinctus* Middx.  
*B. chalybeius* Heref., Caern.  
*N. reticulatus* Brecon  
*N. robustus* Suff., Pembs. (Ramsey), Caern., Peebles, Midloth., Wicklow  
*N. pictus* (?) Sussex, Kent  
*P. lanigera* Heref., Leics., Notts., Monm.  
*T. petrensis* Wigtown  
*T. aequipes* Heref., Warw., Shrops., Derby, Notts., Denbigh, Flint  
*T. thorelli* Sussex, Surrey  
*S. pubescens* Heref., Midloth.  
*S. saltator* Pembs.  
*E. falcata* Bute  
*E. arcuata* Wilts., Staffs., W. Yorks.  
*A. v-insignitus* Pembs. (Ramsey), Midloth.  
*P. fasciata* Glam.  
*S. venator* Essex