

Table 1. Species found in Great Britain and Ireland.

List A1. Species established in natural or semi-natural habitats.

	2014 Checklist	Roberts					AS	GB	IUCN
Family ATYPIDAE									
	<i>Atypus affinis</i> Eichwald, 1830		E	S	W	RI		NS	
Family SCYTODIDAE									
	<i>Scytodes thoracica</i> (Latreille, 1802)		E		W	RI	Ah		
Family PHOLCIDAE									
	<i>Pholcus phalangioides</i> (Fuesslin, 1775)		E	S	W	NI RI	Ah		
	<i>Psilochorus simoni</i> (Berland, 1911)		E	S	W	NI RI	Ah		
Family SEGESTRIIDAE									
	<i>Segestria senoculata</i> (Linnaeus, 1758)		E	S	W	NI RI			
	<i>Segestria bavarica</i> C. L. Koch, 1843		E		W			NR	
	<i>Segestria florentina</i> (Rossi, 1790)		E	S	W				
Family DYSDERIDAE									
	<i>Dysdera erythrina</i> (Walckenaer, 1802)		E	S	W	NI RI			
	<i>Dysdera crocata</i> C. L. Koch, 1838		E	S	W	NI RI			
	<i>Harpactea hombergi</i> (Scopoli, 1763)		E	S	W	NI RI			
	<i>Harpactea rubicunda</i> (C. L. Koch, 1838)	Appendix 2	E					NR	V
Family OONOPIDAE									
	<i>Oonops pulcher</i> Templeton, 1835		E	S	W	NI RI			
	<i>Oonops domesticus</i> Dalmas, 1916		E	S	W	NI RI	Ah		
Family MIMETIDAE									
	<i>Ero cambridgei</i> Kulczyński, 1911		E	S	W	NI RI			
	<i>Ero furcata</i> (Villers, 1789)		E	S	W	NI RI			
	<i>Ero aphana</i> (Walckenaer, 1802)		E	S				NS	
	<i>Ero tuberculata</i> (De Geer, 1778)		E	S				NS	
Family ERESIDAE									
	<i>Eresus sandaliatus</i> (Martini & Goeze, 1778)	<i>Eresus niger</i>	E					NR	V
Family ULOBORIDAE									
	<i>Uloborus walckenaerius</i> Latreille, 1806		E					NR	NT
	<i>Uloborus plumipes</i> Lucas, 1846	Not present	E	S	W	RI	Ag		
	<i>Hyptiotes paradoxus</i> (C. L. Koch, 1834)		E		W	RI		NS	
Family NESTICIDAE									
	<i>Nesticus cellulanus</i> (Clerck, 1757)		E	S	W	NI RI			
	<i>Kryptonesticus eremita</i> (Simon, 1880)	Not present			W				
Family THERIDIIDAE									
	<i>Episinus angulatus</i> (Blackwall, 1836)		E	S	W	NI RI			
	<i>Episinus truncatus</i> Latreille, 1809		E		W	RI		NS	
	<i>Episinus maculipes</i> Cavanna, 1876		E			NI RI		NS	
	<i>Euryopsis flavomaculata</i> (C. L. Koch, 1836)		E	S	W	NI RI		NS	
	<i>Lasaeola prona</i> (Menge, 1868)	<i>Dipoena prona</i>	E		W			NR	E
	<i>Lasaeola tristis</i> (Hahn, 1833)	<i>Dipoena tristis</i>	E			RI		NS	
	<i>Phycosoma inornatum</i> (O. P.-Cambridge, 1861)	<i>Dipoena inornata</i>	E	S	W	RI		NS	
	<i>Dipoena erythropus</i> (Simon, 1881)		E		W			NR	V
	<i>Dipoena melanogaster</i> (C. L. Koch, 1837)		E			RI		NR	E
	<i>Dipoena torva</i> (Thorell, 1875)			S				NR	NT

<i>Crustulina guttata</i> (Wider, 1834)			E	S	W		RI		
<i>Crustulina sticta</i> (O. P.-Cambridge, 1861)			E				RI		NS
<i>Asagena phalerata</i> (Panzer, 1801)	<i>Steatoda phalerata</i>	<i>Steatoda phalerata</i>	E	S	W	NI	RI		
<i>Steatoda albomaculata</i> (De Geer, 1778)			E		W				NR
<i>Steatoda bipunctata</i> (Linnaeus, 1758)			E	S	W	NI	RI		
<i>Steatoda grossa</i> (C. L. Koch, 1838)			E	S	W	NI	RI	Ab	
<i>Steatoda nobilis</i> (Thorell, 1875)		Appendix 2	E	S	W	NI	RI	Ab	
<i>Steatoda triangulosa</i> (Walckenaer, 1802)		Not present	E		W				
<i>Anelosimus vittatus</i> (C. L. Koch, 1836)			E	S	W	NI	RI		
<i>Kochiura aulica</i> (C. L. Koch, 1838)		<i>Anelosimus aulicus</i>	E						NS
<i>Cryptachaea riparia</i> (Blackwall, 1834)	<i>Achaeearanea riparia</i>	<i>Achaeearanea riparia</i>	E	S	W		RI		NS
<i>Cryptachaea blattea</i> (Urquhart, 1886)	Not present	Not present	E		W				
<i>Cryptachaea veruculata</i> (Urquhart, 1885)		<i>Achaeearanea veruculata</i>	E						
<i>Parasteatoda lunata</i> (Clerck, 1757)	<i>Achaeearanea lunata</i>	<i>Achaeearanea lunata</i>	E		W		RI		
<i>Parasteatoda tepidariorum</i> (C. L. Koch, 1841)	<i>Achaeearanea tepidariorum</i>	<i>Achaeearanea tepidariorum</i>	E	S	W	NI	RI	Ag	
<i>Parasteatoda simulans</i> (Thorell, 1875)	<i>Achaeearanea simulans</i>	<i>Achaeearanea simulans</i>	E		W				
<i>Phylloneta sisypchia</i> (Clerck, 1757)		<i>Theridion sisypchium</i>	E	S	W	NI	RI		
<i>Phylloneta impressa</i> (L. Koch, 1881)		<i>Theridion impressum</i>	E	S	W	NI	RI		
<i>Theridion pictum</i> (Walckenaer, 1802)			E	S	W				
<i>Theridion hemerobium</i> Simon, 1914			E		W		RI		NS
<i>Theridion hannoniae</i> Denis, 1944		Not present			W				
<i>Theridion varians</i> Hahn, 1833			E	S	W	NI	RI		
<i>Theridion pinastri</i> L. Koch, 1872			E						NS
<i>Theridion familiare</i> O. P.-Cambridge, 1871			E	S					NS
<i>Theridion melanurum</i> Hahn, 1831			E	S	W	NI	RI		
<i>Theridion mystaceum</i> L. Koch, 1870			E	S	W	NI	RI		
<i>Sardinidion blackwalli</i> (O. P.-Cambridge, 1871)	<i>Theridion blackwalli</i>	<i>Theridion blackwalli</i>	E	S	W		RI		NS
<i>Platnickina tincta</i> (Walckenaer, 1802)		<i>Theridion tinctum</i>	E	S	W	NI	RI		
<i>Simitidion simile</i> (C. L. Koch, 1836)		<i>Theridion simile</i>	E	S	W	NI	RI		
<i>Neottiura bimaculata</i> (Linnaeus, 1767)		<i>Theridion bimaculatum</i>	E	S	W	NI	RI		
<i>Paidiscura pallens</i> (Blackwall, 1834)		<i>Theridion pallens</i>	E	S	W	NI	RI		
<i>Rugathodes instabilis</i> (O. P.-Cambridge, 1871)		<i>Theridion instabile</i>	E		W	NI	RI		NS
<i>Rugathodes bellicosus</i> (Simon, 1873)		<i>Theridion bellicosum</i>	E	S	W		RI		NR
<i>Rugathodes sexpunctatus</i> (Emerton, 1882)		Not present		S					
<i>Coleosoma floridanum</i> (Banks, 1900)	Not present	Not present	E					Ag	
<i>Enoplognatha ovata</i> (Clerck, 1757)			E	S	W	NI	RI		
<i>Enoplognatha latimana</i> Hipps & Oksala, 1982		Appendix 1	E	S	W		RI		
<i>Enoplognatha thoracica</i> (Hahn, 1833)			E	S	W	NI	RI		
<i>Enoplognatha mordax</i> (Thorell, 1875)		<i>Enoplognatha crucifera</i>	E	S	W				NS
<i>Enoplognatha caricis</i> (Fickert, 1876)	<i>Enoplognatha tecta</i>	<i>Enoplognatha tecta</i>	E						NR
<i>Enoplognatha oelandica</i> (Thorell, 1875)			E						NR
<i>Robertus lividus</i> (Blackwall, 1836)			E	S	W	NI	RI		
<i>Robertus arundineti</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI		
<i>Robertus neglectus</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI		NS
<i>Robertus scoticus</i> Jackson, 1914				S					NR
<i>Robertus insignis</i> O. P.-Cambridge, 1907			E						NR
<i>Pholcomma gibbum</i> (Westring, 1851)			E	S	W	NI	RI		
<i>Theonoe minutissima</i> (O. P.-Cambridge, 1879)			E	S	W	NI	RI		

Family THERIDIOSOMATIDAE*Theridiosoma gemmosum* (L. Koch, 1877)

E W NI RI

NS

Family MYSMENIDAE*Trogloneta granulum* Simon, 1922

Not present

Not present

W

Family LINYPHIIDAE*Ceratinella brevipes* (Westring, 1851)

E S W NI RI

Ceratinella brevis (Wider, 1834)

E S W NI RI

Ceratinella scabrosa (O. P.-Cambridge, 1871)

E S W NI RI

Walckenaeria acuminata Blackwall, 1833

E S W NI RI

Walckenaeria mitrata (Menge, 1868)

E

NR V

Walckenaeria antica (Wider, 1834)

E S W NI RI

Walckenaeria alticeps (Denis, 1952)

E S W NI RI

NS

Walckenaeria cucullata (C. L. Koch, 1836)

E S W RI

Walckenaeria nodosa O. P.-Cambridge, 1873

E S W NI RI

NS

Walckenaeria atrotibialis (O. P.-Cambridge, 1878)

E S W NI RI

Walckenaeria capito (Westring, 1861)

E S W RI

NS

Walckenaeria incisa (O. P.-Cambridge, 1871)

E S W

NS

Walckenaeria dysderoides (Wider, 1834)

E S W NI RI

NS

Walckenaeria stylifrons (O. P.-Cambridge, 1875)

E

NR V

Walckenaeria nudipalpis (Westring, 1851)

E S W NI RI

Walckenaeria obtusa Blackwall, 1836

E S W

NS

Walckenaeria monoceros (Wider, 1834)

E S W RI

NS

Walckenaeria corniculans (O. P.-Cambridge, 1875)

E RI

NR CE

Walckenaeria furcillata (Menge, 1869)

E S W

NS

Walckenaeria unicornis O. P.-Cambridge, 1861

E S W NI RI

Walckenaeria kochi (O. P.-Cambridge, 1872)

E S W NI RI

NS

Walckenaeria clavicornis (Emerton, 1882)

E S W NI RI

NS

Walckenaeria cuspidata Blackwall, 1833

E S W NI RI

Walckenaeria vigilax (Blackwall, 1853)

E S W NI RI

Dicymbium nigrum (Blackwall, 1834)

E S W NI RI

Dicymbium nigrum brevisetosum Locket, 1962*Dicymbium brevisetosum**D. nigrum* f. *brevisetosum*

E S W NI RI

Dicymbium tibiale (Blackwall, 1836)

E S W NI RI

Entelecara acuminata (Wider, 1834)

E S W NI RI

Entelecara congenera (O. P.-Cambridge, 1879)

E W

NS

Entelecara erythropus (Westring, 1851)

E S W NI RI

Entelecara flavipes (Blackwall, 1834)

E S W RI

NS

Entelecara omissa O. P.-Cambridge, 1902

E RI

NS

Entelecara errata O. P.-Cambridge, 1913

E S W RI

NS

Moebelia penicillata (Westring, 1851)

E S W NI RI

NS

Hylyphantes graminicola (Sundevall, 1830)

E S W RI

Gnathonarium dentatum (Wider, 1834)

E S W NI RI

Trematocephalus cristatus (Wider, 1834)

E

NS

Tmeticus affinis (Blackwall, 1855)

E S W RI

NS

Gongylidium rufipes (Linnaeus, 1758)

E S W NI RI

Dismodicus bifrons (Blackwall, 1841)

E S W NI RI

Dismodicus elevatus (C. L. Koch, 1838)

E S

NR V

Hypomma bituberculatum (Wider, 1834)

E S W NI RI

Hypomma fulvum (Bösenberg, 1902)

E W NI RI

NS

<i>Hypomma cornutum</i> (Blackwall, 1833)			E	S	W	NI	RI		
<i>Metopobactrus prominulus</i> (O. P.-Cambridge, 1872)			E	S	W	NI	RI		
<i>Hybocoptus corrugis</i> (O. P.-Cambridge, 1875)	<i>Hybocoptus decollatus</i>	<i>Hybocoptus decollatus</i>	E		W			NS	
<i>Baryphyma pratense</i> (Blackwall, 1861)			E	S	W				
<i>Baryphyma gowerense</i> (Locket, 1965)			E		W	NI	RI	NR	V
<i>Baryphyma trifrons</i> (O. P.-Cambridge, 1863)			E	S	W	NI	RI		
<i>Baryphyma maritimum</i> (Crocker & Parker, 1970)			E					NR	NT
<i>Praestigia duffeyi</i> Millidge, 1954		<i>Baryphyma duffeyi</i>	E				RI	NR	E
<i>Gonatium rubens</i> (Blackwall, 1833)			E	S	W	NI	RI		
<i>Gonatium rubellum</i> (Blackwall, 1841)			E	S	W	NI	RI		
<i>Gonatium paradoxum</i> (L. Koch, 1869)			E					NR	E
<i>Maso sundevalli</i> (Westring, 1851)			E	S	W	NI	RI		
<i>Maso gallicus</i> Simon, 1894			E		W			NS	
<i>Minicia marginella</i> (Wider, 1834)		Appendix 2	E				RI	NR	DD
<i>Peponocranium ludicrum</i> (O. P.-Cambridge, 1861)			E	S	W	NI	RI		
<i>Pocadicnemis pumila</i> (Blackwall, 1841)			E	S	W	NI	RI		
<i>Pocadicnemis juncea</i> Locket & Millidge, 1953			E	S	W	NI	RI		
<i>Hypselistes jacksoni</i> (O. P.-Cambridge, 1902)			E	S	W	NI	RI	NS	
<i>Oedothorax gibbosus</i> (Blackwall, 1841)			E	S	W	NI	RI		
<i>Oedothorax fuscus</i> (Blackwall, 1834)			E	S	W	NI	RI		
<i>Oedothorax agrestis</i> (Blackwall, 1853)			E	S	W	NI	RI		
<i>Oedothorax retusus</i> (Westring, 1851)			E	S	W	NI	RI		
<i>Oedothorax apicatus</i> (Blackwall, 1850)			E	S	W		RI		
<i>Trichopternoides thorelli</i> (Westring, 1861)		<i>Trichopterna thorelli</i>	E	S	W	NI	RI		
<i>Trichopterna cito</i> (O. P.-Cambridge, 1872)			E					NR	E
<i>Pelecopsis menzei</i> (Simon, 1884)			E	S	W	NI	RI		
<i>Pelecopsis parallela</i> (Wider, 1834)			E	S	W	NI	RI		
<i>Pelecopsis elongata</i> (Wider, 1834)				S				NR	NT
<i>Pelecopsis radiciala</i> (L. Koch, 1872)			E					NR	E
<i>Pelecopsis susannae</i> (Simon, 1914)	Not present	Not present	E						
<i>Parapelecopsis nemoralis</i> (Blackwall, 1841)	<i>Pelecopsis nemoralis</i>	<i>Pelecopsis nemoralis</i>	E	S	W	NI	RI		
<i>Parapelecopsis nemoralioides</i> (O. P.-Cambridge, 1884)	<i>Pelecopsis nemoralioides</i>	Not present	E	S	W		RI	NS	
<i>Silometopus elegans</i> (O. P.-Cambridge, 1872)			E	S	W	NI	RI		
<i>Silometopus ambiguus</i> (O. P.-Cambridge, 1905)			E	S	W	NI	RI	NS	
<i>Silometopus reussi</i> (Thorell, 1871)			E	S	W	NI	RI		
<i>Silometopus incurvatus</i> (O. P.-Cambridge, 1873)			E	S			RI	NR	V
<i>Mecopisthes peusi</i> Wunderlich, 1972			E	S	W	NI	RI	NS	
<i>Cnephalocotes obscurus</i> (Blackwall, 1834)			E	S	W	NI	RI		
<i>Acartauchenius scurrilis</i> (O. P.-Cambridge, 1872)			E					NR	NT
<i>Trichoncus saxicola</i> (O. P.-Cambridge, 1861)			E	S			RI	NR	V
<i>Trichoncus hackmani</i> Millidge, 1955			E					NR	V
<i>Trichoncus affinis</i> Kulczyński, 1894			E					NR	
<i>Styloctetor romanus</i> (O. P.-Cambridge, 1873)	<i>Ceratinopsis romana</i>	<i>Ceratinopsis romana</i>	E		W			NR	
<i>Styloctetor compar</i> (Westring, 1861)	<i>Ceratinopsis stativa</i>	<i>Ceratinopsis stativa</i>	E		W		RI	NS	
<i>Evansia merens</i> O. P.-Cambridge, 1900			E	S	W		RI	NS	
<i>Tiso vagans</i> (Blackwall, 1834)			E	S	W	NI	RI		
<i>Tiso aestivus</i> (L. Koch, 1872)			E	S	W			NS	
<i>Troxochrus scabriculus</i> (Westring, 1851)			E	S	W		RI		

<i>Minyriolus pusillus</i> (Wider, 1834)		E	S	W	NI	RI		
<i>Tapinocyba praecox</i> (O. P.-Cambridge, 1873)		E	S	W	NI	RI		
<i>Tapinocyba pallens</i> (O. P.-Cambridge, 1872)		E	S	W	NI	RI		
<i>Tapinocyba insecta</i> (L. Koch, 1869)		E	S	W	NI	RI	NS	
<i>Tapinocyba mitis</i> (O. P.-Cambridge, 1882)		E					NR	E
<i>Tapinocyboides pygmaeus</i> (Menge, 1869)		E	S				NR	DD
<i>Microctenonyx subitaneus</i> (O. P.-Cambridge, 1875)		E	S	W	NI	RI	NS	
<i>Satilatlas britteni</i> (Jackson, 1913)		E	S	W	NI	RI	NS	
<i>Thyreosthenius parasiticus</i> (Westring, 1851)		E	S	W	NI	RI		
<i>Thyreosthenius biovatus</i> (O. P.-Cambridge, 1875)		E	S	W		RI	NS	
<i>Monocephalus fuscipes</i> (Blackwall, 1836)		E	S	W	NI	RI		
<i>Monocephalus castaneipes</i> (Simon, 1884)		E	S	W	NI	RI	NS	
<i>Lophomma punctatum</i> (Blackwall, 1841)		E	S	W	NI	RI		
<i>Saloca diceros</i> (O. P.-Cambridge, 1871)		E		W		RI	NS	
<i>Gongylidiellum vivum</i> (O. P.-Cambridge, 1875)		E	S	W	NI	RI		
<i>Gongylidiellum latebricola</i> (O. P.-Cambridge, 1871)		E	S	W	NI	RI	NS	
<i>Gongylidiellum murcidum</i> Simon, 1884		E	S	W		RI	NS	V
<i>Micrargus herbigradus</i> (Blackwall, 1854)		E	S	W	NI	RI		
<i>Micrargus apertus</i> (O. P.-Cambridge, 1871)		E	S	W				
<i>Micrargus subaequalis</i> (Westring, 1851)		E	S	W	NI	RI		
<i>Micrargus laudatus</i> (O. P.-Cambridge, 1881)		E		W			NS	
<i>Notioscopus sarcinatus</i> (O. P.-Cambridge, 1872)		E	S	W			NS	
<i>Glyphesis cottonae</i> (La Touche, 1945)		E		W		RI	NR	V
<i>Glyphesis servulus</i> (Simon, 1881)		E		W			NR	NT
<i>Erigonella hiemalis</i> (Blackwall, 1841)		E	S	W	NI	RI		
<i>Erigonella ignobilis</i> (O. P.-Cambridge, 1871)		E	S	W	NI	RI	NS	
<i>Savignia frontata</i> Blackwall, 1833		E	S	W	NI	RI		
<i>Diplocephalus cristatus</i> (Blackwall, 1833)		E	S	W	NI	RI		
<i>Diplocephalus permixtus</i> (O. P.-Cambridge, 1871)		E	S	W	NI	RI		
<i>Diplocephalus latifrons</i> (O. P.-Cambridge, 1863)		E	S	W	NI	RI		
<i>Diplocephalus connatus</i> Bertkau, 1889		E					NR	CE
<i>Diplocephalus picinus</i> (Blackwall, 1841)		E	S	W	NI	RI		
<i>Diplocephalus protuberans</i> (O. P.-Cambridge, 1875)		E	S	W			NR	V
<i>Diplocephalus graecus</i> (O. P.-Cambridge, 1872)	Not present	E						
<i>Araeoncus humilis</i> (Blackwall, 1841)		E	S	W	NI	RI		
<i>Araeoncus crassiceps</i> (Westring, 1861)		E	S	W	NI	RI	NS	
<i>Panamomops sulcifrons</i> (Wider, 1834)		E		W			NS	
<i>Lessertia denticelis</i> (Simon, 1884)		E		W	NI	RI	NS	
<i>Scotinotylus evansi</i> (O. P.-Cambridge, 1894)		E	S				NS	
<i>Typhochrestus digitatus</i> (O. P.-Cambridge, 1872)		E	S	W	NI	RI	NS	
<i>Typhochrestus simoni</i> Lessert, 1907		E		W			NR	CE
<i>Diplocentria bidentata</i> (Emerton, 1882)		E	S	W		RI	NS	
<i>Wabasso replicatus</i> (Holm, 1950)	Not present		S				NR	V
<i>Erigone dentipalpis</i> (Wider, 1834)		E	S	W	NI	RI		
<i>Erigone atra</i> Blackwall, 1833		E	S	W	NI	RI		
<i>Erigone promiscua</i> (O. P.-Cambridge, 1872)		E	S	W	NI	RI		
<i>Erigone arctica</i> (White, 1852)		E	S	W	NI	RI		
<i>Erigone longipalpis</i> (Sundevall, 1830)		E	S	W	NI	RI		

<i>Erigone tirolensis</i> L. Koch, 1872				S						NS	
<i>Erigone dentigera</i> O.P. Pickard-Cambridge, 1874	<i>Erigone capra</i>	<i>Erigone capra</i>	E	S	W		RI			NR	
<i>Erigone welchi</i> Jackson, 1911			E	S	W		RI			NR	E
<i>Erigone psychrophila</i> Thorell, 1871			E	S						NR	NT
<i>Erigone aletris</i> Crosby & Bishop, 1928			E	S							
<i>Prinerigone vagans</i> (Audouin, 1826)		<i>Erigone vagans</i>	E	S	W						
<i>Mermessus trilobatus</i> (Emerton, 1882)		Not present	E								
<i>Mecynargus morulus</i> (O. P.-Cambridge, 1873)		<i>Rhaebothorax morulus</i>	E	S	W	NI	RI			NS	
<i>Mecynargus paetulus</i> (O. P.-Cambridge, 1875)		<i>Rhaebothorax paetulus</i>		S						NR	V
<i>Semljicola faustus</i> (O. P.-Cambridge, 1900)	<i>Latithorax faustus</i>	<i>Latithorax faustus</i>	E	S	W	NI	RI			NS	
<i>Semljicola caliginosus</i> (Falconer, 1910)			E	S						NR	E
<i>Donacochara speciosa</i> (Thorell, 1875)			E			NI	RI			NS	
<i>Leptorhoptrum robustum</i> (Westring, 1851)			E	S	W	NI	RI				
<i>Drepanotylus uncatus</i> (O. P.-Cambridge, 1873)			E	S	W	NI	RI				
<i>Leptothrix hardyi</i> (Blackwall, 1850)			E	S	W	NI	RI			NS	
<i>Hilaira excisa</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI				
<i>Hilaira nubigena</i> Hull, 1911			E	S						NR	V
<i>Hilaira pervicax</i> Hull, 1908			E	S	W	NI				NS	
<i>Oreoneta frigida</i> (Thorell, 1872)	<i>Hilaira frigida</i>	<i>Hilaira frigida</i>	E	S	W	NI	RI				
<i>Halorates reprobus</i> (O. P.-Cambridge, 1879)			E	S	W	NI	RI			NS	
<i>Collinsia inerrans</i> (O. P.-Cambridge, 1885)	<i>Milleriana inerrans</i>	<i>Milleriana inerrans</i>	E	S	W		RI				
<i>Collinsia distincta</i> (Simon, 1884)	<i>Halorates distinctus</i>	<i>Halorates distinctus</i>	E	S	W					NS	
<i>Collinsia holmgreni</i> (Thorell, 1871)	<i>Halorates holmgreni</i>	<i>Halorates holmgreni</i>		S						NS	
<i>Carorita limnaea</i> (Crosby & Bishop, 1927)			E		W	NI	RI			NR	V
<i>Karita paludosa</i> (Duffey, 1971)		<i>Carorita paludosa</i>	E			NI	RI			NR	V
<i>Wiehlea calcarifera</i> (Simon, 1884)			E							NR	E
<i>Mioxena blanda</i> (Simon, 1884)			E		W		RI			NR	DD
<i>Caviphantes saxetorum</i> (Hull, 1916)			E	S	W					NR	NT
<i>Asthenargus paganus</i> (Simon, 1884)			E	S	W	NI	RI			NS	
<i>Jacksonella falconeri</i> (Jackson, 1908)			E	S	W	NI	RI			NS	
<i>Pseudomaro aenigmaticus</i> Denis, 1966			E							NR	DD
<i>Ostearius melanopygius</i> (O. P.-Cambridge, 1879)			E	S	W	NI	RI				
<i>Aphileta misera</i> (O. P.-Cambridge, 1882)			E	S	W	NI	RI				
<i>Porrhomma pygmaeum</i> (Blackwall, 1834)			E	S	W	NI	RI				
<i>Porrhomma convexum</i> (Westring, 1851)			E	S	W	NI	RI			NS	
<i>Porrhomma rosenhaueri</i> (L. Koch, 1872)					W		RI			NR	NT
<i>Porrhomma pallidum</i> Jackson, 1913			E	S	W	NI	RI				
<i>Porrhomma campbelli</i> F. O. P.-Cambridge, 1894			E	S	W	NI	RI			NS	
<i>Porrhomma microphthalmum</i> (O. P.-Cambridge, 1871)			E	S	W						
<i>Porrhomma errans</i> (Blackwall, 1841)			E	S	W		RI			NS	
<i>Porrhomma egeria</i> Simon, 1884			E	S	W		RI			NS	
<i>Porrhomma oblitum</i> (O. P.-Cambridge, 1871)			E		W		RI			NS	
<i>Porrhomma cambridgei</i> Merrett, 1994			E							NR	DD
<i>Porrhomma montanum</i> Jackson, 1913			E	S	W	NI	RI			NS	
<i>Agyneta subtilis</i> (O. P.-Cambridge, 1863)			E	S	W	NI	RI				
<i>Agyneta conigera</i> (O. P.-Cambridge, 1863)			E	S	W	NI	RI				
<i>Agyneta decora</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI				
<i>Agyneta cauta</i> (O. P.-Cambridge, 1902)			E	S	W	NI	RI			NS	

<i>Agyneta olivacea</i> (Emerton, 1882)			E	S	W	NI	RI	NS	
<i>Agyneta ramosa</i> Jackson, 1912			E	S	W		RI		
<i>Agyneta innotabilis</i> (O. P.-Cambridge, 1863)	<i>Meioneta innotabilis</i>	<i>Meioneta innotabilis</i>	E	S	W	NI	RI		
<i>Agyneta rurestris</i> (C. L. Koch, 1836)	<i>Meioneta rurestris</i>	<i>Meioneta rurestris</i>	E	S	W	NI	RI		
<i>Agyneta mollis</i> (O. P.-Cambridge, 1871)	<i>Meioneta mollis</i>	<i>Meioneta mollis</i>	E		W	NI	RI	NR	NT
<i>Agyneta saxatilis</i> (Blackwall, 1844)	<i>Meioneta saxatilis</i>	<i>Meioneta saxatilis</i>	E	S	W	NI	RI		
<i>Agyneta mossica</i> (Schikora, 1993)	<i>Meioneta mossica</i>	Not present	E	S	W	NI	RI	NS	
<i>Agyneta simplicatarsis</i> (Simon, 1884)	<i>Meioneta simplicatarsis</i>	<i>Meioneta simplicatarsis</i>	E					NS	
<i>Agyneta affinis</i> (Kulczyński, 1898)	<i>Meioneta beata</i>	<i>Meioneta beata</i>	E	S	W	NI	RI		
<i>Agyneta fuscipalpa</i> (C. L. Koch, 1836)	<i>Meioneta fuscipalpa</i>	Not present	E					NR	V
<i>Agyneta gulosa</i> (L. Koch, 1869)	<i>Meioneta gulosa</i>	<i>Meioneta gulosa</i>	E	S	W	NI	RI	NS	
<i>Agyneta nigripes</i> (Simon, 1884)	<i>Meioneta nigripes</i>	<i>Meioneta nigripes</i>		S	W			NS	
<i>Microneta viaria</i> (Blackwall, 1841)			E	S	W	NI	RI		
<i>Maro minutus</i> O. P.-Cambridge, 1906			E	S	W		RI	NS	
<i>Maro sublestus</i> Falconer, 1915			E	S			RI	NR	E
<i>Maro lepidus</i> Casemir, 1961			E	S	W			NR	E
<i>Syedra gracilis</i> (Menge, 1869)			E	S				NS	
<i>Syedra myrmicarum</i> (Kulczyński, 1882)	Not present	Not present	E						
<i>Centromerus sylvaticus</i> (Blackwall, 1841)			E	S	W	NI	RI		
<i>Centromerus prudens</i> (O. P.-Cambridge, 1873)			E	S	W	NI	RI		
<i>Centromerus arcanus</i> (O. P.-Cambridge, 1873)			E	S	W	NI	RI		
<i>Centromerus levitarsis</i> (Simon, 1884)			E	S			RI	NR	E
<i>Centromerus dilutus</i> (O. P.-Cambridge, 1875)			E	S	W	NI	RI		
<i>Centromerus capucinus</i> (Simon, 1884)			E					NR	NT
<i>Centromerus incilium</i> (L. Koch, 1881)			E	S				NS	
<i>Centromerus semiater</i> (L. Koch, 1879)			E					NR	E
<i>Centromerus brevipalpus</i> (Menge, 1866)	<i>Centromerus brevivulvatus</i>	<i>Centromerus aequalis</i>	E	S				NR	E
<i>Centromerus serratus</i> (O. P.-Cambridge, 1875)			E					NR	E
<i>Centromerus albidus</i> Simon, 1929			E				RI	NR	CE
<i>Centromerus cavernarum</i> (L. Koch, 1872)			E					NR	NT
<i>Centromerus persimilis</i> (O. P.-Cambridge, 1912)			E				RI	NR	DD
<i>Centromerus minutissimus</i> Merrett & Powell, 1993		Not present	E					NR	DD
<i>Tallusia experta</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI		
<i>Centromerita bicolor</i> (Blackwall, 1833)			E	S	W	NI	RI		
<i>Centromerita concinna</i> (Thorell, 1875)			E	S	W	NI	RI		
<i>Sintula corniger</i> (Blackwall, 1856)			E	S	W	NI	RI	NS	
<i>Oreonetides vaginatus</i> (Thorell, 1872)			E	S	W		RI	NS	
<i>Saaristoa abnormis</i> (Blackwall, 1841)			E	S	W	NI	RI		
<i>Saaristoa firma</i> (O. P.-Cambridge, 1905)			E	S	W	NI	RI	NS	
<i>Macrargus rufus</i> (Wider, 1834)			E	S	W	NI	RI		
<i>Macrargus carpenteri</i> (O. P.-Cambridge, 1894)			E	S				NS	
<i>Bathyphantes approximatus</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI		
<i>Bathyphantes gracilis</i> (Blackwall, 1841)			E	S	W	NI	RI		
<i>Bathyphantes parvulus</i> (Westring, 1851)			E	S	W	NI	RI		
<i>Bathyphantes nigrinus</i> (Westring, 1851)			E	S	W	NI	RI		
<i>Bathyphantes setiger</i> F. O. P.-Cambridge, 1894			E	S	W	NI	RI	NS	
<i>Kaestneria dorsalis</i> (Wider, 1834)			E	S	W	NI	RI		
<i>Kaestneria pullata</i> (O. P.-Cambridge, 1863)			E	S	W	NI	RI		

<i>Diplostyla concolor</i> (Wider, 1834)		E	S	W	NI	RI		
<i>Poeciloneta variegata</i> (Blackwall, 1841)	<i>Poeciloneta globosa</i>	E	S	W	NI	RI		
<i>Drapetisca socialis</i> (Sundevall, 1833)		E	S	W	NI	RI		
<i>Tapinopa longidens</i> (Wider, 1834)		E	S	W	NI	RI		
<i>Floronia bucculenta</i> (Clerck, 1757)		E	S	W	NI	RI		
<i>Taranucus setosus</i> (O. P.-Cambridge, 1863)		E	S	W	NI	RI	NS	
<i>Labulla thoracica</i> (Wider, 1834)		E	S	W	NI	RI		
<i>Stemonyphantes lineatus</i> (Linnaeus, 1758)		E	S	W	NI	RI		
<i>Bolyphantes luteolus</i> (Blackwall, 1833)		E	S	W	NI	RI		
<i>Bolyphantes alticeps</i> (Sundevall, 1833)		E	S	W		RI		
<i>Nothophantes horridus</i> Merrett & Stevens, 1995	Not present	E					NR	E
<i>Megalepthyphantes nebulosus</i> (Sundevall, 1830)	<i>Lepthyphantes nebulosus</i>	E	S	W	NI	RI		
<i>Lepthyphantes leprosus</i> (Ohlert, 1865)		E	S	W	NI	RI		
<i>Lepthyphantes minutus</i> (Blackwall, 1833)		E	S	W	NI	RI		
<i>Mughiphantes whymperi</i> (F. O. P.-Cambridge, 1894)	<i>Lepthyphantes whymperi</i>	E	S	W		RI	NS	
<i>Obscuriphantes obscurus</i> (Blackwall, 1841)	<i>Lepthyphantes obscurus</i>	E	S	W	NI	RI		
<i>Tenuiphantes alacris</i> (Blackwall, 1853)	<i>Lepthyphantes alacris</i>	E	S	W	NI	RI		
<i>Tenuiphantes tenuis</i> (Blackwall, 1852)	<i>Lepthyphantes tenuis</i>	E	S	W	NI	RI		
<i>Tenuiphantes zimmermanni</i> (Bertkau, 1890)	<i>Lepthyphantes zimmermanni</i>	E	S	W	NI	RI		
<i>Tenuiphantes cristatus</i> (Menge, 1866)	<i>Lepthyphantes cristatus</i>	E	S	W	NI	RI		
<i>Tenuiphantes mendei</i> (Kulczyński, 1887)	<i>Lepthyphantes mendei</i>	E	S	W	NI	RI		
<i>Tenuiphantes flavipes</i> (Blackwall, 1854)	<i>Lepthyphantes flavipes</i>	E	S	W	NI	RI		
<i>Tenuiphantes tenebricola</i> (Wider, 1834)	<i>Lepthyphantes tenebricola</i>	E	S	W	NI	RI		
<i>Palliduphantes ericaeus</i> (Blackwall, 1853)	<i>Lepthyphantes ericaeus</i>	E	S	W	NI	RI		
<i>Palliduphantes pallidus</i> (O. P.-Cambridge, 1871)	<i>Lepthyphantes pallidus</i>	E	S	W	NI	RI		
<i>Palliduphantes insignis</i> (O. P.-Cambridge, 1913)	<i>Lepthyphantes insignis</i>	E	S	W		RI	NS	
<i>Palliduphantes antroniensis</i> (Schenkel, 1933)	<i>Lepthyphantes antroniensis</i>		S				NR	CE
<i>Piniphantes pinicola</i> (Simon, 1884)	<i>Lepthyphantes pinicola</i>	E	S	W			NR	
<i>Oryphantes angulatus</i> (O. P.-Cambridge, 1881)	<i>Lepthyphantes angulatus</i>	E	S	W	NI	RI	NS	
<i>Improphantes complicatus</i> (Emerton, 1882)	<i>Lepthyphantes complicatus</i>		S				NR	NT
<i>Agyphantes expunctus</i> (O. P.-Cambridge, 1875)	<i>Lepthyphantes expunctus</i>	E	S				NS	
<i>Midia midas</i> (Simon, 1884)	<i>Lepthyphantes midas</i>	E					NR	E
<i>Helophora insignis</i> (Blackwall, 1841)		E	S	W	NI	RI		
<i>Pityohyphantes phrygianus</i> (C. L. Koch, 1836)		E	S				NS	
<i>Linyphia triangularis</i> (Clerck, 1757)		E	S	W	NI	RI		
<i>Linyphia hortensis</i> Sundevall, 1830		E	S	W	NI	RI		
<i>Neriene montana</i> (Clerck, 1757)		E	S	W	NI	RI		
<i>Neriene clathrata</i> (Sundevall, 1830)		E	S	W	NI	RI		
<i>Neriene peltata</i> (Wider, 1834)		E	S	W	NI	RI		
<i>Neriene furtiva</i> (O. P.-Cambridge, 1871)		E		W			NS	
<i>Neriene radiata</i> (Walckenaer, 1841)		E	S				NR	NT
<i>Microlinyphia pusilla</i> (Sundevall, 1830)		E	S	W	NI	RI		
<i>Microlinyphia impigra</i> (O. P.-Cambridge, 1871)		E	S	W	NI	RI		
<i>Allomengea scopigera</i> (Grube, 1859)		E	S	W	NI	RI		
<i>Allomengea vidua</i> (L. Koch, 1879)		E	S	W	NI	RI	NS	
Family TETRAGNATHIDAE								
<i>Tetragnatha extensa</i> (Linnaeus, 1758)		E	S	W	NI	RI		
<i>Tetragnatha pinicola</i> L. Koch, 1870		E	S	W		RI		

<i>Tetragnatha montana</i> Simon, 1874			E	S	W	NI	RI		
<i>Tetragnatha obtusa</i> C. L. Koch, 1837			E	S	W	NI	RI		
<i>Tetragnatha nigrata</i> Lendl, 1886			E		W	NI	RI		
<i>Tetragnatha striata</i> L. Koch, 1862			E	S	W		RI		
<i>Pachygnatha clercki</i> Sundevall, 1823			E	S	W	NI	RI		
<i>Pachygnatha listeri</i> Sundevall, 1830			E	S	W		RI		
<i>Pachygnatha degeeri</i> Sundevall, 1830			E	S	W	NI	RI		
<i>Metellina segmentata</i> (Clerck, 1757)		<i>Meta segmentata</i>	E	S	W	NI	RI		
<i>Metellina mengei</i> (Blackwall, 1869)		<i>Meta mengei</i>	E	S	W	NI	RI		
<i>Metellina merianae</i> (Scopoli, 1763)		<i>Meta merianae</i>	E	S	W	NI	RI		
<i>Meta menardi</i> (Latreille, 1804)			E	S	W	NI	RI		
<i>Meta bourneti</i> Simon, 1922			E		W				NS
Family ARANEIDAE									
<i>Gibbaranea gibbosa</i> (Walckenaer, 1802)			E	S	W	NI	RI		
<i>Araneus angulatus</i> Clerck, 1757			E						NS
<i>Araneus diadematus</i> Clerck, 1757			E	S	W	NI	RI		
<i>Araneus quadratus</i> Clerck, 1757			E	S	W	NI	RI		
<i>Araneus marmoreus</i> Clerck, 1757			E	S	W				
<i>Araneus alsine</i> (Walckenaer, 1802)			E	S					NS
<i>Araneus sturmi</i> (Hahn, 1831)			E	S	W		RI		
<i>Araneus triguttatus</i> (Fabricius, 1775)			E	S	W	NI			
<i>Larinioides cornutus</i> (Clerck, 1757)			E	S	W	NI	RI		
<i>Larinioides sclopetarius</i> (Clerck, 1757)			E	S	W	NI	RI		
<i>Larinioides patagiatus</i> (Clerck, 1757)			E	S	W	NI	RI		NS
<i>Nuctenea umbratica</i> (Clerck, 1757)			E	S	W	NI	RI		
<i>Agalenatea redii</i> (Scopoli, 1763)			E	S	W	NI	RI		
<i>Neoscona adianta</i> (Walckenaer, 1802)			E		W		RI		
<i>Araniella cucurbitina</i> (Clerck, 1757)			E	S	W	NI	RI		
<i>Araniella opisthographa</i> (Kulczyński, 1905)			E	S	W	NI	RI		
<i>Araniella inconspicua</i> (Simon, 1874)			E						NS
<i>Araniella alpica</i> (L. Koch, 1869)			E		W				NR E
<i>Araniella displicata</i> (Hentz, 1847)			E						NR NT
<i>Zilla diodia</i> (Walckenaer, 1802)			E		W				
<i>Hypsosinga albovittata</i> (Westring, 1851)			E	S	W		RI		NS
<i>Hypsosinga pygmaea</i> (Sundevall, 1831)			E	S	W	NI	RI		
<i>Hypsosinga sanguinea</i> (C. L. Koch, 1844)			E						NS
<i>Hypsosinga heri</i> (Hahn, 1831)			E						NR V
<i>Singa hamata</i> (Clerck, 1757)			E	S	W				NS
<i>Cercidia prominens</i> (Westring, 1851)			E	S	W				NS
<i>Zygiella x-notata</i> (Clerck, 1757)			E	S	W	NI	RI		
<i>Zygiella atrica</i> (C. L. Koch, 1845)			E	S	W	NI	RI		
<i>Leviellus stroemi</i> (Thorell, 1870)	<i>Stroemiellus stroemi</i>	<i>Zygiella stroemi</i>	E						NR NT
<i>Mangora acalypha</i> (Walckenaer, 1802)			E		W		RI		
<i>Cyclosa conica</i> (Pallas, 1772)			E	S	W	NI	RI		
<i>Argiope bruennichi</i> (Scopoli, 1772)			E		W				
Family LYCOSIDAE									
<i>Pardosa agricola</i> (Thorell, 1856)			E	S	W	NI	RI		
<i>Pardosa agrestis</i> (Westring, 1861)			E	S	W	NI	RI		NS

<i>Pardosa purbeckensis</i> F. O. P.-Cambridge, 1895		<i>Pardosa agrestis</i>	E	S	W		RI		
<i>Pardosa monticola</i> (Clerck, 1757)			E	S	W	NI	RI		
<i>Pardosa palustris</i> (Linnaeus, 1758)			E	S	W	NI	RI		
<i>Pardosa pullata</i> (Clerck, 1757)			E	S	W	NI	RI		
<i>Pardosa prativaga</i> (L. Koch, 1870)			E	S	W	NI	RI		
<i>Pardosa amentata</i> (Clerck, 1757)			E	S	W	NI	RI		
<i>Pardosa nigriceps</i> (Thorell, 1856)			E	S	W	NI	RI		
<i>Pardosa lugubris</i> (Walckenaer, 1802)			E	S			RI	NS	
<i>Pardosa saltans</i> Töpfer-Hofmann, 2000		Not present	E	S	W		RI		
<i>Pardosa hortensis</i> (Thorell, 1872)			E	S	W				
<i>Pardosa tenuipes</i> C. L. Koch, 1847	<i>Pardosa proxima</i>	<i>Pardosa proxima</i>	E	S	W			NS	
<i>Pardosa trailli</i> (O. P.-Cambridge, 1873)			E	S	W			NR	V
<i>Pardosa paludicola</i> (Clerck, 1757)			E					NR	E
<i>Hygrolycosa rubrofasciata</i> (Ohlert, 1865)			E					NR	E
<i>Xerolycosa nemoralis</i> (Westring, 1861)			E					NS	
<i>Xerolycosa miniata</i> (C. L. Koch, 1834)			E	S	W			NS	
<i>Alopecosa pulverulenta</i> (Clerck, 1757)			E	S	W	NI	RI		
<i>Alopecosa cuneata</i> (Clerck, 1757)			E		W	NI	RI	NS	
<i>Alopecosa barbipes</i> (Sundevall, 1833)		<i>Alopecosa accentuata</i>	E	S	W	NI	RI		
<i>Alopecosa fabrilis</i> (Clerck, 1757)			E					NR	CE
<i>Trochosa ruricola</i> (De Geer, 1778)			E	S	W	NI	RI		
<i>Trochosa robusta</i> (Simon, 1876)			E					NR	V
<i>Trochosa terricola</i> Thorell, 1856			E	S	W	NI	RI		
<i>Trochosa spinipalpis</i> (F. O. P.-Cambridge, 1895)			E	S	W	NI	RI	NS	
<i>Arctosa fulvolineata</i> (Lucas, 1846)			E					NR	NT
<i>Arctosa perita</i> (Latreille, 1799)			E	S	W	NI	RI		
<i>Arctosa leopardus</i> (Sundevall, 1833)			E	S	W	NI	RI		
<i>Arctosa cinerea</i> (Fabricius, 1777)			E	S	W		RI	NS	
<i>Arctosa alpigena</i> (Doleschall, 1852)		<i>Tricca alpigena</i>		S				NR	V
<i>Pirata piraticus</i> (Clerck, 1757)			E	S	W	NI	RI		
<i>Pirata tenuitarsis</i> Simon, 1876			E	S	W	NI	RI	NS	
<i>Pirata piscatorius</i> (Clerck, 1757)			E	S	W	NI	RI	NS	
<i>Piratula hygrophila</i> (Thorell, 1872)	<i>Piratula hygrophilus</i>	<i>Piratula hygrophilus</i>	E	S	W	NI	RI		
<i>Piratula uliginosa</i> (Thorell, 1856)	<i>Piratula uliginosus</i>	<i>Piratula uliginosus</i>	E	S	W	NI	RI		
<i>Piratula latitans</i> (Blackwall, 1841)	<i>Piratula latitans</i>	<i>Piratula latitans</i>	E	S	W		RI		
<i>Aulonia albimana</i> (Walckenaer, 1805)			E					NR	CE
Family PISAURIDAE									
<i>Pisaura mirabilis</i> (Clerck, 1757)			E	S	W	NI	RI		
<i>Dolomedes fimbriatus</i> (Clerck, 1757)			E	S	W		RI	NS	
<i>Dolomedes plantarius</i> (Clerck, 1757)			E		W			NR	V
Family OXYOPIDAE									
<i>Oxyopes heterophthalmus</i> (Latreille, 1804)			E					NR	V
Family AGELENIDAE									
<i>Agelena labyrinthica</i> (Clerck, 1757)			E		W		RI		
<i>Textrix denticulata</i> (Olivier, 1789)			E	S	W	NI	RI		
<i>Eratigena agrestis</i> (Walckenaer, 1802)	<i>Tegenaria agrestis</i>	<i>Tegenaria agrestis</i>	E	S	W		RI		
<i>Eratigena atrica</i> (C. L. Koch, 1843)	<i>Tegenaria atrica</i>	<i>Tegenaria atrica</i>	E	S	W		RI		
<i>Eratigena duellica</i> (Simon, 1875)	<i>Tegenaria gigantea</i>	<i>Tegenaria duellica</i>	E	S	W	NI	RI		

<i>Agroeca brunnea</i> (Blackwall, 1833)			E	S	W					
<i>Agroeca proxima</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI			
<i>Agroeca inopina</i> O. P.-Cambridge, 1886			E		W					
<i>Agroeca lusatica</i> (L. Koch, 1875)			E						NR	E
<i>Agroeca dentigera</i> Kulczyński, 1913		Not present			W				NR	DD
<i>Agroeca cuprea</i> Menge, 1873			E	S					NR	NT
<i>Liocranoeca striata</i> (Kulczyński, 1882)	<i>Agraecina striata</i>	<i>Agroeca striata</i>	E	S	W	NI	RI		NS	
<i>Apostenus fuscus</i> Westring, 1851		Appendix 1	E						NR	V
<i>Scotina celans</i> (Blackwall, 1841)			E	S	W		RI		NS	
<i>Scotina gracilipes</i> (Blackwall, 1859)			E	S	W	NI	RI		NS	
<i>Scotina palliardii</i> (L. Koch, 1881)			E						NR	E
<i>Liocranum rupicola</i> (Walckenaer, 1830)			E		W		RI		NS	
Family PHRUROLITHIDAE	Corinnidae	Clubionidae								
<i>Phrurolithus festivus</i> (C. L. Koch, 1835)			E	S	W	NI	RI			
<i>Phrurolithus minimus</i> C. L. Koch, 1839			E						NS	
Family CLUBIONIDAE										
<i>Clubiona corticalis</i> (Walckenaer, 1802)			E		W					
<i>Clubiona reclusa</i> O. P.-Cambridge, 1863			E	S	W	NI	RI			
<i>Clubiona subsultans</i> Thorell, 1875				S					NR	NT
<i>Clubiona stagnatilis</i> Kulczyński, 1897			E	S	W	NI	RI			
<i>Clubiona rosserae</i> Locket, 1953			E						NR	V
<i>Clubiona norvegica</i> Strand, 1900			E	S	W				NS	
<i>Clubiona caerulescens</i> L. Koch, 1867			E	S	W				NR	V
<i>Clubiona pallidula</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Clubiona phragmitis</i> C. L. Koch, 1843			E	S	W	NI	RI			
<i>Clubiona terrestris</i> Westring, 1851			E	S	W	NI	RI			
<i>Clubiona frutetorum</i> L. Koch, 1866		Not present					RI			
<i>Clubiona neglecta</i> O. P.-Cambridge, 1862			E	S	W	NI	RI			
<i>Clubiona pseudoneglecta</i> Wunderlich, 1994		Not present	E						NR	V
<i>Clubiona frisia</i> Wunderlich & Schütt, 1995		<i>Clubiona similis</i>	E						NR	NT
<i>Clubiona lutescens</i> Westring, 1851			E	S	W	NI	RI			
<i>Clubiona comta</i> C. L. Koch, 1839			E	S	W	NI	RI			
<i>Clubiona brevipes</i> Blackwall, 1841			E	S	W	NI	RI			
<i>Clubiona trivialis</i> C. L. Koch, 1843			E	S	W	NI	RI			
<i>Clubiona juvenis</i> Simon, 1878			E				RI		NR	NT
<i>Clubiona diversa</i> O. P.-Cambridge, 1862			E	S	W	NI	RI			
<i>Clubiona subtilis</i> L. Koch, 1867			E	S	W		RI			
<i>Porrhoclubiona genevensis</i> (L. Koch, 1866)	<i>Clubiona genevensis</i>	<i>Clubiona genevensis</i>	E		W				NR	NT
<i>Porrhoclubiona leucaspis</i> (Simon, 1932)	<i>Clubiona leucaspis</i>	Not present	E							
Family CHEIRACANTHIDAE	Clubionidae	Clubionidae								
<i>Cheiracanthium erraticum</i> (Walckenaer, 1802)			E	S	W	NI	RI			
<i>Cheiracanthium pennyi</i> O. P.-Cambridge, 1873			E						NR	E
<i>Cheiracanthium virescens</i> (Sundevall, 1833)			E	S	W	NI	RI		NS	
Family ZODARIIDAE										
<i>Zodarion italicum</i> (Canestrini, 1868)		Appendix 1	E						NS	
<i>Zodarion vicinum</i> Denis, 1935		Not present	E						NR	V
<i>Zodarion rubidum</i> Simon, 1914		Not present	E						NR	
<i>Zodarion fuscum</i> (Simon, 1870)		Not present	E		W				NR	V

Family GNAPHOSIDAE

<i>Drassodes lapidosus</i> (Walckenaer, 1802)			E	S	W	NI	RI		
<i>Drassodes cupreus</i> (Blackwall, 1834)			E	S	W	NI	RI		
<i>Drassodes pubescens</i> (Thorell, 1856)			E	S	W		RI	NS	
<i>Haplodrassus signifer</i> (C. L. Koch, 1839)			E	S	W	NI	RI		
<i>Haplodrassus dalmatensis</i> (L. Koch, 1866)			E		W			NS	
<i>Haplodrassus umbratilis</i> (L. Koch, 1866)			E					NR	DD
<i>Haplodrassus soerenseni</i> (Strand, 1900)				S				NR	E
<i>Haplodrassus silvestris</i> (Blackwall, 1833)			E	S	W			NS	
<i>Haplodrassus minor</i> (O. P.-Cambridge, 1879)			E		W			NS	
<i>Scotophaeus blackwalli</i> (Thorell, 1871)			E	S	W	NI	RI		
<i>Scotophaeus scutulatus</i> (L. Koch, 1866)		Appendix 2	E					Ah	
<i>Phaeoedus braccatus</i> (L. Koch, 1866)			E					NR	V
<i>Zelotes electus</i> (C. L. Koch, 1839)			E	S	W	NI	RI	NS	
<i>Zelotes latreillei</i> (Simon, 1878)			E	S	W	NI	RI		
<i>Zelotes apricorum</i> (L. Koch, 1876)			E	S	W		RI		
<i>Zelotes subterraneus</i> (C. L. Koch, 1833)		Appendix 1	E	S	W			NS	
<i>Zelotes longipes</i> (L. Koch, 1866)									
<i>Zelotes petrensis</i> (C. L. Koch, 1839)			E					NR	V
<i>Trachyzelotes pedestris</i> (C. L. Koch, 1837)		<i>Zelotes pedestris</i>	E		W				
<i>Urozelotes rusticus</i> (L. Koch, 1872)		<i>Zelotes rusticus</i>	E		W				
<i>Drassyllus lutetianus</i> (L. Koch, 1866)		<i>Zelotes lutetianus</i>	E		W		RI	NS	
<i>Drassyllus pusillus</i> (C. L. Koch, 1833)		<i>Zelotes pusillus</i>	E	S	W	NI	RI		
<i>Drassyllus praeficus</i> (L. Koch, 1866)		<i>Zelotes praeficus</i>	E		W			NS	
<i>Gnaphosa lugubris</i> (C. L. Koch, 1839)			E					NR	V
<i>Gnaphosa occidentalis</i> Simon, 1878			E					NR	NT
<i>Gnaphosa nigerrima</i> L. Koch, 1877		Not present	E					NR	V
<i>Gnaphosa leporina</i> (L. Koch, 1866)			E	S	W			NS	
<i>Callilepis nocturna</i> (Linnaeus, 1758)			E		W			NR	V
<i>Micaria micans</i> (Blackwall, 1858)	Not present	Not present	E						
<i>Micaria pulicaria</i> (Sundevall, 1831)			E	S	W	NI	RI		
<i>Micaria albovittata</i> (Lucas, 1846)		<i>Micaria romana</i>	E					NR	V
<i>Micaria alpina</i> L. Koch, 1872				S	W			NR	V
<i>Micaria subopaca</i> Westring, 1861			E	S				NS	
<i>Micaria silesiaca</i> L. Koch, 1875			E					NR	NT
Family MITURGIDAE	Zoridae	Zoridae							
<i>Zora spinimana</i> (Sundevall, 1833)			E	S	W	NI	RI		
<i>Zora armillata</i> Simon, 1878			E					NR	CE
<i>Zora nemoralis</i> (Blackwall, 1861)			E	S	W			NR	V
<i>Zora silvestris</i> Kulczyński, 1897			E					NR	CE
Family ZOROPSIDAE									
<i>Zoropsis spinimana</i> (Dufour, 1820)	Not present	Not present	E						
Family SPARASSIDAE		Eusparassidae							
<i>Micrommata virescens</i> (Clerck, 1757)			E		W		RI	NS	
Family PHILODROMIDAE		Thomisidae							
<i>Philodromus dispar</i> Walckenaer, 1826			E	S	W		RI		
<i>Philodromus aureolus</i> (Clerck, 1757)			E	S	W	NI	RI		
<i>Philodromus praedatus</i> O. P.-Cambridge, 1871			E	S	W		RI		

<i>Philodromus cespitum</i> (Walckenaer, 1802)			E	S	W	NI	RI		
<i>Philodromus longipalpis</i> Simon, 1870		Appendix 2	E						NS
<i>Philodromus collinus</i> C. L. Koch, 1835			E						
<i>Philodromus buxi</i> Simon, 1884			E						
<i>Philodromus emarginatus</i> (Schrank, 1803)			E	S		NI			NR V
<i>Philodromus albidus</i> Kulczyński, 1911			E		W		RI		NS
<i>Philodromus margaritatus</i> (Clerck, 1757)			E	S					NR NT
<i>Philodromus rufus</i> Walckenaer, 1826			E						
<i>Rhysodromus fallax</i> (Sundevall, 1833)	<i>Philodromus fallax</i>	<i>Philodromus fallax</i>	E		W				NR V
<i>Rhysodromus histrio</i> (Latreille, 1819)	<i>Philodromus histrio</i>	<i>Philodromus histrio</i>	E	S	W				NS
<i>Thanatus striatus</i> C. L. Koch, 1845			E		W		RI		
<i>Thanatus formicinus</i> (Clerck, 1757)			E						NR CE
<i>Thanatus vulgaris</i> Simon, 1870	Not present	Not present	E	S	W			Ab	
<i>Tibellus maritimus</i> (Menge, 1875)			E	S	W	NI	RI		
<i>Tibellus oblongus</i> (Walckenaer, 1802)			E	S	W	NI	RI		
Family THOMISIDAE									
<i>Thomisus onustus</i> Walckenaer, 1806			E						NS
<i>Diaea dorsata</i> (Fabricius, 1777)			E		W		RI		
<i>Misumena vatia</i> (Clerck, 1757)			E		W		RI		
<i>Pistius truncatus</i> (Pallas, 1772)			E						NR CE
<i>Xysticus cristatus</i> (Clerck, 1757)			E	S	W	NI	RI		
<i>Xysticus audax</i> (Schrank, 1803)			E	S	W		RI		
<i>Xysticus kochi</i> Thorell, 1872			E	S	W				
<i>Xysticus erraticus</i> (Blackwall, 1834)			E	S	W	NI	RI		
<i>Xysticus lanio</i> C. L. Koch, 1835			E		W		RI		
<i>Xysticus ulmi</i> (Hahn, 1831)			E	S	W		RI		
<i>Xysticus bifasciatus</i> C. L. Koch, 1837			E	S	W				NS
<i>Xysticus luctator</i> L. Koch, 1870			E						NR E
<i>Xysticus sabulosus</i> (Hahn, 1832)			E	S	W	NI	RI		NS
<i>Xysticus luctuosus</i> (Blackwall, 1836)			E	S	W		RI		NR E
<i>Xysticus acerbus</i> Thorell, 1872			E		W				NR
<i>Bassaniodes robustus</i> (Hahn, 1832)	<i>Xysticus robustus</i>	<i>Xysticus robustus</i>	E						NR E
<i>Cozyptila blackwalli</i> (Simon, 1875)	<i>Ozyptila blackwalli</i>	<i>Ozyptila blackwalli</i>	E						NR E
<i>Ozyptila scabricula</i> (Westring, 1851)			E		W				NS
<i>Ozyptila claveata</i> (Walckenaer, 1837)	<i>Ozyptila nigrita</i>	<i>Ozyptila nigrita</i>	E						NS
<i>Ozyptila pullata</i> (Thorell, 1875)		Not present	E						NR V
<i>Ozyptila sanctuaria</i> (O. P.-Cambridge, 1871)			E		W		RI		
<i>Ozyptila praticola</i> (C. L. Koch, 1837)			E		W		RI		
<i>Ozyptila trux</i> (Blackwall, 1846)			E	S	W	NI	RI		
<i>Ozyptila simplex</i> (O. P.-Cambridge, 1862)			E		W				
<i>Ozyptila atomaria</i> (Panzer, 1801)			E	S	W	NI	RI		
<i>Ozyptila brevipes</i> (Hahn, 1826)			E		W		RI		
Family SALTICIDAE									
<i>Salticus scenicus</i> (Clerck, 1757)			E	S	W	NI	RI		
<i>Salticus cingulatus</i> (Panzer, 1797)			E	S	W	NI	RI		
<i>Salticus zebraneus</i> (C. L. Koch, 1837)			E						NS
<i>Heliophanus cupreus</i> (Walckenaer, 1802)			E	S	W	NI	RI		
<i>Heliophanus flavipes</i> (Hahn, 1832)			E	S	W	NI	RI		

<i>Heliophanus auratus</i> C. L. Koch, 1835			E						NR	V
<i>Heliophanus dampfi</i> Schenkel, 1923		Appendix 2	E	S	W				NR	V
<i>Marpissa muscosa</i> (Clerck, 1757)			E	S	W				NS	
<i>Marpissa radiata</i> (Grube, 1859)			E		W				NR	V
<i>Marpissa nivoyi</i> (Lucas, 1846)			E		W		RI		NS	
<i>Sibianor aurocinctus</i> (Ohlert, 1865)		<i>Bianor aurocinctus</i>	E	S	W				NS	
<i>Sibianor laeae</i> Logunov, 2001	Not present	Not present	E							
<i>Ballus chalybeius</i> (Walckenaer, 1802)		<i>Ballus depressus</i>	E		W				NS	
<i>Neon reticulatus</i> (Blackwall, 1853)			E	S	W	NI	RI			
<i>Neon robustus</i> Lohmander, 1945		Not present	E	S	W		RI		NS	
<i>Neon valentulus</i> Falconer, 1912			E						NR	CE
<i>Neon pictus</i> Kulczyński, 1891		Not present	E						NR	NT
<i>Euophrys frontalis</i> (Walckenaer, 1802)			E	S	W	NI	RI			
<i>Euophrys herbigrada</i> (Simon, 1871)			E						NR	V
<i>Euophrys petrensis</i> C. L. Koch, 1837	<i>Talavera petrensis</i>	<i>Euophrys petrensis</i>	E	S		NI	RI		NR	NT
<i>Pseudeuophrys erratica</i> (Walckenaer, 1826)		<i>Euophrys erratica</i>	E	S	W	NI	RI		NS	
<i>Pseudeuophrys lanigera</i> (Simon, 1871)		<i>Euophrys lanigera</i>	E	S	W		RI			
<i>Pseudeuophrys obsoleta</i> (Simon, 1868)		<i>Euophrys browningi</i>	E						NS	
<i>Talavera aequipes</i> (O. P.-Cambridge, 1871)		<i>Euophrys aequipes</i>	E	S	W		RI			
<i>Talavera thorelli</i> (Kulczyński, 1891)		Appendix 2 as <i>Euophrys tho</i>	E						NR	V
<i>Hypositticus pubescens</i> (Fabricius, 1775)	<i>Sitticus pubescens</i>	<i>Sitticus pubescens</i>	E	S	W		RI			
<i>Attulus distinguendus</i> (Simon, 1968)	<i>Sitticus distinguendus</i>	Not present	E						NR	CE
<i>Attulus saltator</i> (O. P.-Cambridge, 1868)	<i>Sitticus saltator</i>	<i>Attulus saltator</i>	E		W				NS	
<i>Calositticus caricis</i> (Westring, 1861)	<i>Sitticus caricis</i>	<i>Sitticus caricis</i>	E		W		RI		NR	
<i>Calositticus floricola</i> (C. L. Koch, 1837)	<i>Sitticus floricola</i>	<i>Sitticus floricola</i>	E	S	W	NI	RI		NR	NT
<i>Calositticus inexpectus</i> (Logunov & Kronstedt, 1997)	<i>Sitticus inexpectus</i>	Not present	E		W				NS	
<i>Evarcha falcata</i> (Clerck, 1757)			E	S	W		RI			
<i>Evarcha arcuata</i> (Clerck, 1757)			E		W				NS	
<i>Macaroeris nidicolens</i> (Walckenaer, 1802)		Not present	E							
<i>Aelurillus v-insignitus</i> (Clerck, 1757)			E	S	W				NS	
<i>Phlegra fasciata</i> (Hahn, 1826)			E		W				NR	NT
<i>Synageles venator</i> (Lucas, 1836)			E		W				NS	
<i>Myrmarachne formicaria</i> (De Geer, 1778)			E						NS	
<i>Pellenes tripunctatus</i> (Walckenaer, 1802)			E						NR	V
<i>Dendryphantes rudis</i> (Sundevall, 1832)	Not present	Not present	E							
<i>Hasarius adansoni</i> (Audouin, 1826)	Not present	Not present	E			NI	RI	Ag		

List A2. Species awaiting taxonomic definition

	2014 Checklist	Family								
<i>Orchestina</i> sp.		Oonopidae	E						NR	CE
<i>Megalepthyphantes</i> cf <i>collinus</i>		Linyphiidae	E							
<i>Lathys</i> sp.	Not present	Dictynidae					RI			

List A3. Species with insufficient data to determine status

	2014 Checklist	Family								
<i>Holocnemus plucheii</i> (Scopoli, 1763)	Not present	Pholcidae	E						Ab	
<i>Oecobius navus</i> Blackwall, 1859	Not present	Oecobidae	E						Ab	
<i>Islandiana falsifica</i> (Keyserling, 1886)		Linyphiidae			W					

<i>Frontinellina frutetorum</i> (C.L.Koch, 1834)		Linyphiidae	E
<i>Neriere emphana</i> (Walckenaer, 1841)	Not present	Linyphiidae	E
<i>Tegenaria ramblae</i> Barrientos, 1978		Agelenidae	E
<i>Trachyzelotes fuscipes</i> (C.L.Koch, 1866)	Not present	Gnaphosidae	E
<i>Synema globosum</i> (Fabricius, 1775)	Not present	Thomisidae	E

List B. Species recorded but not established in natural or semi-natural habitats.

B1. Species found only in artificial tropical biomes.

	2014 Checklist	Family
<i>Spermophora kerinci</i> Huber, 2005	Not present	Pholcidae
<i>Nesticella mogera</i> (Yaginuma, 1972)	Not present	Nesticidae
<i>Pseudanapis aloha</i> Forster, 1959	Not present	Anapidae

B2. Species recorded from imported goods but not established.

	2014 Checklist	Family
<i>Uroctea durandi</i> (Latreille, 1809)	Not present	Oecobiidae
<i>Artema atlanta</i> Walckenaer, 1873	Not present	Pholcidae
<i>Steatoda paykulliana</i> (Walckenaer, 1806)		Theridiidae
<i>Cyrtophora citricola</i> (Forsskål, 1775)	Not present	Araneidae
<i>Olios sanctivincetii</i> (Simon, 1897)	Not present	Sparassidae
<i>Barylestis variatus</i> (Pocock, 1899)	Not present	Sparassidae
<i>Heteropoda venatoria</i> (Linnaeus, 1767)	Not present	Sparassidae
<i>Philaeus chrysops</i> (Poda, 1761)		Salticidae
<i>Phidippus johnsoni</i> (Peckham and Peckham, 1883)	Not present	Salticidae