

The spiders of Great Britain and Ireland: 2025 checklist

Alastair H. Lavery

Burach,
Carnbo,
Kinross, KY13 0NX
email: ahlavery@outlook.com

Abstract

A revised checklist of spider species found in Great Britain and Ireland for 2025 is presented together with records from the constituent nations, conservation status, and recent synonyms. There are 680 species established in Great Britain and Ireland.

Keywords: Araneae • Europe

Introduction

This checklist is the latest in a series going back to Blackwall's first modern list of 304 species over 150 years ago (Blackwall 1861, 1864), forming an important record of the developing understanding of the spiders of Great Britain and Ireland (GB&I). This is a quinquennial review of the spider species found in Great Britain and Ireland, updating *A revised checklist of the spiders of Great Britain and Ireland* (Lavery 2019). Corrections and an update to this list were made in Lavery (2021) and are incorporated here. This list includes United Kingdom and International Union for Conservation of Nature (IUCN) conservation statuses from Harvey *et al.* (2017).

As with the 2019 version, this checklist covers the archipelago made up of the islands of Great Britain, Ireland and adjacent smaller islands. This geographical area covers two states: the Republic of Ireland and the United Kingdom of Great Britain and Northern Ireland (UK). The four countries of the UK: Wales, Scotland, Northern Ireland, and England are included, with one of the UK's Crown Dependencies: the Isle of Man. As biogeographically distinct, the other two Crown Dependencies, the Bailiwicks of Jersey and Guernsey (the Channel Islands), are not included. A list of spider species found only on the Channel Islands but not in the rest of Great Britain and Ireland is included in Merrett, Russell-Smith & Harvey (2014).

Methods

Selection criteria and category definitions

Species are allocated to five categories:
Table 1 covers species recorded in natural or semi-natural habitats, in three Lists:
A1 Species established in natural and semi-natural habitats.
A2 Species awaiting taxonomic definition.
A3 Species with insufficient data to fully determine presence in GB&I.

Table 2 covers species recorded from artificial habitats or as imports, in two Lists:

B1 Species found only in artificial tropical biomes.

B2 Species reported from imported goods but not established.

The criterion for inclusion in Table 1, List A1 and A2 is evidence that self-sustaining populations of the species are established within Great Britain and Ireland. This is taken to include records from the same site over a number of years or from a number of sites. The list does not differentiate between species naturally occurring and those that have established with human assistance because, in practice, this can be very difficult to determine.

The distinction made between species confined to artificial habitats such as greenhouses and other buildings, made in lists before Lavery (2019), has become increasingly difficult to determine. Most species formerly listed in these categories are increasingly found in natural and semi-natural habitats. Species found almost exclusively in anthropic habitats are identified in Table 1 as:

Ag: exclusively or almost exclusively in greenhouse-like structures.

Ah: exclusively or almost exclusively in houses.

Ab: exclusively or almost exclusively in buildings other than homes, such as warehouses and industrial structures.

Species not recorded since 1925, one hundred years before the date of this publication, are not included. No species have been removed for this reason in this update. Myles Nolan (pers. comm.) has pointed out that very little spider recording was carried out in Ireland between 1920 and 1980 and was especially poor between 1930 and 1970. As a result, exclusion of species not recorded for 100 years will not be applied to records from the island of Ireland.

Nomenclature

This list follows the nomenclature in the current edition of the *World Spider Catalog, version 26* (World Spider Catalog 2025), last checked on 01 August 2025. Full scientific names with authority are given in the tables, only species not in the tables are given authority references when discussed in the text.

Changes in format

The format is similar to that of Lavery (2019). The major change in Tables 1 and 2 is that, within families, genera and species are now listed in alphabetical order. Families are also listed alphabetically. All earlier UK checklists followed an increasingly out of date semi-taxonomic order of families and species within families. In Table 1 a common format has been used for all the Lists. In Table 2, the Lists have been changed to a format similar to Table 1, including country distributions for the first time.

Identification

The currently recognised species names should allow for easy access to world and European literature and to web-based resources, including the *World Spider Catalog* and Nentwig *et al.* 2025 (Araneae). This does, however, present difficulties in using the most commonly consulted regional identification publications. The inclusion of superseded names from Lavery (2019) and Roberts (1985, 1987, 1993) should allow users to trace names back though to all these sources. There are currently three main texts used for spider identification in Great Britain and Ireland: Bee, Oxford & Smith (2020), for all families except Linyphiidae, which follows Lavery (2019). Roberts (1985, 1987, 1993) remains the major text for species identification in Great Britain and Ireland. Species with name changes from Roberts are given in the lists here. Locket & Millidge (1951, 1953) and Locket, Millidge & Merrett (1974) are the oldest identification guides to spiders in the region that are still useful. Roberts (1987) gave changes in nomenclature.

Sources and references

Country records for Scotland, England and Wales are taken from published sources and the *Spider Recording Scheme* (2025). The species listed for Ireland are based on Lavery (2019) with published sources for newly recorded species included in the references.

The full list of references needed to chart the changing nomenclature and distribution of spiders in Great Britain and Ireland is prohibitively long for a print publication. The references in this paper are only to publications directly used or to changes in name or status recorded in the tables. To untangle the full references for any species on the list, the online *World Spider Catalog* in its most recent edition should be used. Full references for species in List B2 can be found in Sherwood (2025).

The checklist

See Lists A (1–3) in Table 1, B (1–2) in Table 2 and a summary in Table 3.

Discussion

The lists for England, Wales, and Scotland reflect, with considerable confidence, the known distributions. The lists for Ireland and especially Northern Ireland were described in 2019 as provisional. They have proved to be stable and so can be considered to be as reliable as those for other parts of Great Britain and Ireland.

List A1

The number of established species in Great Britain and Ireland is 680, an increase of 15 since the 2019 Checklist (Table 3)

Changes in authority names and dates

The authority dates of 23 species in list A1 have been changed from the 2019 versions, following changes in *World Spider Catalog* (2025) entries. All of these are minor shifts by one year. The authority names for two species have been altered: *Oecobius navus* and *Pardosa tenuipes*.

Notes on family

There have been changes in accepted taxonomy at family level since the 2019 version. *Cicurina cicur* has been transferred from Hahniidae to the revalidated Cicurinae (Gornaeu *et al.* 2023). The two GB&I species of *Dolomedes* were transferred to Dolomedidae in Morris, Hazzi & Hormiga (2025). Species of the genus *Mastigusa* were transferred from Hahniidae to Cybaeidae (Castellucci, Scharff & Luchetti 2023; Castellucci, Luchetti & Scharff 2024). Representatives of two families are recorded as fully established for GB&I for the first time: Desidae (Gallon 2023), and Oecobidae, moved from list A3 (Oxford 2020).

Notes on species

Megalephyphantes cf. *collinus* occurs across much of the southern half of England, having been found for the first time in 1999. The UK specimens are morphologically close to, but distinct from, *Megalephyphantes collinus* and subject to discussion in the literature (Harvey 2001; Farr-Cox 2019; Berry 2020a; Parker 2021; Cann 2022). There has been no published full description of the UK material. Saaristo (1997) gave the most modern diagnosis of *M. collinus*, and described a new eastern European species: *Megalephyphantes pseudocollinus* Saaristo, 1997. Since *Megalephyphantes* cf. *collinus* is included in *M. collinus* by the *World Spider Catalog* and other European sources, it is moved here from List A2 *Species awaiting taxonomic definition*, to List A1, as *Megalephyphantes collinus*.

Micaria pulicaria s.s. and *Micaria micans*. Muster & Michalik (2020) showed that *Micaria pulicaria* is a species complex, with at least two species present in GB&I. The *World Spider Catalog* accepted these findings in February 2020. The checklist now includes *Micaria pulicaria* s.s. and *Micaria micans*.

Erigone species. The 2019 Checklist redesignated the long-established species *Erigone capra* Simon, 1884 as *Erigone dentigera* O. Pickard-Cambridge, 1874. This synonymy has been rejected (Buckle *et al.* 2001), and the GB&I species is again *Erigone capra*. Two other changes in the genus should be noted: a species new to GB&I, *Erigone*

dentosa has been added (Berry 2022), and the GB&I specimens formerly identified as *Erigone arctica* (White, 1852) are now *Erigone maritima*, following Breitling (2021).

Mastigusa species. The taxonomic position of the GB&I species of *Mastigusa* has been clarified by revisions in Castellucci, Scharff & Luchetti (2023) and Castellucci, Luchetti & Scharff (2024), including its family placement in Cybaeidae. One of the GB&I species, previously incorrectly identified as *Mastigusa macrophthalma* (Kulczyński, 1897) is now identified as *Mastigusa diversa*. The second UK&I species, *Mastigusa arietina*, was last recorded in GB&I in 1922, but was rediscovered in England in 2024 (Oxford 2024a) and its identity subsequently confirmed by DNA barcoding. Its Regionally Extinct (RE) conservation status in List A1 has been placed in parentheses to indicate this change.

Alopecosa barbipes and *Alopecosa accentuata*. Shortly after the publication of the 2019 Checklist, Canard & Cruveillier (2019) reviewed the nomenclature and distribution of several north European Lycosidae, and concluded that the name *Alopecosa barbipes* should be replaced by *Alopecosa accentuata*. This change was accepted by the World Spider Catalog and most European sources, but was reversed by Breitling & Bauer (2022). *Alopecosa barbipes* is the currently accepted name in the World Spider Catalog and is used here.

Tegenaria silvestris. An adult male *Tegenaria silvestris* was found in Scotland in 2007 and a second in 2023, both associated with buildings (Davidson 2023). Davidson showed that the previous records for this species in Scotland, as *Tegenaria silvicola* (Traill, 1873) were errors. Traill (1878) corrected his error, pointing out the synonymy of his *Tegenaria silvicola* Blackwall, 1861 with *Cryphoea silvicola*, but the erroneous 1873 attributions have persisted in the literature. The 2007 record is therefore the first for *Tegenaria silvestris* for Scotland.

Gibbaranea bituberculata was removed from the 2019 checklist because it was absent for over 100 years: the last confirmed record was by W. S. Bristowe in 1908. It was rediscovered in 2023 (Oxford 2024b), most likely a new colonization rather than a survival, and is reinstated in List A1.

Enoplognatha mandibularis is a southern European species now found on the south coast of England (Berry, 2024). This newly added species should not be confused with the species given this name in Locket & Millidge (1953), which was shown to be *Enoplognatha oelandica* (Thorell, 1875) by Merrett & Snazell (1975).

List B1

Pholcus opilionoides was erroneously missed from the 2019 checklist (Smithers, Trodd & Lane 2004).

List B2

The most extensive change in this list from the 2019 version is the expansion of the species reported from imported goods but not established. The number of species in the Lists B1 and B2 has grown from nine in 2019 to 70 in 2025. Two factors lie behind this. First, an increased academic and published interest, especially the works of Wilson (2022), Logunov (2024), and Sherwood (2025). Second, underlying this academic attention, is a growing interest by non-specialists, combined with the greatly improved means of sharing information between enthusiasts and specialists on social media and recording sites.

The publications documenting additions to List B2 are not included in the references but can be found in the comprehensive list of non-native spiders imported into the UK, inclusive of all records across arachnological history up to 2024, in Sherwood (2025) and its planned annual updates. References for Ireland, not covered in Sherwood (2025), are included here.

Mermessus species. The North American linyphiid genus *Mermessus* was represented in GB&I in 2019 by *Mermessus trilobatus*, first recorded in 2007 and now widespread in southern England. Two other species have been recorded and are added to List B2. *Mermessus maculatus* was found in a house in London in 2007 and *Mermessus denticulatus* found on imported house plants at widely separated sites between 2019 and 2022 (Killick 2023).

Quamtana sp. ZFMK Ar 24490 aff. *lotzi*. Huber, Szymański & Bennett-West (2024) described a likely new species of pholcid from imported specimens collected in garden centres in England and Poland. Its confirmed genus, *Quamtana*, is found in sub-Saharan Africa. They discussed the difficulties of establishing new species from material found far from range; they opted to employ open nomenclature and not give a formal species name, designating the new taxon *Quamtana* sp. ZFMK Ar 24490 aff. *lotzi*. A full description of the species and an explanation of the choice of nomenclature is in Szymański & Bennett-West (2024).

Acknowledgements

I would like to thank Richard Gallon, compiler of the Spider Recording Scheme, on which so much of the checklist is based, and Myles Nolan, who has contributed much to the lists for Ireland and Northern Ireland. Danni Sherwood's analysis of spider imports to the UK has transformed understanding of imported but unestablished spider species.

Richard Gallon, Geoff Oxford, and Myles Nolan commented on draft text and lists. Richard Wilson, Dmitri Logunov, and Danniella Sherwood commented on lists B1 and B2. The two anonymous reviewers tasked with checking the manuscript for publication contributed greatly to its clarity and accuracy. Thanks to all for their careful reading and eye for detail!

Lawrence Bee, Tylan Berry, Esmond Brown, Alan Carr, Chris Cathrine, Mike Davidson, Richard Gallon, Peter Harvey, Graeme Lyons, James McGill, Adam Mantell,

Myles Nolan, Andrada Opris, Geoff Oxford, Bill Parker, Gentiana Popovici, Danniella Sherwood, Helen Smith, Rowley Snazell, Chris Raper, and Richard Wilson took part in email discussions on distribution and taxonomy during the development of this checklist. These exchanges are the most positive, encouraging and enjoyable parts of the work.

However, most gratitude should go to all the arachnologists who have contributed records to the British Arachnological Society through its journal, newsletter, and recording scheme.

References

- BEE, L., OXFORD, G. & SMITH, H. 2020: *Britain's spiders; a field guide, second edition*. New Jersey: Princeton.
- BERRY, T. 2020a: *Megalephyphantes* on the move. *SRS News* **96**: 6.
- BERRY, T. 2020b: *Neriene emphana* (Walckenaer, 1841) discovered in Kent. *SRS News* **98**: 3–4.
- BERRY, T. 2022: *Erigone dentosa* O. Pickard-Cambridge, 1894—first records for the United Kingdom from Cornwall, Middlesex and Wiltshire. *SRS News* **104**: 1–2.
- BERRY, T. 2024: Spiders new to Cornwall (VCs 1&2), for the Spider Recording Scheme in 2013. *SRS News* **108**: 4–6.
- BLACKWALL, J. 1861: *A history of the spiders of Great Britain and Ireland, volume I*. London: Ray Society.
- BLACKWALL, J. 1864: *A history of the spiders of Great Britain and Ireland, volume II*. London: Ray Society.
- BREITLING, R. 2019: A barcode-based phylogenetic scaffold for Xysticus and its relatives (Araneae: Thomisidae: Coriarachnini). *Ecologica Montenegrina* **20**: 198–206.
- BREITLING, R. 2021: A completely resolved phylogenetic tree of British spiders (Arachnida: Araneae). *Ecologica Montenegrina* **46**: 1–5.
- BREITLING, R. & BAUER, T. 2022: What, if anything, is *Lycosa accentuata* Latreille, 1817?—Review of a nomenclatural conundrum (Araneae: Lycosidae). *Zoosystema* **44**: 197–207.
- BUCKLE, D. J., CARROLL, D., CRAWFORD, R. L. & ROTH, V. D. 2001: Linyphiidae and Pimoidae of America north of Mexico: checklist, synonymy, and literature. *Fabrerias, Supplément* **10**: 89–191.
- CANARD, A. & CRUVEILLIER, M. 2019: Révision des *Alopecosa* de France du groupe «*accentuata/barbipes/farinosa*» (Lycosidae, Araneae), données et distribution. *Bulletin de l'Association Française d'Arachnologie* **2**: 2–19.
- CANN, A. 2022: *Megalephyphantes* sp. near *collinus* reaches Leicestershire. *SRS News* **102**: 1–2.
- CASTELLUCCI, F., SCHARFF, N. & LUCHETTI, A. 2023: Molecular systematics and phylogenetics of the spider genus *Mastigusa* Menge, 1854 (Araneae, Cybaeidae). *Molecular Phylogenetics and Evolution* **186**: 1–9.
- CASTELLUCCI, F., LUCHETTI, A. & SCHARFF, N. 2024: Enigmatic and extravagant genitalia in the spider genus *Mastigusa* (Araneae, Cybaeidae) – a taxonomical revision. *Invertebrate Systematics* **38**: 1–27.
- COLLIER, B., DUGON, M., NOLAN, M., FORT, A., HEALY, K., VITKAUSKAITE, A., LYONS, K., MUNNELL, E. J., MCSHARRY, L. A. & DUNBAR, J. 2023: A history of accidental widow spider (genus *Latrodectus*) introductions on the island of Ireland with a new Irish record for *Latrodectus hesperus* (Chamberlin and Ivie, 1935), and additional records of *Latrodectus geometricus* (C. L. Koch, 1841). *Biology and Environment: Proceedings of the Royal Irish Academy* **123**: 111–120.
- DAVIDSON, M. 2023: A review of the Scottish records of *Tegenaria silvestris* C. L. Koch, 1872. *SRS News* **106**: 1.
- DAVIDSON, M. 2024: First Scottish records for *Holocnemus pluchei* (Scopoli, 1763) and *Lessertia denticulis* (Simon, 1884). *SRS News* **108**: 2.
- DAWS, J. 2022: *Leptorchestes berolinensis* new to Britain. *SRS News* **104**: 7–8.
- FARR-COX, F. 2019: *Megalephyphantes* near *collinus* in Burnham-on-Sea, Somerset. *SRS News* **95**: 15–16.
- GALLON, R. 2023: *Badumna longinqua* (L. Koch, 1876) an Australian spider established outside in Britain. *SRS News* **107**: 3–4.
- GORNEAU, J. A., CREWS, S. C., CALA-RIQUELME, F., MONTANA, K. O., SPAGNA, J. C., BALLARIN, F., ALMEIDA-SILVA, L. M. & ESPOSITO, L. A. 2023: Webs of intrigue: museum genomics elucidate relationships of the marronoid spider clade (Araneae). *Insect Systematics and Diversity* **7**: 1–18.
- HARVEY, P. 2001: New to Britain: *Megalephyphantes collinus occidentalis* (Machado, 1949)? *SRS News* **39**: 2.
- HARVEY, P., DAVIDSON, M., DAWSON, I., FOWLES, A., HITCHCOCK, G., LEE, P., MERRETT, P., RUSSELL-SMITH, A. & SMITH, H. 2017: *A review of the scarce and threatened spiders (Araneae) of Great Britain: species status no. 22*. Bangor: Natural Resources Wales.
- HUBER, B. A., SZYMAŃSKI, H. & BENNETT-WEST, A. 2024: Progress or burden? Formal description of every apparently new species available in collections is neither necessary nor useful. *ZooKeys* **1214**: 77–90.
- KILLICK, T. 2023: Some accidental imports reported by members of the British Spider Identification Facebook Group. *SRS News* **105**: 6–9.
- LAVERY, A. 2019: A revised checklist of the spiders of Great Britain and Ireland. *Arachnology* **18**: 196–212.
- LAVERY, A. 2021: Great Britain and Ireland spider checklist: update and corrections—October 2021. *Newsletter of the British Arachnological Society* **152**: 13–15.
- LOCKET, G. H. & MILLIDGE, A. F. 1951: *British spiders, volume I*. London: Ray Society.
- LOCKET, G. H. & MILLIDGE, A. F. 1953: *British spiders, volume II*. London: Ray Society.
- LOCKET, G. H., MILLIDGE, A. F. & MERRETT, P. 1974: *British spiders, volume III*. London: Ray Society.
- LOGUNOV, D. V. 2024: Salticidae (Araneae) imported to the United Kingdom, with description of a new, non-native, species of *Anasaitis* Bryant, 1950. *Arachnology* **19**: 1036–1042.
- MADDISON, W. P., MADDISON, D. R., DERKARABETIAN, S. & HEDIN, M. 2020: Sitticine jumping spiders: phylogeny, classification, and chromosomes (Araneae, Salticidae, Sitticini). *ZooKeys* **925**: 1–54.
- MERRETT, P. & SNAZELL, R. G. 1975: New and rare British spiders. *Bulletin of the British Arachnological Society* **3**: 106–112.
- MERRETT, P., RUSSELL-SMITH, A. & HARVEY, P. 2014: A revised check list of British spiders. *Arachnology* **16**: 134–144.
- MUSTER, C. & MICHALIK, P. 2020: Cryptic diversity in ant-mimic *Micaria* spiders (Araneae, Gnaphosidae) and a tribute to early naturalists. *Zoologica Scripta* **49**: 197–209 & appendices.
- MORRIS, S. A., HAZZI, N. A. & HORMIGA, G. 2025: Molecular phylogenetics of nursery web spiders (Araneae: Pisauridae). *Molecular Phylogenetics and Evolution* **203**: 1–13.
- NENTWIG, W., BLICK, T., BOSMANS, R., GLOOR, D., HÄNGGI, A. & KROPF, C. 2025: *Spiders of Europe, version 06 2025*. Bern: Natural History Museum, online at <https://www.araneae.nmbe.ch>
- NOLAN, M. 2012: A button in a balafon; an occurrence of the widow spider *Latrodectus geometricus* C. L. Koch (Araneae, Theridiidae) in Ireland. *Newsletter of the British Arachnological Society* **124**: 6–7.
- NOLAN, M. 2020: Notes on 'Irish' spiders (Arachnida: *Atypus affinis* Eichwald (Atypidae) and *Entelecara errata* O. P.-Cambridge (Linyphiidae) removed from the Irish list; *Cryptachaea blattea* (Urquhart) (Theridiidae) new to Ireland. *Bulletin Irish Biogeographical Society* **44**: 189–204.
- NOLAN, M. 2024: First Irish records of a rare bog spider, *Heliophanus dampfi* Schenkel (Araneae, Salticidae), from Glengarriff Nature Reserve, Co. Cork. *Irish Naturalists' Journal* **40**: 116–119.
- NOLAN, M. & DILLON, A. 2022: First Irish record of the hothouse spider *Pandava laminata* (Thorell, 1878)) (Araneae; Titanoecidae). *Irish Naturalists' Journal* **39**: 79–82.
- NOLAN, M. & DOE, J. 2023: The green-jawed tube spider *Segestria florentina* (Rossi) (Araneae: Segestriidae) is established in Ireland. *Bulletin of the Irish Biogeographical Society* **46**: 124–133.
- NOLAN, M. & FOSTER, S. 2024: First Irish records of *Theridion pictum* (Walckenaer, 1802) (Araneae, Theridiidae), from the Craigavon Lakes, Co. Armagh, Northern Ireland. *Bulletin of the Irish Biogeographical Society* **47**: 155–162.
- O'CONNOR, J. P. AND HOLMES, J. M. C. 1993: A second Irish record of the Black Widow Spider (*Latrodectus mactans* (Fabricius)) (Araneae: Theridiidae). *The Irish Naturalists' Journal* **24**: 338.

OXFORD, G. 2020: *Oecobius navus*—a self-sustaining population in York? *SRS News* **96**: 3.

OXFORD, G. 2023: Wildlife reports: arachnids. *British Wildlife* **34**: 604–607.

OXFORD, G. 2024a: Wildlife reports: arachnids. *British Wildlife* **35**: 371–373.

OXFORD, G. 2024b: Wildlife reports: arachnids. *British Wildlife* **35**: 601–603.

PARKER, B. 2021: *Megalephyphantes* sp. near *collinus*—palps and epigyne. *SRS News* **99**: 10–11.

PONOMAREV, A. V. & SHMATKO, V. Y. 2020: A review of spiders of the genera *Trachyzeloes* [sic] Lohmander, 1944 and *Marinarozelotes* Ponomarev, gen. n. (Araneae: Gnaphosidae) from the southeast of the Russian Plain and the Caucasus. *Caucasian Entomological Bulletin* **16**: 125–139.

POOLE, J. 2021: Central American salticid found in Dorset! *Newsletter of the British Arachnological Society* **151**: 5.

PRINCE, M. 2022: *Civilzelotes civicus* (Simon, 1878)—‘new’ to the UK—Part I. *SRS News* **103**: 1.

ROBERTS, M. J. 1985: *The spiders of Great Britain and Ireland, volume 1: Atypidae to Theridiosomatidae*. Colchester: Harley Books.

ROBERTS, M. J. 1987: *The spiders of Great Britain and Ireland, volume 2: Linyphiidae and check list*. Colchester: Harley Books.

ROBERTS, M. J. 1993: *Appendix to The spiders of Great Britain and Ireland*. Colchester: Harley Books.

ROSS, H.C.G. 1988: A record of the Black Widow Spider (*Latrodectus mactans* (Fabricius) (Araneae: Theridiidae)) in Ireland. *The Irish Naturalists’ Journal* **22**: 537.

SAARISTO, M. I. 1997: Description of *Megalephyphantes pseudocollinus* n. sp. (Araneae: Linyphiidae: Micronetinae). *Bulletin of the British Arachnological Society* **10**: 257–259.

SHERWOOD, D. 2025: Annotated checklist of imported non-native spider (Araneae) taxa recorded in the United Kingdom 1800–2024. *Arthropoda Selecta* **34**: 121–160.

SMITHERS, P., TRODD, C. & LANE, E. 2004: A collection of spiders from the humid tropic biome at the Eden Project, Cornwall. *Newsletter of the British Arachnological Society* **101**: 1–2.

SPIDER RECORDING SCHEME 2025: *Spider Recording Scheme*, online at <http://srs.britishspiders.org.uk>

TELFER, M. G. 2020: *Triaeris stenapsis* Simon, 1892 (Oonopidae) at Whipsnade Butterfly House. *Newsletter of the British Arachnological Society* **147**: 8–9.

TRAILL, J. W. H. 1873: Captures of spiders in Scotland during 1872. *The Scottish Naturalist* **2**: 23–25.

TRAILL, J. H. W. 1878: List of Araneidae (spiders) of Dee. *Transactions of the Natural History Society of Aberdeen* **1878**: 48–54.

WILSON, R. 2022: Non-native arachnids recorded in Britain and Ireland. *Newsletter of the British Arachnological Society* **153**: 6–8.

WORLD SPIDER CATALOG 2025: *World spider catalog, version 26*. Bern: Natural History Museum, online at <http://wsc.nmbe.ch>

Table 1: Species found in Great Britain and Ireland.
List A1: species established in natural or semi-natural habitats.
List A2: species awaiting taxonomic definition.
List A3: species with insufficient data to determine status.
Abbreviations: Countries: E = England, S = Scotland, W = Wales, NI = Northern Ireland, RI = Republic of Ireland. Anthropoc Status (AS): Ag = exclusively or almost exclusively in greenhouse-like structures, Ah = exclusively or almost exclusively in houses, Ab = exclusively or almost exclusively in buildings other than homes, such as warehouses and industrial structures. Conservation status: GB = Great Britain designations: NS = Nationally Scarce, NR = Nationally Rare. IU = IUCN international designations: CE = Critically Endangered, E = Endangered, V = Vulnerable, NT = Near Threatened, DD = Data Deficient.

List A1. Species established in natural or semi-natural habitats										
Species	2019 checklist	Roberts	E	S	W	NI	RI	AS	GB	IU
Family AGELENIDAE										
<i>Agelena labyrinthica</i> (Clerck, 1757)			E		W		RI			
<i>Coelotes atropos</i> (Walckenaer, 1830)			E	S	W					
<i>Coelotes terrestris</i> (Wider, 1834)			E	S	W				NS	
<i>Eratigena agrestis</i> (Walckenaer, 1802)		<i>Tegenaria agrestis</i>	E	S	W		RI			
<i>Eratigena atrica</i> (C. L. Koch, 1843)		<i>Tegenaria atrica</i>	E	S	W		RI			
<i>Eratigena duellica</i> (Simon, 1875)		<i>Tegenaria duellica</i>	E	S	W	NI	RI			
<i>Eratigena picta</i> (Simon, 1870)		Appendix 1 as <i>T. picta</i>	E						NR	VU
<i>Eratigena saeva</i> (Blackwall, 1844)		<i>Tegenaria saeva</i>	E	S	W	NI	RI			
<i>Tegenaria domestica</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Tegenaria ferruginea</i> (Panzer, 1804)		not present	E							
<i>Tegenaria hasperi</i> Chyzer, 1897		not present	E					Ab		
<i>Tegenaria parietina</i> (Fourcroy, 1785)			E				RI			
<i>Tegenaria silvestris</i> C. L. Koch, 1872			E	S	W	NI	RI			
<i>Textrix denticulata</i> (Olivier, 1789)			E	S	W	NI	RI			
Family AMAUROBIIDAE										
<i>Amaurobius fenestralis</i> (Stroem, 1768)			E	S	W	NI	RI			
<i>Amaurobius ferox</i> (Walckenaer, 1830)			E	S	W	NI	RI			
<i>Amaurobius similis</i> (Blackwall, 1861)			E	S	W	NI	RI			
Family ANYPHAENIDAE										
<i>Anyphaena accentuata</i> (Walckenaer, 1802)			E	S	W	NI	RI			
<i>Anyphaena numida</i> Simon, 1897		not present	E							
<i>Anyphaena sabina</i> L. Koch, 1866		not present	E							
Family ARANEIDAE										
<i>Agalenatea redii</i> (Scopoli, 1763)			E	S	W	NI	RI			
<i>Araneus alsine</i> (Walckenaer, 1802)			E	S					NS	
<i>Araneus angulatus</i> Clerck, 1757			E						NS	
<i>Araneus diadematus</i> Clerck, 1757			E	S	W	NI	RI			
<i>Araneus marmoreus</i> Clerck, 1757			E	S	W					

Species	2019 checklist	Roberts	E	S	W	NI	RI	AS	GB	IU
ARANEIDAE cont.										
<i>Araneus quadratus</i> Clerck, 1757			E	S	W	NI	RI			
<i>Araneus sturmi</i> (Hahn, 1831)			E	S	W		RI			
<i>Araneus triguttatus</i> (Fabricius, 1775)			E	S	W	NI				
<i>Araniella alpica</i> (L. Koch, 1869)			E		W				NR	EN
<i>Araniella cucurbitina</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Araniella displicata</i> (Hentz, 1847)			E						NR	NT
<i>Araniella inconspicua</i> (Simon, 1874)			E						NS	
<i>Araniella opisthographa</i> (Kulczyński, 1905)			E	S	W	NI	RI			
<i>Argiope bruennichi</i> (Scopoli, 1772)			E		W					
<i>Cercidia prominens</i> (Westring, 1851)			E	S	W				NS	
<i>Cyclosa conica</i> (Pallas, 1772)			E	S	W	NI	RI			
<i>Gibbaranea bituberculata</i> (Walckenaer, 1802)	not present	<i>Gibbaranea bituberculata</i>	E							
<i>Gibbaranea gibbosa</i> (Walckenaer, 1802)			E	S	W	NI	RI			
<i>Hypsosinga albobittata</i> (Westring, 1851)			E	S	W		RI		NS	
<i>Hypsosinga heri</i> (Hahn, 1831)			E						NR	VU
<i>Hypsosinga pygmaea</i> (Sundevall, 1831)			E	S	W	NI	RI			
<i>Hypsosinga sanguinea</i> (C. L. Koch, 1844)			E						NS	
<i>Larinioides cornutus</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Larinioides patagiatus</i> (Clerck, 1757)			E	S	W	NI	RI		NS	
<i>Larinioides scolopetarius</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Leviellus stroemi</i> (Thorell, 1870)		<i>Zygiella stroemi</i>	E						NR	NT
<i>Mangora acalypha</i> (Walckenaer, 1802)			E		W		RI			
<i>Neoscona adianta</i> (Walckenaer, 1802)			E		W		RI			
<i>Nuctenea umbratica</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Singa hamata</i> (Clerck, 1757)			E	S	W				NS	
<i>Zilla diodia</i> (Walckenaer, 1802)			E		W					
<i>Zygiella atrica</i> (C. L. Koch, 1845)			E	S	W	NI	RI			
<i>Zygiella x-notata</i> (Clerck, 1757)			E	S	W	NI	RI			
Family ATYPIDAE										
<i>Atypus affinis</i> Eichwald, 1830			E	S	W				NS	
Family CHEIRACANTHIIDAE		Clubionidae								
<i>Cheiracanthium erraticum</i> (Walckenaer, 1802)			E	S	W	NI	RI			
<i>Cheiracanthium pennyi</i> O. P.-Cambridge, 1873			E						NR	EN
<i>Cheiracanthium virescens</i> (Sundevall, 1833)			E	S	W	NI	RI		NS	
Family CICURINIDAE										
<i>Cicurina cicur</i> (Fabricius, 1793)	from Hahniidae	from Agelenidae	E	S	W				NS	
Family CLUBIONIDAE										
<i>Clubiona brevipes</i> Blackwall, 1841			E	S	W	NI	RI			
<i>Clubiona caerulescens</i> L. Koch, 1867			E	S	W				NR	VU
<i>Clubiona comta</i> C. L. Koch, 1839			E	S	W	NI	RI			
<i>Clubiona corticalis</i> (Walckenaer, 1802)			E		W					
<i>Clubiona diversa</i> O. P.-Cambridge, 1862			E	S	W	NI	RI			
<i>Clubiona frisia</i> Wunderlich & Schütt, 1995		<i>Clubiona similis</i>	E						NR	NT
<i>Clubiona frutetorum</i> L. Koch, 1867	<i>Clubiona frutetorum</i> L. Koch, 1866	not present					RI			
<i>Clubiona juvenis</i> Simon, 1878			E				RI		NR	NT
<i>Clubiona lutescens</i> Westring, 1851			E	S	W	NI	RI			
<i>Clubiona neglecta</i> O. P.-Cambridge, 1862			E	S	W	NI	RI			
<i>Clubiona norvegica</i> Strand, 1900			E	S	W				NS	
<i>Clubiona pallidula</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Clubiona phragmitis</i> C. L. Koch, 1843			E	S	W	NI	RI			
<i>Clubiona pseudoneglecta</i> Wunderlich, 1994		not present	E						NR	VU
<i>Clubiona reclusa</i> O. P.-Cambridge, 1863			E	S	W	NI	RI			
<i>Clubiona rosserae</i> Locket, 1953			E						NR	VU
<i>Clubiona stagnatilis</i> Kulczyński, 1897			E	S	W	NI	RI			
<i>Clubiona subsultans</i> Thorell, 1875				S					NR	NT
<i>Clubiona subtilis</i> L. Koch, 1867			E	S	W		RI			
<i>Clubiona terrestris</i> Westring, 1851			E	S	W	NI	RI			
<i>Clubiona trivialis</i> C. L. Koch, 1843			E	S	W	NI	RI			
<i>Porrhoclubiona genevensis</i> (L. Koch, 1866)		<i>Clubiona genevensis</i>	E		W				NR	NT
<i>Porrhoclubiona leucaspis</i> (Simon, 1932)		not present	E							

Species	2019 checklist	Roberts	E	S	W	NI	RI	AS	GB	IU
Family CYBAEIDAE										
<i>Cryphoea silvicola</i> (C. L. Koch, 1834)		from Agelenidae	E	S	W	NI	RI			
<i>Mastigusa arietina</i> (Thorell, 1871)	from Hahniidae	<i>Tetrilus arietina</i>	E						E	(RE)
<i>Mastigusa diversa</i> (O. Pickard-Cambridge, 1893)	<i>Mastigusa macrophthalma</i>	<i>Tetrilus macrophthalma</i>	E						NR	VU
<i>Tuberta maerens</i> (O. P.-Cambridge, 1863)		from Agelenidae	E						NR	EN
Family DESIDAE										
<i>Badumna longinqua</i> (L. Koch, 1867)	not present	not present	E							
Family DICTYNIDAE										
<i>Altella lucida</i> (Simon, 1874)			E						NR	CR
<i>Argenna patula</i> (Simon, 1874)			E	S	W				NS	
<i>Argenna subnigra</i> (O. P.-Cambridge, 1861)			E		W		RI		NS	
<i>Argyroneta aquatica</i> (Clerck, 1757)		from Argyronetidae	E	S	W	NI	RI			
<i>Brigittea latens</i> (Fabricius, 1775)		<i>Dictyna latens</i>	E	S	W	NI	RI			
<i>Dictyna arundinacea</i> (Linnaeus, 1758)			E	S	W	NI	RI			
<i>Dictyna major</i> Menge, 1869				S					NR	CR
<i>Dictyna pusilla</i> Thorell, 1856			E	S	W				NS	
<i>Dictyna uncinata</i> Thorell, 1856			E	S	W	NI	RI			
<i>Lathys heterophthalma</i> Kulczyński, 1891		Appendix 1	E						NR	VU
<i>Lathys humilis</i> (Blackwall, 1855)			E	S	W					
<i>Lathys stigmatisata</i> (Menge, 1869)			E		W				NR	VU
<i>Nigma flavescens</i> (Walckenaer, 1830)			E							
<i>Nigma puella</i> (Simon, 1870)			E		W		RI		NS	
<i>Nigma walckenaeri</i> (Roewer, 1951)			E		W					
Family DOLOMEDIDAE										
<i>Dolomedes fimbriatus</i> (Clerck, 1757)	from Pisauridae		E	S	W		RI		NS	
<i>Dolomedes plantarius</i> (Clerck, 1757)	from Pisauridae		E		W				NR	VU
Family DYSDERIDAE										
<i>Dysdera crocata</i> C. L. Koch, 1838			E	S	W	NI	RI			
<i>Dysdera erythrina</i> (Walckenaer, 1802)			E	S	W	NI	RI			
<i>Harpactea hombergi</i> (Scopoli, 1763)			E	S	W	NI	RI			
<i>Harpactea rubicunda</i> (C. L. Koch, 1838)		Appendix 2	E						NR	VU
Family ERESIDAE										
<i>Eresus sandaliatus</i> (Martini & Goeze, 1778)		<i>Eresus niger</i>	E						NR	VU
Family GNAPHOSIDAE										
<i>Callilepis nocturna</i> (Linnaeus, 1758)			E		W				NR	VU
<i>Civizelotes civicus</i> (Simon, 1878)	not present	not present	E							
<i>Drassodes cupreus</i> (Blackwall, 1834)			E	S	W	NI	RI			
<i>Drassodes lapidosus</i> (Walckenaer, 1802)			E	S	W	NI	RI			
<i>Drassodes pubescens</i> (Thorell, 1856)			E	S	W		RI		NS	
<i>Drassyllus lutetianus</i> (L. Koch, 1866)		<i>Zelotes lutetianus</i>	E		W		RI		NS	
<i>Drassyllus praeficus</i> (L. Koch, 1866)		<i>Zelotes praeficus</i>	E		W				NS	
<i>Drassyllus pusillus</i> (C. L. Koch, 1833)		<i>Zelotes pusillus</i>	E	S	W	NI	RI			
<i>Gnaphosa leporina</i> (L. Koch, 1866)			E	S	W				NS	
<i>Gnaphosa lugubris</i> (C. L. Koch, 1839)			E						NR	VU
<i>Gnaphosa nigerrima</i> L. Koch, 1877		not present	E						NR	VU
<i>Gnaphosa occidentalis</i> Simon, 1878			E						NR	NT
<i>Haplodrassus dalmatensis</i> (L. Koch, 1866)			E		W				NS	
<i>Haplodrassus minor</i> (O. P.-Cambridge, 1879)			E		W				NS	
<i>Haplodrassus signifer</i> (C. L. Koch, 1839)			E	S	W	NI	RI			
<i>Haplodrassus silvestris</i> (Blackwall, 1833)			E	S	W				NS	
<i>Haplodrassus soerenseni</i> (Strand, 1900)				S					NR	EN
<i>Haplodrassus umbratilis</i> (L. Koch, 1866)			E						NR	DD
<i>Micaria albiovittata</i> (Lucas, 1846)		<i>Micaria romana</i>	E						NR	VU
<i>Micaria alpina</i> L. Koch, 1872				S	W				NR	VU
<i>Micaria micans</i> (Blackwall, 1858)	not present	not present	E	S	W		RI			
<i>Micaria pulicaria s.s.</i> (Sundevall, 1831)	<i>Micaria pulicaria s. l.</i>	<i>Micaria pulicaria s. l.</i>	E	S	W		RI			
<i>Micaria silesiaca</i> L. Koch, 1875			E						NR	NT
<i>Micaria subopaca</i> Westring, 1861			E	S					NS	
<i>Phaeoedus braccatus</i> (L. Koch, 1866)			E						NR	VU
<i>Scotophaeus blackwalli</i> (Thorell, 1871)			E	S	W	NI	RI			
<i>Scotophaeus scutulatus</i> (L. Koch, 1866)		Appendix 2	E					Ah		

Species	2019 checklist	Roberts	E	S	W	NI	RI	AS	GB	IU
GNAPHOSIDAE cont.										
<i>Trachyzelotes pedestris</i> (C. L. Koch, 1837)		<i>Zelotes pedestris</i>	E		W					
<i>Urozelotes rusticus</i> (L. Koch, 1872)		<i>Zelotes rusticus</i>	E		W					
<i>Zelotes apricorum</i> (L. Koch, 1876)			E	S	W		RI			
<i>Zelotes electus</i> (C. L. Koch, 1839)			E	S	W	NI	RI		NS	
<i>Zelotes latreillei</i> (Simon, 1878)			E	S	W	NI	RI			
<i>Zelotes longipes</i> (L. Koch, 1866)		<i>Zelotes serotinus</i>	E						NR	VU
<i>Zelotes petrensis</i> (C. L. Koch, 1839)			E						NR	
<i>Zelotes subterraneus</i> (C. L. Koch, 1833)		Appendix 1	E	S	W				NS	
Family HAHNIIDAE										
<i>Antistea elegans</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Hahnia helveola</i> Simon, 1875			E	S	W	NI	RI			
<i>Hahnia nava</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Hahnia pusilla</i> C. L. Koch, 1841			E	S	W		RI		NS	
<i>Iberina candida</i> (Simon, 1875)		<i>Hahnia candida</i>	E						NR	VU
<i>Iberina microphthalma</i> (Snazell & Duffey, 1980)		<i>Hahnia microphthalma</i>	E						NR	DD
<i>Iberina montana</i> (Blackwall, 1841)		<i>Hahnia montana</i>	E	S	W	NI	RI			
Family LINYPHIIDAE										
<i>Acartauchenius scurrilis</i> (O. P.-Cambridge, 1872)			E						NR	NT
<i>Agnyphantes expunctus</i> (O. P.-Cambridge, 1875)		<i>Lepthyphantes expunctus</i>	E	S					NS	
<i>Agyneta affinis</i> (Kulczyński, 1898)		<i>Meioneta beata</i>	E	S	W	NI	RI			
<i>Agyneta cauta</i> (O. P.-Cambridge, 1902)			E	S	W	NI	RI		NS	
<i>Agyneta conigera</i> (O. P.-Cambridge, 1863)			E	S	W	NI	RI			
<i>Agyneta decora</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI			
<i>Agyneta fuscipalpus</i> (C. L. Koch, 1836)	<i>Agyneta fuscipalpa</i>	not present	E						NR	VU
<i>Agyneta gulosa</i> (L. Koch, 1869)		<i>Meioneta gulosa</i>	E	S	W	NI	RI		NS	
<i>Agyneta innotabilis</i> (O. P.-Cambridge, 1863)		<i>Meioneta innotabilis</i>	E	S	W	NI	RI			
<i>Agyneta mollis</i> (O. P.-Cambridge, 1871)		<i>Meioneta mollis</i>	E		W	NI	RI		NR	NT
<i>Agyneta mossica</i> (Schikora, 1993)		not present	E	S	W	NI	RI		NS	
<i>Agyneta nigripes</i> (Simon, 1884)		<i>Meioneta nigripes</i>		S	W				NS	
<i>Agyneta olivacea</i> (Emerton, 1882)			E	S	W	NI	RI		NS	
<i>Agyneta ramosa</i> Jackson, 1912			E	S	W		RI			
<i>Agyneta rurestris</i> (C. L. Koch, 1836)		<i>Meioneta rurestris</i>	E	S	W	NI	RI			
<i>Agyneta saxatilis</i> (Blackwall, 1844)		<i>Meioneta saxatilis</i>	E	S	W	NI	RI			
<i>Agyneta simplicatarsis</i> (Simon, 1884)		<i>Meioneta simplicatarsis</i>	E						NS	
<i>Agyneta subtilis</i> (O. P.-Cambridge, 1863)			E	S	W	NI	RI			
<i>Allomengea scopigera</i> (Grube, 1859)			E	S	W	NI	RI			
<i>Allomengea vidua</i> (L. Koch, 1879)			E	S	W	NI	RI		NS	
<i>Aphileta misera</i> (O. P.-Cambridge, 1882)			E	S	W	NI	RI			
<i>Araeoncus crassiceps</i> (Westring, 1861)			E	S	W	NI	RI		NS	
<i>Araeoncus humilis</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Asthenargus paganus</i> (Simon, 1884)			E	S	W	NI	RI		NS	
<i>Baryphyma gowerense</i> (Locket, 1965)			E		W	NI	RI		NR	VU
<i>Baryphyma maritimum</i> (Crocker & Parker, 1970)			E						NR	NT
<i>Baryphyma pratense</i> (Blackwall, 1861)			E	S	W					
<i>Baryphyma trifrons</i> (O. P.-Cambridge, 1863)			E	S	W	NI	RI			
<i>Bathyphantes approximatus</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI			
<i>Bathyphantes gracilis</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Bathyphantes nigrinus</i> (Westring, 1851)			E	S	W	NI	RI			
<i>Bathyphantes parvulus</i> (Westring, 1851)			E	S	W	NI	RI			
<i>Bathyphantes setiger</i> F. O. P.-Cambridge, 1894			E	S	W	NI	RI		NS	
<i>Bolyphantes alticeps</i> (Sundevall, 1833)			E	S	W		RI			
<i>Bolyphantes luteolus</i> (Blackwall, 1833)			E	S	W	NI	RI			
<i>Carorita limnaea</i> (Crosby & Bishop, 1927)			E		W	NI	RI		NR	VU
<i>Caviphantes saxetorum</i> (Hull, 1916)			E	S	W				NR	NT
<i>Centromerita bicolor</i> (Blackwall, 1833)			E	S	W	NI	RI			
<i>Centromerita concinna</i> (Thorell, 1875)			E	S	W	NI	RI			
<i>Centromerus albidus</i> Simon, 1929			E				RI		NR	CR
<i>Centromerus arcanus</i> (O. P.-Cambridge, 1873)			E	S	W	NI	RI			
<i>Centromerus brevipalpus</i> (Menge, 1866)		<i>Centromerus aequalis</i>	E	S					NR	EN
<i>Centromerus capucinus</i> (Simon, 1884)			E						NR	NT
<i>Centromerus cavernarum</i> (L. Koch, 1872)			E		W				NR	NT

Species	2019 checklist	Roberts	E	S	W	NI	RI	AS	GB	IU
LINYPHIIDAE cont.										
<i>Centromerus dilutus</i> (O. P.-Cambridge, 1875)			E	S	W	NI	RI			
<i>Centromerus incilium</i> (L. Koch, 1881)			E	S					NS	
<i>Centromerus levitarsis</i> (Simon, 1884)			E	S			RI		NR	EN
<i>Centromerus minutissimus</i> Merrett & Powell, 1993		not present	E						NR	DD
<i>Centromerus persimilis</i> (O. P.-Cambridge, 1912)			E				RI		NR	DD
<i>Centromerus prudens</i> (O. P.-Cambridge, 1873)			E	S	W	NI	RI			
<i>Centromerus semiater</i> (L. Koch, 1879)			E						NR	EN
<i>Centromerus serratus</i> (O. P.-Cambridge, 1875)			E		W				NR	EN
<i>Centromerus sylvaticus</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Ceratinella brevipes</i> (Westring, 1851)			E	S	W	NI	RI			
<i>Ceratinella brevis</i> (Wider, 1834)			E	S	W	NI	RI			
<i>Ceratinella scabrosa</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI			
<i>Cnephlocotes obscurus</i> (Blackwall, 1834)			E	S	W	NI	RI			
<i>Collinsia distincta</i> (Simon, 1884)		<i>Halorates distinctus</i>	E	S	W				NS	
<i>Collinsia holmgreni</i> (Thorell, 1871)		<i>Halorates holmgreni</i>		S					NS	
<i>Collinsia inerrans</i> (O. P.-Cambridge, 1885)		<i>Milleriana inerrans</i>	E	S	W		RI			
<i>Dicymbium brevisetosum</i> Locket, 1962	<i>D. nigrum brevisetosum</i>	<i>D. nigrum</i> f. <i>brevisetosum</i>	E	S	W	NI	RI			
<i>Dicymbium nigrum</i> (Blackwall, 1834)			E	S	W	NI	RI			
<i>Dicymbium tibiale</i> (Blackwall, 1836)			E	S	W	NI	RI			
<i>Diplocentria bidentata</i> (Emerton, 1882)			E	S	W		RI		NS	
<i>Diplocephalus connatus</i> Bertkau, 1889			E						NR	CR
<i>Diplocephalus cristatus</i> (Blackwall, 1833)			E	S	W	NI	RI			
<i>Diplocephalus graecus</i> (O. P.-Cambridge, 1872)		not present	E							
<i>Diplocephalus latifrons</i> (O. P.-Cambridge, 1863)			E	S	W	NI	RI			
<i>Diplocephalus permixtus</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI			
<i>Diplocephalus picinus</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Diplocephalus protuberans</i> (O. P.-Cambridge, 1875)			E	S	W				NR	VU
<i>Diplostyla concolor</i> (Wider, 1834)			E	S	W	NI	RI			
<i>Dismodicus bifrons</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Dismodicus elevatus</i> (C. L. Koch, 1838)			E	S					NR	VU
<i>Donacochara speciosa</i> (Thorell, 1875)			E			NI	RI		NS	
<i>Drapetisca socialis</i> (Sundevall, 1833)			E	S	W	NI	RI			
<i>Drepanotylus uncatulus</i> (O. P.-Cambridge, 1873)			E	S	W	NI	RI			
<i>Entelegara acuminata</i> (Wider, 1834)			E	S	W	NI	RI			
<i>Entelegara congenera</i> (O. P.-Cambridge, 1879)			E		W				NS	
<i>Entelegara errata</i> O. P.-Cambridge, 1913			E	S	W				NS	
<i>Entelegara erythropus</i> (Westring, 1851)			E	S	W	NI	RI			
<i>Entelegara flavipes</i> (Blackwall, 1834)			E	S	W		RI		NS	
<i>Entelegara omissa</i> O. P.-Cambridge, 1902			E				RI		NS	
<i>Erigone aletris</i> Crosby & Bishop, 1928			E	S						
<i>Erigone atra</i> Blackwall, 1833			E	S	W	NI	RI			
<i>Erigone capra</i> Simon, 1884	<i>Erigone dentigera</i>	<i>Erigone capra</i>	E	S	W		RI		NR	
<i>Erigone dentipalpis</i> (Wider, 1834)			E	S	W	NI	RI			
<i>Erigone dentosa</i> O. P.-Cambridge, 1874	not present	not present	E	S						
<i>Erigone longipalpis</i> (Sundevall, 1830)			E	S	W	NI	RI			
<i>Erigone maritima</i> Kulczyński, 1902	<i>Erigone arctica</i>	<i>Erigone arctica</i>	E	S	W	NI	RI			
<i>Erigone promiscua</i> (O. P.-Cambridge, 1873)	<i>Erigone promiscua</i> (O. P.-Cambridge, 1872)		E	S	W	NI	RI			
<i>Erigone psychrophila</i> Thorell, 1871			E	S					NR	NT
<i>Erigone tirolensis</i> L. Koch, 1872				S					NS	
<i>Erigone welchi</i> Jackson, 1911			E	S	W		RI		NR	EN
<i>Erigonella hiemalis</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Erigonella ignobilis</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI		NS	
<i>Evansia merens</i> O. P.-Cambridge, 1901	<i>Evansia merens</i> O. P.-Cambridge, 1900		E	S	W		RI		NS	
<i>Floronina bucculenta</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Glyphesis cottonae</i> (La Touche, 1946)	<i>Glyphesis cottonae</i> (La Touche, 1945)		E		W		RI		NR	VU
<i>Glyphesis servulus</i> (Simon, 1882)	<i>Glyphesis servulus</i> (Simon, 1881)		E		W				NR	NT
<i>Gnathonarium dentatum</i> (Wider, 1834)			E	S	W	NI	RI			
<i>Gonatium paradoxum</i> (L. Koch, 1869)			E						NR	EN
<i>Gonatium rubellum</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Gonatium rubens</i> (Blackwall, 1833)			E	S	W	NI	RI			

Species	2019 checklist	Roberts	E	S	W	NI	RI	AS	GB	IU
LINYPHIIDAE cont.										
<i>Gongyliellum latebricola</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI		NS	
<i>Gongyliellum murcidum</i> Simon, 1884			E	S	W		RI		NS	VU
<i>Gongyliellum vivum</i> (O. P.-Cambridge, 1875)			E	S	W	NI	RI			
<i>Gongylidium rufipes</i> (Linnaeus, 1758)			E	S	W	NI	RI			
<i>Halorates reprobis</i> (O. P.-Cambridge, 1879)			E	S	W	NI	RI		NS	
<i>Helophora insignis</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Hilaira excisa</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI			
<i>Hilaira nubigena</i> Hull, 1911			E	S					NR	VU
<i>Hilaira pervicax</i> Hull, 1908			E	S	W	NI			NS	
<i>Hybocoptus corrugis</i> (O. P.-Cambridge, 1875)		<i>Hybocoptus decollatus</i>	E		W				NS	
<i>Hylyphantes graminicola</i> (Sundevall, 1830)			E	S	W		RI			
<i>Hypomma bituberculatum</i> (Wider, 1834)			E	S	W	NI	RI			
<i>Hypomma cornutum</i> (Blackwall, 1833)			E	S	W	NI	RI			
<i>Hypomma fulvum</i> (Bösenberg, 1902)			E		W	NI	RI		NS	
<i>Hypselistes jacksoni</i> (O. P.-Cambridge, 1903)	<i>Hypselistes jacksoni</i> (O. P.-Cambridge, 1902)		E	S	W	NI	RI		NS	
<i>Improphantes complicatus</i> (Emerton, 1882)		<i>Lepthyphantes complicatus</i>		S					NR	NT
<i>Jacksonella falconeri</i> (Jackson, 1908)			E	S	W	NI	RI		NS	
<i>Kaestneria dorsalis</i> (Wider, 1834)			E	S	W	NI	RI			
<i>Kaestneria pullata</i> (O. P.-Cambridge, 1863)			E	S	W	NI	RI			
<i>Karita paludosa</i> (Duffey, 1971)		<i>Carorita paludosa</i>	E			NI	RI		NR	VU
<i>Labulla thoracica</i> (Wider, 1834)			E	S	W	NI	RI			
<i>Lepthyphantes leprosus</i> (Ohlert, 1865)			E	S	W	NI	RI			
<i>Lepthyphantes minutus</i> (Blackwall, 1833)			E	S	W	NI	RI			
<i>Leptorhoptrum robustum</i> (Westring, 1851)			E	S	W	NI	RI			
<i>Leptothrix hardyi</i> (Blackwall, 1850)			E	S	W	NI	RI		NS	
<i>Lessertia denticelis</i> (Simon, 1884)			E	S	W	NI	RI		NS	
<i>Linyphia hortensis</i> Sundevall, 1830			E	S	W	NI	RI			
<i>Linyphia triangularis</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Lophomma punctatum</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Macrargus carpenteri</i> (O. P.-Cambridge, 1895)	<i>Macrargus carpenteri</i> (O. P.-Cambridge, 1894)		E	S					NS	
<i>Macrargus rufus</i> (Wider, 1834)			E	S	W	NI	RI			
<i>Maro lepidus</i> Casemir, 1961			E	S	W				NR	EN
<i>Maro minutus</i> O. P.-Cambridge, 1907	<i>Maro minutus</i> O. P.-Cambridge, 1906		E	S	W		RI		NS	
<i>Maro sublestus</i> Falconer, 1915			E	S			RI		NR	EN
<i>Maso gallicus</i> Simon, 1894			E		W				NS	
<i>Maso sundevalli</i> (Westring, 1851)			E	S	W	NI	RI			
<i>Mecopisthes peusi</i> Wunderlich, 1972			E	S	W	NI	RI		NS	
<i>Mecynargus morulus</i> (O. P.-Cambridge, 1873)		<i>Rhaebothorax morulus</i>	E	S	W	NI	RI		NS	
<i>Mecynargus paetulus</i> (O. P.-Cambridge, 1875)		<i>Rhaebothorax paetulus</i>		S					NR	VU
<i>Megalepthyphantes collinus</i> (L. Koch, 1872)	List A2	not present	E							
<i>Megalepthyphantes nebulosus</i> (Sundevall, 1830)		<i>Lepthyphantes nebulosus</i>	E	S	W	NI	RI			
<i>Mermessus trilobatus</i> (Emerton, 1882)		not present	E							
<i>Metopobactrus prominulus</i> (O. P.-Cambridge, 1873)	<i>Metopobactrus prominulus</i> (O. P.-Cambridge, 1872)		E	S	W	NI	RI			
<i>Micrargus apertus</i> (O. P.-Cambridge, 1871)			E	S	W					
<i>Micrargus herbigradus</i> (Blackwall, 1854)			E	S	W	NI	RI			
<i>Micrargus laudatus</i> (O. P.-Cambridge, 1881)			E		W				NS	
<i>Micrargus subaequalis</i> (Westring, 1851)			E	S	W	NI	RI			
<i>Microctenonyx subitaneus</i> (O. P.-Cambridge, 1875)			E	S	W	NI	RI		NS	
<i>Microlinyphia impigra</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI			
<i>Microlinyphia pusilla</i> (Sundevall, 1830)			E	S	W	NI	RI			
<i>Microneta viaria</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Midia midas</i> (Simon, 1884)		<i>Lepthyphantes midas</i>	E						NR	EN
<i>Minicia marginella</i> (Wider, 1834)		Appendix 2	E		W		RI		NR	DD
<i>Minyriolus pusillus</i> (Wider, 1834)			E	S	W	NI	RI			
<i>Mioxena blanda</i> (Simon, 1884)			E		W		RI		NR	DD
<i>Moebelia penicillata</i> (Westring, 1851)			E	S	W	NI	RI		NS	
<i>Monocephalus castaneipes</i> (Simon, 1884)			E	S	W	NI	RI		NS	
<i>Monocephalus fuscipes</i> (Blackwall, 1836)			E	S	W	NI	RI			
<i>Mughiphantes whympersi</i> (F. O. P.-Cambridge, 1894)		<i>Lepthyphantes whympersi</i>	E	S	W		RI		NS	
<i>Nerienne clathrata</i> (Sundevall, 1830)			E	S	W	NI	RI			

Species	2019 checklist	Roberts	E	S	W	NI	RI	AS	GB	IU
LINYPHIIDAE cont.										
<i>Neriere emphana</i> (Walckenaer, 1841)	List A3	not present	E							
<i>Neriere furtiva</i> (O. P.-Cambridge, 1871)			E		W				NS	
<i>Neriere montana</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Neriere peltata</i> (Wider, 1834)			E	S	W	NI	RI			
<i>Neriere radiata</i> (Walckenaer, 1841)			E	S					NR	NT
<i>Nothophantes horridus</i> Merrett & Stevens, 1995		not present	E						NR	EN
<i>Notioscopus sarcinatus</i> (O. P.-Cambridge, 1873)	<i>Notioscopus sarcinatus</i> (O. P.-Cambridge, 1872)		E	S	W				NS	
<i>Obscuriphantes obscurus</i> (Blackwall, 1841)		<i>Lepthyphantes obscurus</i>	E	S	W	NI	RI			
<i>Oedothorax agrestis</i> (Blackwall, 1853)			E	S	W	NI	RI			
<i>Oedothorax apicatus</i> (Blackwall, 1850)			E	S	W		RI			
<i>Oedothorax fuscus</i> (Blackwall, 1834)			E	S	W	NI	RI			
<i>Oedothorax gibbosus</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Oedothorax retusus</i> (Westring, 1851)			E	S	W	NI	RI			
<i>Oreoneta frigida</i> (Thorell, 1872)		<i>Hilaira frigida</i>	E	S	W	NI	RI			
<i>Oreonetides vaginatus</i> (Thorell, 1872)			E	S	W		RI		NS	
<i>Oryphantes angulatus</i> (O. P.-Cambridge, 1881)		<i>Lepthyphantes angulatus</i>	E	S	W	NI	RI		NS	
<i>Ostearius melanopygius</i> (O. P.-Cambridge, 1880)	<i>Ostearius melanopygius</i> (O. P.-Cambridge, 1879)		E	S	W	NI	RI			
<i>Palliduphantes antroniensis</i> (Schenkel, 1933)		<i>Lepthyphantes antroniensis</i>		S					NR	CR
<i>Palliduphantes ericaeus</i> (Blackwall, 1853)		<i>Lepthyphantes ericaeus</i>	E	S	W	NI	RI			
<i>Palliduphantes insignis</i> (O. P.-Cambridge, 1913)		<i>Lepthyphantes insignis</i>	E	S	W		RI		NS	
<i>Palliduphantes pallidus</i> (O. P.-Cambridge, 1871)		<i>Lepthyphantes pallidus</i>	E	S	W	NI	RI			
<i>Panamomops sulcifrons</i> (Wider, 1834)			E		W				NS	
<i>Parapelecopsis nemoralioides</i> (O. P.-Cambridge, 1884)		not present	E	S	W		RI		NS	
<i>Parapelecopsis nemoralis</i> (Blackwall, 1841)		<i>Pelecopsis nemoralis</i>	E	S	W	NI	RI			
<i>Parapelecopsis susannae</i> (Simon, 1915)	<i>Pelecopsis susannae</i> (Simon, 1914)	not present	E							
<i>Pelecopsis elongata</i> (Wider, 1834)				S					NR	NT
<i>Pelecopsis mengei</i> (Simon, 1884)			E	S	W	NI	RI			
<i>Pelecopsis parallela</i> (Wider, 1834)			E	S	W	NI	RI			
<i>Pelecopsis radicola</i> (L. Koch, 1872)			E						NR	EN
<i>Peponocranium ludicrum</i> (O. P.-Cambridge, 1861)			E	S	W	NI	RI			
<i>Piniphantes pinicola</i> (Simon, 1884)		<i>Lepthyphantes pinicola</i>	E	S	W				NR	
<i>Pityohyphantes phrygianus</i> (C. L. Koch, 1836)			E	S					NS	
<i>Pocadicnemis juncea</i> Locket & Millidge, 1953			E	S	W	NI	RI			
<i>Pocadicnemis pumila</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Poeciloneta variegata</i> (Blackwall, 1841)		<i>Poeciloneta globosa</i>	E	S	W	NI	RI			
<i>Porrhomma cambridgei</i> Merrett, 1994		not present	E						NR	DD
<i>Porrhomma campbelli</i> F. O. P.-Cambridge, 1894			E	S	W	NI	RI		NS	
<i>Porrhomma convexum</i> (Westring, 1851)			E	S	W	NI	RI		NS	
<i>Porrhomma egeria</i> Simon, 1884			E	S	W		RI		NS	
<i>Porrhomma errans</i> (Blackwall, 1841)			E	S	W		RI		NS	
<i>Porrhomma microphthalmum</i> (O. P.-Cambridge, 1871)			E	S	W		RI			
<i>Porrhomma montanum</i> Jackson, 1913			E	S	W	NI	RI		NS	
<i>Porrhomma oblitum</i> (O. P.-Cambridge, 1871)			E		W		RI		NS	
<i>Porrhomma pallidum</i> Jackson, 1913			E	S	W	NI	RI			
<i>Porrhomma pygmaeum</i> (Blackwall, 1834)			E	S	W	NI	RI			
<i>Porrhomma rosenhaueri</i> (L. Koch, 1872)					W		RI		NR	NT
<i>Praestigia duffeyi</i> Millidge, 1954		<i>Baryphyma duffeyi</i>	E				RI		NR	EN
<i>Prinerigone vagans</i> (Audouin, 1826)		<i>Erigone vagans</i>	E	S	W					
<i>Pseudomaro aenigmaticus</i> Denis, 1966			E						NR	DD
<i>Saaristoa abnormis</i> (Blackwall, 1841)			E	S	W	NI	RI			
<i>Saaristoa firma</i> (O. P.-Cambridge, 1906)	<i>Saaristoa firma</i> (O. P.-Cambridge, 1905)		E	S	W	NI	RI		NS	
<i>Saloca diceros</i> (O. P.-Cambridge, 1871)			E		W		RI		NS	
<i>Satilatlas britteni</i> (Jackson, 1913)			E	S	W	NI	RI		NS	
<i>Savignia frontata</i> Blackwall, 1833			E	S	W	NI	RI			
<i>Scotinotylus evansi</i> (O. P.-Cambridge, 1894)			E	S					NS	
<i>Semljicola caliginosus</i> (Falconer, 1910)			E	S					NR	EN
<i>Semljicola faustus</i> (O. P.-Cambridge, 1901)	<i>Semljicola faustus</i> (O. P.-Cambridge, 1900)	<i>Latithorax faustus</i>	E	S	W	NI	RI		NS	
<i>Silometopus ambiguus</i> (O. P.-Cambridge, 1906)	<i>Silometopus ambiguus</i> (O. P.-Cambridge, 1905)		E	S	W	NI	RI		NS	
<i>Silometopus elegans</i> (O. P.-Cambridge, 1873)	<i>Silometopus elegans</i> (O. P.-Cambridge, 1872)		E	S	W	NI	RI			

Species	2019 checklist	Roberts	E	S	W	NI	RI	AS	GB	IU
LINYPHIIDAE cont.										
<i>Silometopus incurvatus</i> (O. P.-Cambridge, 1873)			E	S			RI		NR	VU
<i>Silometopus reussi</i> (Thorell, 1871)			E	S	W	NI	RI			
<i>Sintula corniger</i> (Blackwall, 1856)			E	S	W	NI	RI		NS	
<i>Stemonyphantes lineatus</i> (Linnaeus, 1758)			E	S	W	NI	RI			
<i>Styloctetor compar</i> (Westring, 1861)		<i>Ceratinopsis stativa</i>	E		W		RI		NS	
<i>Styloctetor romanus</i> (O. P.-Cambridge, 1873)		<i>Ceratinopsis romana</i>	E		W				NR	
<i>Syedra gracilis</i> (Menge, 1869)			E	S					NS	
<i>Syedra myrmicarum</i> (Kulczyński, 1882)		not present	E							
<i>Tallusia experta</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI			
<i>Tapinocyba insecta</i> (L. Koch, 1869)			E	S	W	NI	RI		NS	
<i>Tapinocyba mitis</i> (O. P.-Cambridge, 1882)			E						NR	EN
<i>Tapinocyba pallens</i> (O. P.-Cambridge, 1873)	<i>Tapinocyba pallens</i> (O. P.-Cambridge, 1872)		E	S	W	NI	RI			
<i>Tapinocyba praecox</i> (O. P.-Cambridge, 1873)			E	S	W	NI	RI			
<i>Tapinocyboides pygmaeus</i> (Menge, 1869)			E	S					NR	DD
<i>Tapinopa longidens</i> (Wider, 1834)			E	S	W	NI	RI			
<i>Taranucnus setosus</i> (O. P.-Cambridge, 1863)			E	S	W	NI	RI		NS	
<i>Tenuiphantes alacris</i> (Blackwall, 1853)		<i>Lepthyphantes alacris</i>	E	S	W	NI	RI			
<i>Tenuiphantes cristatus</i> (Menge, 1866)		<i>Lepthyphantes cristatus</i>	E	S	W	NI	RI			
<i>Tenuiphantes flavipes</i> (Blackwall, 1854)		<i>Lepthyphantes flavipes</i>	E	S	W	NI	RI			
<i>Tenuiphantes mengei</i> (Kulczyński, 1887)		<i>Lepthyphantes mengei</i>	E	S	W	NI	RI			
<i>Tenuiphantes tenebricola</i> (Wider, 1834)		<i>Lepthyphantes tenebricola</i>	E	S	W	NI	RI			
<i>Tenuiphantes tenuis</i> (Blackwall, 1852)		<i>Lepthyphantes tenuis</i>	E	S	W	NI	RI			
<i>Tenuiphantes zimmermanni</i> (Bertkau, 1890)		<i>Lepthyphantes zimmermanni</i>	E	S	W	NI	RI			
<i>Thyreosthenius biovatus</i> (O. P.-Cambridge, 1875)			E	S	W		RI		NS	
<i>Thyreosthenius parasiticus</i> (Westring, 1851)			E	S	W	NI	RI			
<i>Tiso aestivus</i> (L. Koch, 1872)			E	S	W				NS	
<i>Tiso vagans</i> (Blackwall, 1834)			E	S	W	NI	RI			
<i>Tmeticus affinis</i> (Blackwall, 1855)			E	S	W		RI		NS	
<i>Trematocephalus cristatus</i> (Wider, 1834)			E						NS	
<i>Trichoncus affinis</i> Kulczyński, 1894			E						NR	
<i>Trichoncus hackmani</i> Millidge, 1955			E						NR	VU
<i>Trichoncus saxicola</i> (O. P.-Cambridge, 1861)			E	S	W		RI		NR	VU
<i>Trichopterna cito</i> (O. P.-Cambridge, 1872)			E						NR	EN
<i>Trichopternoides thorelli</i> (Westring, 1861)		<i>Trichopterna thorelli</i>	E	S	W	NI	RI			
<i>Troxochrus scabriculus</i> (Westring, 1851)			E	S	W		RI			
<i>Typhochrestus digitatus</i> (O. P.-Cambridge, 1873)	<i>Typhochrestus digitatus</i> (O. P.-Cambridge, 1872)		E	S	W	NI	RI		NS	
<i>Typhochrestus simoni</i> Lessert, 1907			E		W				NR	CR
<i>Wabasso replicatus</i> (Holm, 1950)		not present		S					NR	VU
<i>Walckenaeria acuminata</i> Blackwall, 1833			E	S	W	NI	RI			
<i>Walckenaeria alticeps</i> (Denis, 1952)			E	S	W	NI	RI		NS	
<i>Walckenaeria antica</i> (Wider, 1834)			E	S	W	NI	RI			
<i>Walckenaeria atrotibialis</i> (O. P.-Cambridge, 1878)			E	S	W	NI	RI			
<i>Walckenaeria capito</i> (Westring, 1861)			E	S	W		RI		NS	
<i>Walckenaeria clavicornis</i> (Emerton, 1882)			E	S	W	NI	RI		NS	
<i>Walckenaeria corniculans</i> (O. P.-Cambridge, 1875)			E				RI		NR	CR
<i>Walckenaeria cucullata</i> (C. L. Koch, 1836)			E	S	W		RI			
<i>Walckenaeria cuspidata</i> Blackwall, 1833			E	S	W	NI	RI			
<i>Walckenaeria dysderoides</i> (Wider, 1834)			E	S	W	NI	RI		NS	
<i>Walckenaeria furcillata</i> (Menge, 1869)			E	S	W				NS	
<i>Walckenaeria incisa</i> (O. P.-Cambridge, 1871)			E	S	W				NS	
<i>Walckenaeria kochi</i> (O. P.-Cambridge, 1873)	<i>Walckenaeria kochi</i> (O. P.-Cambridge, 1872)		E	S	W	NI	RI		NS	
<i>Walckenaeria mitrata</i> (Menge, 1868)			E						NR	VU
<i>Walckenaeria monoceros</i> (Wider, 1834)			E	S	W		RI		NS	
<i>Walckenaeria nodosa</i> O. P.-Cambridge, 1873			E	S	W	NI	RI		NS	
<i>Walckenaeria nudipalpis</i> (Westring, 1851)			E	S	W	NI	RI			
<i>Walckenaeria obtusa</i> Blackwall, 1836			E	S	W				NS	
<i>Walckenaeria stylifrons</i> (O. P.-Cambridge, 1875)			E						NR	VU
<i>Walckenaeria unicornis</i> O. P.-Cambridge, 1861			E	S	W	NI	RI			
<i>Walckenaeria vigilax</i> (Blackwall, 1853)			E	S	W	NI	RI			
<i>Wiehlea calcarifera</i> (Simon, 1884)			E						NR	EN

Species	2019 checklist	Roberts	E	S	W	NI	RI	AS	GB	IU
Family LIOCRANIDAE										
<i>Agroeca brunnea</i> (Blackwall, 1833)			E	S	W					
<i>Agroeca cuprea</i> Menge, 1873			E	S					NR	NT
<i>Agroeca dentigera</i> Kulczyński, 1913		not present			W				NR	DD
<i>Agroeca inopina</i> O. P.-Cambridge, 1886			E		W					
<i>Agroeca lusatica</i> (L. Koch, 1875)			E						NR	EN
<i>Agroeca proxima</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI			
<i>Apostenus fuscus</i> Westring, 1851		Appendix 1	E						NR	VU
<i>Liocranoeca striata</i> (Kulczyński, 1882)		<i>Agroeca striata</i>	E	S	W	NI	RI		NS	
<i>Liocranum rupicola</i> (Walckenaer, 1830)			E		W		RI		NS	
<i>Scotina celans</i> (Blackwall, 1841)			E	S	W		RI		NS	
<i>Scotina gracilipes</i> (Blackwall, 1859)			E	S	W	NI	RI		NS	
<i>Scotina palliardii</i> (L. Koch, 1881)			E						NR	EN
Family LYCOSIDAE										
<i>Alopecosa barbipes</i> (Sundevall, 1833)		<i>Alopecosa accentuata</i>	E	S	W	NI	RI			
<i>Alopecosa cuneata</i> (Clerck, 1757)			E		W	NI	RI		NS	
<i>Alopecosa fabrilis</i> (Clerck, 1757)			E						NR	CR
<i>Alopecosa pulverulenta</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Arctosa alpigena</i> (Doleschall, 1852)		<i>Tricca alpigena</i>		S					NR	VU
<i>Arctosa cinerea</i> (Fabricius, 1777)			E	S	W		RI		NS	
<i>Arctosa fulvolineata</i> (Lucas, 1846)			E						NR	NT
<i>Arctosa leopardus</i> (Sundevall, 1833)			E	S	W	NI	RI			
<i>Arctosa perita</i> (Latreille, 1799)			E	S	W	NI	RI			
<i>Aulonia albimana</i> (Walckenaer, 1805)			E						NR	CR
<i>Hygrolycosa rubrofasciata</i> (Ohlert, 1865)			E						NR	EN
<i>Pardosa agrestis</i> (Westring, 1861)			E	S	W	NI	RI		NS	
<i>Pardosa agricola</i> (Thorell, 1856)			E	S	W	NI	RI			
<i>Pardosa amentata</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Pardosa hortensis</i> (Thorell, 1872)			E	S	W					
<i>Pardosa lugubris</i> (Walckenaer, 1802)			E	S			RI		NS	
<i>Pardosa monticola</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Pardosa nigriceps</i> (Thorell, 1856)			E	S	W	NI	RI			
<i>Pardosa paludicola</i> (Clerck, 1757)			E						NR	EN
<i>Pardosa palustris</i> (Linnaeus, 1758)			E	S	W	NI	RI			
<i>Pardosa prativaga</i> (L. Koch, 1870)			E	S	W	NI	RI			
<i>Pardosa pullata</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Pardosa purbeckensis</i> F. O. P.-Cambridge, 1895		<i>Pardosa agrestis</i> in part	E	S	W		RI			
<i>Pardosa saltans</i> Töpfer-Hofmann, 2000		<i>Pardosa lugubris</i> in part	E	S	W		RI			
<i>Pardosa tenuipes</i> L. Koch, 1882	<i>Pardosa tenuipes</i> C. L. Koch, 1847	<i>Pardosa proxima</i>	E	S	W				NS	
<i>Pardosa trailli</i> (O. P.-Cambridge, 1873)			E	S	W				NR	VU
<i>Pirata piraticus</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Pirata piscatorius</i> (Clerck, 1757)			E	S	W	NI	RI		NS	
<i>Pirata tenuitarsis</i> Simon, 1876			E	S	W	NI	RI		NS	
<i>Piratula hygrophila</i> (Thorell, 1872)		<i>Piratula hygrophilus</i>	E	S	W	NI	RI			
<i>Piratula latitans</i> (Blackwall, 1841)		<i>Pirata latitans</i>	E	S	W		RI			
<i>Piratula uliginosa</i> (Thorell, 1856)		<i>Pirata uliginosus</i>	E	S	W	NI	RI			
<i>Trochosa robusta</i> (Simon, 1876)			E						NR	VU
<i>Trochosa ruricola</i> (De Geer, 1778)			E	S	W	NI	RI			
<i>Trochosa spinipalpis</i> (F. O. P.-Cambridge, 1895)			E	S	W	NI	RI		NS	
<i>Trochosa terricola</i> Thorell, 1856			E	S	W	NI	RI			
<i>Xerolycosa miniata</i> (C. L. Koch, 1834)			E	S	W				NS	
<i>Xerolycosa nemoralis</i> (Westring, 1861)			E						NS	
Family MIMETIDAE										
<i>Ero aphana</i> (Walckenaer, 1802)			E	S	W				NS	
<i>Ero cambridgei</i> Kulczyński, 1911			E	S	W	NI	RI			
<i>Ero furcata</i> (Villers, 1789)			E	S	W	NI	RI			
<i>Ero tuberculata</i> (De Geer, 1778)			E	S					NS	
Family MITURGIDAE										
		Zoridae								
<i>Zora armillata</i> Simon, 1878			E						NR	CR
<i>Zora nemoralis</i> (Blackwall, 1861)			E	S	W				NR	VU
<i>Zora silvestris</i> Kulczyński, 1897			E						NR	CR
<i>Zora spinimana</i> (Sundevall, 1833)			E	S	W	NI	RI			

Species	2019 checklist	Roberts	E	S	W	NI	RI	AS	GB	IU
Family MYSMENIDAE										
<i>Trogloneta granulum</i> Simon, 1922		not present			W					
Family NESTICIDAE										
<i>Kryptonesticus eremita</i> (Simon, 1880)		not present			W					
<i>Nesticus cellulanus</i> (Clerck, 1757)			E	S	W	NI	RI			
Family OECOBIIDAE										
<i>Oecobius navus</i> Blackwall, 1859	List A3 as <i>Oecobius navus</i> (Blackwall, 1859)	not present	E					Ab		
Family OONOPIDAE										
<i>Oonops domesticus</i> Dalmas, 1916			E	S	W	NI	RI	Ah		
<i>Oonops pulcher</i> Templeton, 1835			E	S	W	NI	RI			
Family OXYOPIDAE										
<i>Oxyopes heterophthalmus</i> (Latreille, 1804)			E						NR	VU
Family PHILODROMIDAE		Thomisidae								
<i>Philodromus albidus</i> Kulczyński, 1911		Appendix 2	E		W		RI		NS	
<i>Philodromus aureolus</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Philodromus buchari</i> Kubcová, 2004	<i>Philodromus longipalpis</i>	Appendix 2	E						NS	
<i>Philodromus buxi</i> Simon, 1884			E							
<i>Philodromus cespitum</i> (Walckenaer, 1802)			E	S	W	NI	RI			
<i>Philodromus collinus</i> C. L. Koch, 1835			E							
<i>Philodromus dispar</i> Walckenaer, 1826			E	S	W		RI			
<i>Philodromus emarginatus</i> (Schränk, 1803)			E	S		NI			NR	VU
<i>Philodromus margaritatus</i> (Clerck, 1757)			E	S					NR	NT
<i>Philodromus praedatus</i> O. P.-Cambridge, 1871			E	S	W		RI			
<i>Philodromus rufus</i> Walckenaer, 1826			E							
<i>Rhysodromus fallax</i> (Sundevall, 1833)		<i>Philodromus fallax</i>	E		W				NR	VU
<i>Rhysodromus histrio</i> (Latreille, 1819)		<i>Philodromus histrio</i>	E	S	W				NS	
<i>Thanatus formicinus</i> (Clerck, 1757)			E						NR	CR
<i>Thanatus striatus</i> C. L. Koch, 1845			E		W		RI			
<i>Thanatus vulgaris</i> Simon, 1870		not present	E	S	W			Ab		
<i>Tibellus maritimus</i> (Menge, 1875)			E	S	W	NI	RI			
<i>Tibellus oblongus</i> (Walckenaer, 1802)			E	S	W	NI	RI			
Family PHOLCIDAE										
<i>Holocnemus pluchei</i> (Scopoli, 1763)	List A3	not present	E	S				Ah		
<i>Pholcus phalangoides</i> (Fuesslin, 1775)			E	S	W	NI	RI	Ah		
<i>Psilochorus simoni</i> (Berland, 1911)			E	S	W	NI	RI	Ah		
Family PHRUROLITHIDAE		Clubionidae								
<i>Phrurolithus festivus</i> (C. L. Koch, 1835)			E	S	W	NI	RI			
<i>Phrurolithus minimus</i> C. L. Koch, 1839			E						NS	
Family PISAURIDAE										
<i>Pisaura mirabilis</i> (Clerck, 1757)			E	S	W	NI	RI			
Family SALTICIDAE										
<i>Aelurillus v-insignitus</i> (Clerck, 1757)			E	S	W				NS	
<i>Anasaitis milesae</i> (Logunov, 2024)	not present	not present	E							
<i>Attulus caricis</i> (Simon, 1861)	<i>Calositticus caricis</i>	<i>Sitticus caricis</i>	E	S	W		RI		NR	
<i>Attulus distinguendus</i> (Simon, 1968)		not present	E						NR	CR
<i>Attulus floricola</i> (C. L. Koch, 1837)	<i>Calositticus floricola</i>	<i>Sitticus floricola</i>	E	S	W	NI	RI		NR	NT
<i>Attulus inexpectus</i> (Logunov & Kronestedt, 1997)	<i>Calositticus inexpectus</i>	not present	E		W				NS	
<i>Attulus pubescens</i> (Fabricius, 1775)	<i>Hypositticus pubescens</i>	<i>Sitticus pubescens</i>	E	S	W		RI			
<i>Attulus saltator</i> (O. P.-Cambridge, 1868)		<i>Attulus saltator</i>	E		W				NS	
<i>Ballus chalybeius</i> (Walckenaer, 1802)		<i>Ballus depressus</i>	E		W				NS	
<i>Dendryphantes rudis</i> (Sundevall, 1832)		not present	E							
<i>Euophrys frontalis</i> (Walckenaer, 1802)			E	S	W	NI	RI			
<i>Euophrys herbigrada</i> (Simon, 1871)			E						NR	VU
<i>Evarcha arcuata</i> (Clerck, 1757)			E		W				NS	
<i>Evarcha falcata</i> (Clerck, 1757)			E	S	W		RI			
<i>Hasarius adansoni</i> (Audouin, 1826)		not present	E			NI	RI	Ag		
<i>Heliophanus auratus</i> C. L. Koch, 1835			E						NR	VU
<i>Heliophanus cupreus</i> (Walckenaer, 1802)			E	S	W	NI	RI			
<i>Heliophanus dampfi</i> Schenkel, 1923		Appendix 2	E	S	W		RI		NR	VU
<i>Heliophanus flavipes</i> (Hahn, 1832)			E	S	W	NI	RI			

Species	2019 checklist	Roberts	E	S	W	NI	RI	AS	GB	IU
SALTICIDAE cont.										
<i>Heliophanus kochii</i> Simon, 1868	not present	not present	E							
<i>Macaroeris nidicolens</i> (Walckenaer, 1802)		not present	E							
<i>Marpissa muscosa</i> (Clerck, 1757)			E	S	W				NS	
<i>Marpissa nivoyi</i> (Lucas, 1846)			E		W		RI		NS	
<i>Marpissa radiata</i> (Grube, 1859)			E		W				NR	VU
<i>Myrmarachne formicaria</i> (De Geer, 1778)			E						NS	
<i>Neon pictus</i> Kulczyński, 1891		not present	E						NR	NT
<i>Neon reticulatus</i> (Blackwall, 1853)			E	S	W	NI	RI			
<i>Neon robustus</i> Lohmander, 1945		not present	E	S	W		RI		NS	
<i>Neon valentulus</i> Falconer, 1912			E						NR	CR
<i>Pellenes tripunctatus</i> (Walckenaer, 1802)			E						NR	VU
<i>Phlegra fasciata</i> (Hahn, 1826)			E		W				NR	NT
<i>Pseudeuophrys erratica</i> (Walckenaer, 1826)		<i>Euophrys erratica</i>	E	S	W	NI	RI		NS	
<i>Pseudeuophrys lanigera</i> (Simon, 1871)		<i>Euophrys lanigera</i>	E	S	W		RI			
<i>Pseudeuophrys obsoleta</i> (Simon, 1868)		<i>Euophrys browni</i>	E						NS	
<i>Salticus cingulatus</i> (Panzer, 1797)			E	S	W	NI	RI			
<i>Salticus scenicus</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Salticus zebraneus</i> (C. L. Koch, 1837)			E						NS	
<i>Sibianor aurocinctus</i> (Ohlert, 1865)		<i>Bianor aurocinctus</i>	E		W				NS	
<i>Sibianor laeae</i> Logunov, 2001		not present	E	S						
<i>Synageles venator</i> (Lucas, 1836)			E		W				NS	
<i>Talavera aequipes</i> (O. P.-Cambridge, 1871)		<i>Euophrys aequipes</i>	E	S	W		RI			
<i>Talavera petrensis</i> (C. L. Koch, 1837)	<i>Euophrys petrensis</i>	<i>Euophrys petrensis</i>	E	S		NI	RI		NR	NT
<i>Talavera thorelli</i> (Kulczyński, 1891)		Appendix 2 as <i>Euophrys thorelli</i>	E						NR	VU
Family SCYTODIDAE										
<i>Scytodes thoracica</i> (Latreille, 1802)			E		W		RI	Ah		
Family SEGESTRIDAE										
<i>Segestria bavarica</i> C. L. Koch, 1843			E		W				NR	
<i>Segestria florentina</i> (Rossi, 1790)			E	S	W		RI			
<i>Segestria senoculata</i> (Linnaeus, 1758)			E	S	W	NI	RI			
Family SPARASSIDAE		Eusparassidae								
<i>Micrommata virescens</i> (Clerck, 1757)			E	S	W		RI		NS	
Family TETRAGNATHIDAE										
<i>Meta bourneti</i> Simon, 1922			E		W				NS	
<i>Meta menardi</i> (Latreille, 1804)			E	S	W	NI	RI			
<i>Metellina mengei</i> (Blackwall, 1869)		<i>Meta mengei</i>	E	S	W	NI	RI			
<i>Metellina merianae</i> (Scopoli, 1763)		<i>Meta merianae</i>	E	S	W	NI	RI			
<i>Metellina segmentata</i> (Clerck, 1757)		<i>Meta segmentata</i>	E	S	W	NI	RI			
<i>Pachygnatha clercki</i> Sundevall, 1823			E	S	W	NI	RI			
<i>Pachygnatha degeeri</i> Sundevall, 1830			E	S	W	NI	RI			
<i>Pachygnatha listeri</i> Sundevall, 1830			E	S	W		RI			
<i>Tetragnatha extensa</i> (Linnaeus, 1758)			E	S	W	NI	RI			
<i>Tetragnatha montana</i> Simon, 1874			E	S	W	NI	RI			
<i>Tetragnatha nigrita</i> Lendl, 1886			E		W	NI	RI			
<i>Tetragnatha obtusa</i> C. L. Koch, 1837			E	S	W	NI	RI			
<i>Tetragnatha pinicola</i> L. Koch, 1870			E	S	W		RI			
<i>Tetragnatha striata</i> L. Koch, 1862			E	S	W		RI			
Family THERIDIIDAE										
<i>Anelosimus vittatus</i> (C. L. Koch, 1836)			E	S	W	NI	RI			
<i>Asagena phalerata</i> (Panzer, 1801)		<i>Steatoda phalerata</i>	E	S	W	NI	RI			
<i>Coleosoma floridanum</i> Banks, 1900		not present	E					Ag		
<i>Crustulina guttata</i> (Wider, 1834)			E	S	W		RI			
<i>Crustulina sticta</i> (O. P.-Cambridge, 1861)			E				RI		NS	
<i>Cryptachaea blatea</i> (Urquhart, 1886)		not present	E	S	W		RI			
<i>Cryptachaea riparia</i> (Blackwall, 1834)		<i>Achaearanea riparia</i>	E	S	W		RI		NS	
<i>Cryptachaea veruculata</i> (Urquhart, 1886)	<i>Cryptachaea veruculata</i> (Urquhart, 1885)	<i>Achaearanea veruculata</i>	E							
<i>Dipoena erythropus</i> (Simon, 1881)			E		W				NR	VU
<i>Dipoena melanogaster</i> (C. L. Koch, 1837)			E				RI		NR	EN
<i>Dipoena torva</i> (Thorell, 1875)				S					NR	NT
<i>Enoplognatha caricis</i> (Fickert, 1876)		<i>Enoplognatha tecta</i>	E						NR	VU

Species	2019 checklist	Roberts	E	S	W	NI	RI	AS	GB	IU
THERIDIIDAE cont.										
<i>Enoplognatha latimana</i> Hippa & Oksala, 1982		Appendix 1	E	S	W		RI			
<i>Enoplognatha mandibularis</i> (Lucas, 1846)	not present	not present	E							
<i>Enoplognatha mordax</i> (Thorell, 1875)		<i>Enoplognatha crucifera</i>	E	S	W				NS	
<i>Enoplognatha oelandica</i> (Thorell, 1875)			E						NR	CR
<i>Enoplognatha ovata</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Enoplognatha thoracica</i> (Hahn, 1833)			E	S	W	NI	RI			
<i>Episinus angulatus</i> (Blackwall, 1836)			E	S	W	NI	RI			
<i>Episinus maculipes</i> Cavanna, 1876			E		W	NI	RI		NS	
<i>Episinus truncatus</i> Latreille, 1809			E		W		RI		NS	
<i>Euryopis flavomaculata</i> (C. L. Koch, 1836)			E	S	W	NI	RI		NS	
<i>Kochiura aulica</i> (C. L. Koch, 1838)		<i>Anelosimus aulicus</i>	E						NS	
<i>Lasaeola prona</i> (Menge, 1868)		<i>Dipoena prona</i>	E		W				NR	EN
<i>Lasaeola tristis</i> (Hahn, 1833)		<i>Dipoena tristis</i>	E				RI		NS	
<i>Neottiura bimaculata</i> (Linnaeus, 1767)		<i>Theridion bimaculatum</i>	E	S	W	NI	RI			
<i>Paidiscura pallens</i> (Blackwall, 1834)		<i>Theridion pallens</i>	E	S	W	NI	RI			
<i>Parasteatoda lunata</i> (Clerck, 1757)		<i>Achaeearanea lunata</i>	E		W		RI			
<i>Parasteatoda simulans</i> (Thorell, 1875)		<i>Achaeearanea simulans</i>	E		W					
<i>Parasteatoda tepidariorum</i> (C. L. Koch, 1841)		<i>Achaeearanea tepidariorum</i>	E	S	W	NI	RI	Ag		
<i>Pholcomma gibbum</i> (Westring, 1851)			E	S	W	NI	RI			
<i>Phycosoma inornatum</i> (O. P.-Cambridge, 1861)		<i>Dipoena inornata</i>	E	S	W		RI		NS	
<i>Phylloneta impressa</i> (L. Koch, 1881)		<i>Theridion impressum</i>	E	S	W	NI	RI			
<i>Phylloneta sisypbia</i> (Clerck, 1757)		<i>Theridion sisyphium</i>	E	S	W	NI	RI			
<i>Platnickina tincta</i> (Walckenaer, 1802)		<i>Theridion tinctum</i>	E	S	W	NI	RI			
<i>Robertus arundineti</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI			
<i>Robertus insignis</i> O. P.-Cambridge, 1908	<i>Robertus insignis</i> O. P.-Cambridge, 1907		E						NR	DD
<i>Robertus lividus</i> (Blackwall, 1836)			E	S	W	NI	RI			
<i>Robertus neglectus</i> (O. P.-Cambridge, 1871)			E	S	W	NI	RI		NS	
<i>Robertus scoticus</i> Jackson, 1914				S					NR	CR
<i>Rugathodes bellicosus</i> (Simon, 1873)		<i>Theridion bellicosum</i>	E	S	W		RI		NR	
<i>Rugathodes instabilis</i> (O. P.-Cambridge, 1871)		<i>Theridion instabile</i>	E		W	NI	RI		NS	
<i>Rugathodes sexpunctatus</i> (Emerton, 1882)		not present		S						
<i>Sardinidion blackwalli</i> (O. P.-Cambridge, 1871)		<i>Theridion blackwalli</i>	E	S	W		RI		NS	
<i>Simitidion simile</i> (C. L. Koch, 1836)		<i>Theridion simile</i>	E	S	W	NI	RI			
<i>Steatoda albomaculata</i> (De Geer, 1778)			E		W				NR	
<i>Steatoda bipunctata</i> (Linnaeus, 1758)			E	S	W	NI	RI			
<i>Steatoda grossa</i> (C. L. Koch, 1838)			E	S	W	NI	RI	Ab		
<i>Steatoda nobilis</i> (Thorell, 1875)		Appendix 2	E	S	W	NI	RI	Ab		
<i>Steatoda triangulosa</i> (Walckenaer, 1802)		not present	E		W					
<i>Theonoe minutissima</i> (O. P.-Cambridge, 1879)			E	S	W	NI	RI			
<i>Theridion familiare</i> O. P.-Cambridge, 1871			E	S					NS	
<i>Theridion hannoniae</i> Denis, 1945	<i>Theridion hannoniae</i> Denis, 1944	not present			W					
<i>Theridion hemerobium</i> Simon, 1914			E	S	W		RI		NS	
<i>Theridion melanurum</i> Hahn, 1831			E	S	W	NI	RI			
<i>Theridion mystaceum</i> L. Koch, 1870			E	S	W	NI	RI			
<i>Theridion pictum</i> (Walckenaer, 1802)			E	S	W	NI				
<i>Theridion pinastri</i> L. Koch, 1872			E						NS	
<i>Theridion varians</i> Hahn, 1833			E	S	W	NI	RI			
Family THERIDIOSOMATIDAE										
<i>Theridiosoma gemmosum</i> (L. Koch, 1877)			E		W	NI	RI		NS	
Family THOMISIDAE										
<i>Bassaniodes robustus</i> (Hahn, 1832)		<i>Xysticus robustus</i>	E						NR	EN
<i>Cozyptila blackwalli</i> (Simon, 1875)		<i>Ozyptila blackwalli</i>	E						NR	EN
<i>Diaea dorsata</i> (Fabricius, 1777)			E		W		RI			
<i>Misumena vatia</i> (Clerck, 1757)			E		W		RI			
<i>Ozyptila atomaria</i> (Panzer, 1801)			E	S	W	NI	RI			
<i>Ozyptila brevipes</i> (Hahn, 1826)			E		W		RI			
<i>Ozyptila claveata</i> (Walckenaer, 1837)		<i>Ozyptila nigrita</i>	E						NS	
<i>Ozyptila praticola</i> (C. L. Koch, 1837)			E		W		RI			
<i>Ozyptila pullata</i> (Thorell, 1875)		not present	E						NR	VU
<i>Ozyptila sanctuaria</i> (O. P.-Cambridge, 1871)			E		W		RI			
<i>Ozyptila scabricula</i> (Westring, 1851)			E		W				NS	

Species	2019 checklist	Roberts	E	S	W	NI	RI	AS	GB	IU
THOMISIDAE cont.										
<i>Ozyptila simplex</i> (O. P.-Cambridge, 1862)			E		W					
<i>Ozyptila trux</i> (Blackwall, 1846)			E	S	W	NI	RI			
<i>Pistius truncatus</i> (Pallas, 1772)			E						NR	CR
<i>Psammitis sabulosa</i> (Hahn, 1832)	<i>Xysticus sabulosus</i>		E	S	W	NI	RI		NS	
<i>Thomisus onustus</i> Walckenaer, 1805	<i>Thomisus onustus</i> Walckenaer, 1806		E						NS	
<i>Xysticus acerbus</i> Thorell, 1872			E		W				NR	
<i>Xysticus audax</i> (Schrank, 1803)			E	S	W		RI			
<i>Xysticus bifasciatus</i> C. L. Koch, 1837			E	S	W				NS	
<i>Xysticus cristatus</i> (Clerck, 1757)			E	S	W	NI	RI			
<i>Xysticus erraticus</i> (Blackwall, 1834)			E	S	W	NI	RI			
<i>Xysticus kochi</i> Thorell, 1872			E	S	W		RI			
<i>Xysticus lanio</i> C. L. Koch, 1835			E		W		RI			
<i>Xysticus luctator</i> L. Koch, 1870			E						NR	EN
<i>Xysticus luctuosus</i> (Blackwall, 1836)			E	S	W		RI		NR	EN
<i>Xysticus ulmi</i> (Hahn, 1831)			E	S	W		RI			
Family ULOBORIDAE										
<i>Hyptiotes paradoxus</i> (C. L. Koch, 1834)			E		W		RI		NS	
<i>Uloborus plumipes</i> Lucas, 1846		not present	E	S	W		RI	Ag		
<i>Uloborus walckenaerius</i> Latreille, 1806			E						NR	NT
Family ZODARIIDAE										
<i>Zodarion fuscum</i> (Simon, 1870)		not present	E		W				NR	VU
<i>Zodarion italicum</i> (Canestrini, 1868)		Appendix 1	E						NS	
<i>Zodarion rubidum</i> Simon, 1914		not present	E						NR	
<i>Zodarion vicinum</i> Denis, 1935		not present	E						NR	VU

List A2: Species awaiting taxonomic definition

Species	2019 Checklist	Roberts	E	S	W	NI	RI	AS	GB	IU
<i>Lathys</i> sp. (Family Dictynidae)		not present					RI			
<i>Orchestina</i> sp. (Family Oonopidae)	not present	not present	E						NR	CR

List A3: Species with insufficient data to fully determine status

Species	2019 Checklist	Roberts	E	S	W	NI	RI	AS	GB	IU
Family AGELENIDAE										
<i>Tegenaria ramblae</i> Barrientos, 1978		not present	E					Ab		
<i>Textrix rubrofoliata</i> Pesarini 1990	not present		E					Ag		
Family GNAPHOSIDAE										
<i>Marinazelotes fuscipes</i> (C. L. Koch, 1866)	<i>Trachyzelotes fuscipes</i> (C. L. Koch, 1866)	not present	E					Ab		
Family LINYPHIIDAE										
<i>Frontinellina frutetorum</i> (C. L. Koch, 1835)		not present	E							
<i>Islandiana falsifica</i> (Keyserling, 1886)		not present			W					
<i>Lasiargus hirsutus</i> (Menge, 1869)	not present		E							
Family SALTICIDAE										
<i>Leptorchestes berolinensis</i> (C. L. Koch, 1846)	not present		E							
Family THOMISIDAE										
<i>Synema globosum</i> (Fabricius, 1775)		not present	E							

Table 2: Species recorded from artificial habitats or as imports.**List B1:** Species established only in artificial tropical biomes.**List B2:** Species recorded from imported goods but not established.

Abbreviations: GB&I = Great Britain and Ireland, E = England, S = Scotland, W = Wales, NI = Northern Ireland, RI = Republic of Ireland.

List B1. Species found only in artificial tropical biomes		
Species	2019 checklist	GB&I
Family ANAPIDAE		
<i>Pseudanapis aloha</i> Forster, 1959		E
Family NESTICIDAE		
<i>Howaia mogera</i> (Yaginuma, 1972)	<i>Nesticella mogera</i>	E
Family OONOPIDAE		
<i>Triarhis stenapsis</i> Simon 1892	not present	E, RI

Species	2019 checklist	GB&I
OONOPIDAE cont.		
<i>Ischnothyreus velox</i> Jackson 1908	not present	
Family PHOLCIDAE		
<i>Pholcus opilionoides</i> (Schrank, 1781)	not present	E
<i>Spermophora kerinci</i> Huber, 2005		E
Family SALTICIDAE		
<i>Zygoballus rufipes</i> G. W. Peckham & E. G. Peckham, 1885	not present	E

List B2. Species recorded from imported goods but not established		
Species	2019 checklist	GB&I
Family ANTRODIAETIDAE		
<i>Hexura picea</i> Simon, 1885	not present	E
Family ARANEIDAE		
<i>Cyrtophora citricola</i> (Forsskål, 1775)		E
<i>Trichonephila clavata</i> L. Koch, 1878	not present	E
Family CHEIRACANTHIDAE		
<i>Cheiracanthium furculatum</i> Karsch, 1879	not present	E
<i>Cheiracanthium mildei</i> L. Koch, 1864	not present	E
Family CTENIDAE		
<i>Acanthoetus spinipes</i> Keyserling, 1877	not present	E
<i>Afroneutria erythrochelis</i> (Simon, 1877)	not present	E
<i>Bowie thenextday</i> Jäger, 2022	not present	E
<i>Ctenus villasboasi</i> Mello-Leitão, 1949	not present	E
<i>Kiekie panamensis</i> Polotow & Brescovit, 2018	not present	E
<i>Phoneutria depilata</i> (Strand, 1909)	not present	E
<i>Phoneutria keyserlingi</i> (F. O. Pickard-Cambridge, 1897)	not present	E
<i>Phoneutria nigriventer</i> (Keyserling, 1891)	not present	E
Family DESIDAE		
<i>Badumna insignis</i> (L. Koch, 1872)	not present	E
<i>Desis martensi</i> L. Koch, 1872	not present	E
Family GNAPHOSIDAE		
<i>Zelotes puritanus</i> Chamberlin, 1922	not present	E
Family LINYPHIIDAE		
<i>Mermessus denticulatus</i> (Banks, 1898)	not present	E
<i>Mermessus maculatus</i> (Banks, 1892)	not present	E
Family MACROTHELIDAE		
<i>Macrothele calpeiana</i> (Walckenaer, 1805)	not present	E
Family OECOBIIDAE		
<i>Uroctea durandi</i> (Latreille, 1809)		E
Family PHOLCIDAE		
<i>Artema atlanta</i> Walckenaer, 1873		E
<i>Quamtana</i> sp. ZFMK Ar 24490 aff. <i>lotzi</i>	not present	E
Family SALTICIDAE		
<i>Breda milvina</i> (C. L. Koch, 1846)	not present	E
<i>Evarcha jucunda</i> (Lucas, 1846)	not present	E
<i>Frigga crocuta</i> (Taczanowski, 1878)	not present	E
<i>Heliophanus apiatius</i> Simon, 1868	not present	E
<i>Helpis occidentalis</i> Simon, 1909	not present	E
<i>Helpis minitabunda</i> (L. Koch, 1880)	not present	E
<i>Hyllus plexippoides</i> Simon, 1906	not present	E
<i>Icius hamatus</i> (C. L. Koch, 1846)	not present	E
<i>Phidippus audax</i> (Hentz, 1845)	not present	E
<i>Philaeus chrysops</i> (Poda, 1761)		E, RI
<i>Phintella suknana</i> Prószyński, 1992	not present	E
<i>Phintella vittata</i> (C. L. Koch, 1846)	not present	E
<i>Plexippus paykulli</i> (Audouin, 1826)	not present	E

Species	2019 checklist	GB&I
SALTICIDAE cont.		
<i>Rudakius ludhianaensis</i> (Tikader, 1974)	not present	E
<i>Thyene imperialis</i> (Rossi, 1846)	not present	E
Family SCYTODIDAE		
<i>Scytodes fusca</i> Walckenaer, 1837	not present	E
Family SEGESTRIIDAE		
<i>Ariadna insidiatrix</i> Audouin, 1826	not present	E
Family SICARIIDAE		
<i>Loxosceles rufescens</i> (Dufour, 1820)	not present	E
Family SPARASSIDAE		
<i>Barylestis occidentalis</i> (Simon, 1887)	not present	E
<i>Barylestis scutatus</i> (Pocock, 1903)	not present	E, NI
<i>Barylestis variatus</i> (Pocock, 1900)		E, S, NI
<i>Heteropoda venatoria</i> (Linnaeus, 1767)		E, S
<i>Meri sanctivincenti</i> (Simon, 1898)	<i>Olios sanctivincenti</i>	E, NI
<i>Micrommata ligurina</i> (C.L. Koch, 1845)	not present	E
<i>Olios argelasius</i> (Walckenaer, 1806)	not present	E
Family THERAPHOSIDAE		
<i>Chaetopelma olivaceum</i> (C.L. Koch, 1841)	not present	E
<i>Psalmopoeus cambridgei</i> Pocock, 1895	not present	E
<i>Pterinochilus chordatus</i> (Gerstaecker, 1873)	not present	E
<i>Stromatopelma batesi</i> (Pocock, 1902)	not present	E
<i>Stromatopelma calceatum</i> (Fabricius, 1793)	not present	E
Family THERIDIIDAE		
<i>Cryptachaea vericulata</i> (Urquhart, 1886)	not present	E
<i>Latrodectus geometricus</i> (C.L. Koch, 1841)	not present	E, RI
<i>Latrodectus hasselti</i> Thorell, 1870	not present	E
<i>Latrodectus hesperus</i> (Chamberlin & Ivie, 1935)	not present	E, RI
<i>Lactrodectus mactans</i> (Fabricius, 1775)	not present	E, NI, RI
<i>Latrodectus variolus</i> Walckenaer, 1837	not present	E
<i>Nesticodes rufipes</i> (Lucas, 1846)	not present	E
<i>Steatoda paykulliana</i> (Walckenaer, 1806)		E
<i>Theridion trifile</i> Simon, 1907	not present	E
Family TITANOECIDAE		
<i>Nurscia albofasciata</i> (Strand, 1907)	not present	E
<i>Pandava laminata</i> (Thorell, 1878)	not present	E, RI
Family TRECHALEIDAE		
<i>Cupiennius bimaculatus</i> (Taczanowski, 1874)	not present	E
<i>Cupiennius coccineus</i> F. O. Pickard-Cambridge, 1901	not present	E
<i>Cupiennius getazi</i> Simon, 1891	not present	E
<i>Cupiennius salei</i> (Keyserling, 1877)	not present	E
Family ULOBORIDAE		
<i>Zosis geniculata</i> (Olivier, 1789)	not present	E
Family ZOROPSIDAE		
<i>Zoropsis lutea</i> (Thorell, 1875)	not present	E
<i>Zoropsis rufipes</i> (Lucas, 1838)	not present	E, RI

Table 3: Summary. Abbreviations: E = England, S = Scotland, W = Wales, NI = Northern Ireland, RI = Republic of Ireland, GB&I = Great Britain and Ireland.

List	Description	E	S	W	NI	RI	GB&I
A1	Established species	656	457	501	315	422	678
A2	Established but not fully described	1				1	2
A1+A2	Established in Great Britain and Ireland	657	457	501	315	423	680
A3	Status unknown	7		1		1	8
A1+A2+A3	Recorded in Great Britain and Ireland	664	457	502	315	424	688
B1	Artificial biomes only	7				1	7
B2	Imports	70	2		4	6	70
All	Checklist total – including non-established species	741	459	502	319	431	765