

Lateral margins of scute with three pairs of white spots, one on carapace, one at area I and one at groove IV. Tubercles of area III black, those of eye mound yellow; all legs olive-green.

Genitalia (Figs. 7-10): Penis 2.04 long. Truncus slender. Ventral plate pyriform, widened at base, divided distally into two branches by a deep V-shaped cleft; armed with three distal and three basal setae and a much smaller one in the middle; each branch with a distal well-developed flange, bearing two very short setae. Glans (Fig. 9) bifid; ventral branch ("fan") roughly rectangular, with two latero-distal projecting flakes with grooved surface and serrate margins; dorsal branch cylindrical, entirely smooth, with rounded apex, slightly swollen (Fig. 10) and with blunt tubercles and ridges.

Female

Paired sculpture of area III and of eye mound as spines (only tubercles in male). Basitarsus I not thickened as in male (see Figs. 5-6). All segments of leg IV much shorter than in male, especially femur and metatarsus IV (see Tables 1-2). Approximate proportion of femora I-IV lengths: 1:2:1.5:2. Ratio calcaneus/astragalus of metatarsi I-IV: 0.5:0.3:0.4:0.3. Range of tarsal segmentation ($n = 3$): 6:12:9:9-11.

Habitat: Previous information about the natural history of *Ruschia vellutina* is not available. The only data result from just one specimen: DZUFRJ 0284 was collected on the under-surface of a rock in a waterfall, as some larger species of Mitobatinae.

Acknowledgements

I am grateful to H. E. M. Soares for the loan of material under her care and to A. Timotheo da Costa for steady laboratory support. Many thanks to R. L. C. Baptista and A. P. Chaves for their efforts to collect Mitobatinae. I am deeply indebted to Dr M. Benchimol (Inst. Biofísica C. Chagas Filho, UFRJ) for providing SEM facilities and to Dr M. Attias for spending hours taking the micrographs.

References

- KURY, A. B. 1990: Um novo conceito para Bourguiiinae (Opiliones: Laniatores: Gonyleptidae). In XVII Congresso Brasileiro de Zoologia, Londrina, Resumos, p. 22.
- GOODNIGHT, C. J. & GOODNIGHT, M. L. 1953: The opilionid fauna of Chiapas, Mexico, and adjacent areas. *Am. Mus. Novit.* **1610**: 1-81.
- MELLO-LEITÃO, C. F. DE 1923: Opilões Laniatores do Brasil. *Archos Mus. nac. Rio de J.* **24**: 107-197.
- MELLO-LEITÃO, C. F. DE 1940: Mais alguns novos opilões sul-americanos. *Anais Acad. bras. Cienc.* **12**(2): 93-107.
- MELLO-LEITÃO, C. F. DE 1949: Famílias, subfamília, espécies e gêneros novos de opilões e notas de sinonímia. *Bolm Mus. nac. Rio de J. (N. S., Zool.)* **94**: 1-33.
- SOARES, B. A. M. 1944a: Contribuição ao estudo dos opilões do Espírito Santo. *Papéis Dep. Zool. S. Paulo* **6**(13): 143-156.
- SOARES, B. A. M. 1944b: Notas sobre opilões da coleção do Museu Nacional do Rio de Janeiro. *Papéis Dep. Zool. S. Paulo* **6**(15): 163-180.
- SOARES, B. A. M. 1945: Opilões da coleção do Museu Nacional do Rio de Janeiro. *Archos Zool. Est. S. Paulo* **4**(9): 341-394.
- SOARES, B. A. M. & SOARES, H. E. M. 1948: Monografia dos gêneros de opilões neotrópicos I. *Archos Zool. Est. S. Paulo* **5**(9): 553-636.
- SOARES, H. E. M. 1974: Opera Opiliologica Varia III (Opiliones: Gonyleptidae). *Revta bras. Biol.* **34**(4): 477-486.

Bull.Br.arachnol.Soc. (1991) **8** (9), 287

***Uloborus kerevatensis*, new name for *Uloborus albolineatus* Opell, 1982 (Arachnida, Araneae, Uloboridae)**

Brent D. Opell

Department of Biology,
Virginia Polytechnic Institute and State University,
Blacksburg, Virginia 24061, U.S.A.

The species name *Uloborus albolineatus* was first used by Mello-Leitão (1941), making its subsequent used by Opell (in Lubin *et al.*, 1982) a junior homonym and requiring that a replacement name be proposed.

Therefore, I propose the species name *Uloborus kerevatensis* to replace the name *Uloborus albolineatus* Opell, 1982. This new name is an adjective derived from the type locality of the species.

References

- MELLO-LEITÃO, C. F. 1941: Las arañas de Córdoba, La Rioja, Catamarca, Tucuman, Salta y Jujuy. *Revta Mus. La Plata (N.S., Zool.)* **2**: 99-198.
- LUBIN, Y. D., OPELL, B. D., EBERHARD, W. G. & LEVI, H. W. 1982: Orb plus cone-webs in Uloboridae (Araneae), with a description of a new genus and four new species. *Psyche, Camb.* **89**: 29-64.